API NUMBER: 131 25443

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/26/2020
Expiration Date: 08/26/2021

Straight Hole Disposal

PERMIT TO DRILL

WELL LOCATION:	Section:	10	Township	: 24N	Range	17E	County:	ROG	ERS								
SPOT LOCATION:	NE NV	v sw	NW	FEE	T FROM QUARTER	FROM	SOUTH	FRO	OM WEST								
					SECTION LINES		1045		340								
Lease Name:	HARRIS SW	D				Well No:	8-10			Well	will be	340	feet fron	n nearest uni	t or leas	se bounda	ary.
Operator Name:	ROCKY TOP	ENERGY	LLC		Т	elephone	9182737	444					ОТ	C/OCC Nun	nber:	22945	0
ROCKY TOP	ENERGY	LLC] [
PO BOX 902								$ \ $	ROBERT BACON	l							
NOWATA,			OK	7404	48-0902			$ \ $	2445 S HWY 28								
,								$ \ $	CHELSEA				ОК	74016			
] [
Formation(s)	(Permit V	alid for L	isted Fo	rmatio	ns Only):												
Name			Cod		3,	Depth]									
1 STRAY			0008	STRY		280											
2 BARTLESVI	BARTLESVILLE 404BRVL				350												
3 MISSISSIPPIAN 359MSSP				525													
Spacing Orders:	No Spacing				Loca	tion Exce	ption Order	s: I	No Exceptions			Inc	creased De	ensity Orders:	No De	ensity Ord	ers
Pending CD Number	ers: No Pen	ding											Sp	ecial Orders:	No Sp	oecial Orde	ers
Total Depth: 600 Ground Elevation: 760 Surface C				Casing:	0	O Depth to base of Treatable Water-Bearing FM: 40											
Alternate Casing Program																	
Cement will b	e circulate	d from	Total De	epth to	the Grou	nd Sur	face on	the	Production Casir	ng Str	ing.						
Under Federal Jurisdiction: No							Approved Method for d	lisposa	l of Drilli	ing Flui	ds:						
Fresh Water Supply Well Drilled: No						A. Evaporation/dewater and backfilling of reserve pit.											
Surface Water used to Drill: No																	
									H. CBL REQUIRED								
PIT 1 INFOR	MATION								Category	of Pit:	2						
Type of Pit System: ON SITE							Liner not required for Category: 2										
Type of Mud System: AIR						Pit Location is: BED AQUIFER											
									Pit Location Forma	ation:	SENOR	Α					
Is depth to top of ground water greater than 10ft below base of pit? Y					Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).												
Within 1 mile of municipal water well? N																	
Wellhead Protection Area? N																	
Pit <u>is</u> located in a Hydrologically Sensitive Area.																	

NOTES:

Category	Description
HYDRAULIC FRACTURING	2/24/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
SPACING	2/24/2020 - GC2 - N/A DISPOSAL WELL