API NUMBER: 017 25961 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/19/2023

Expiration Date: 11/19/2024

Multi Unit Oil & Gas

Amend reason: AMEND BHL

AMEND PERMIT TO DRILL

WELL LOCATION:	Section: 17	Township: 14N	Range: 9W	County: CA	NADIAN	\neg			
SPOT LOCATION:	SE NW NW	NE FEET FROM	QUARTER: FROM	NORTH F	ROM EAST				
		SECT	ION LINES:	405	2292				
Lease Name:	RHINO 8_5-14N-9W		Well No:			ell will be 405	feet from nearest unit	or lease boundary.	
Operator Name:	DEVON ENERGY PRO	DUCTION COMPANY	Telephone:	; 4052353611;		OTC/OCC Num	ber: 20751 0		
DEVON ENERGY PRODUCTION COMPANY LP					NOA, LLC				
333 W SHERIDAN AVE					PO BOX 21625				
OKLAHOMA CITY, OK 73102-5015					OKLAHOMA CITY		OK 73156		
Formation(s)	(Permit Valid for L	isted Formations O	nly):						
Name	,	Code	Depth						
1 MISSISSIPPIA	AN (LESS CHESTER)	359MSNLC	10326						
Spacing Orders: 7	731231		Location Except	tion Orders:	731786	Ir	ncreased Density Orders:	731231	
7	731232							731232	
7	731779					_			
Pending CD Numbers: No Pending Working interest owners					notified: DNA		Special Orders:	No Special	
Total Depth: 21	664 Ground I	Elevation: 1430	Surface C	asing: 6	40	Depth to base	of Treatable Water-Bearing	ng FM: 390	
Under F	ederal Jurisdiction: No	1			Approved Method for disposal of Drilling Fluids:				
Fresh Water Supply Well Drilled: No				D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38949					
Surface	Water used to Drill: Yes	S			H. (Other)	SEE M	IEMO		
PIT 1 INFORM	MATION				Category of Pit:	: C			
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C				
Type of Mud System: WATER BASED					Pit Location is: AP/TE DEPOSIT				
Chlorides Max: 5000 Average: 3000					Pit Location Formation:	TERRACE			
Is depth to to	op of ground water greate	er than 10ft below base of	pit? Y						
	ile of municipal water we								
	Wellhead Protection Area								
Pit <u>is</u> loc	cated in a Hydrologically	Sensitive Area.							
PIT 2 INFORM	MATION				Category of Pit:	: C			
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C				
Type of Mud System: OIL BASED					Pit Location is: AP/TE DEPOSIT				
Chlorides Max: 300000 Average: 200000					Pit Location Formation:	TERRACE			
Is depth to top of ground water greater than 10ft below base of pit? Y									
	ile of municipal water we								
Wellhead Protection Area? Y Pit <u>is</u> located in a Hydrologically Sensitive Area.									
Pit <u>is</u> loc	cated in a Hydrologically :	Sensitive Area.							

MULTI UNIT HOLE 1

Section: 5 Township: 14N Range: 9W Meridian: IM Total Length: 10400

County: CANADIAN Measured Total Depth: 21664

Spot Location of End Point: NW NE NE NW True Vertical Depth: 10982

Feet From: NORTH 1/4 Section Line: 50 End Point Location from
Feet From: WEST 1/4 Section Line: 2140 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
HYDRAULIC FRACTURING	[5/18/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731231	[5/19/2023 - G56] - (I.O.) 5-14N-9W X663424 MSNLC 3 WELLS DEVON ENERGY PROD CO, LP 1/9/2023
INCREASED DENSITY - 731232	[5/19/2023 - G56] - 8-14N-9W X663022 MSNLC 3 WELLS DEVON ENERGY PROD CO, LP 1/9/2023
INTERMEDIATE CASING	[5/18/2023 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 731786	[5/19/2023 - G56] - (I.O.) 5 & 8-14N-9W X663424 MSNLC 5-14N-9W X663022 MSNLC 8-14N-9W X165:10-3-28(C)(2)(B) MSNLC MAY BE CLOSER THAN 600' TO TECH TRUST 1-8 (017-23730) COMPL INT (5-14N-9W) NCT 0' FSL, NCT 165' FNL, NCT 1650' FWL COMPL INT (8-14N-9W) NCT 165' FSL, NCT 0' FNL, NCT 1650' FWL DEVON ENERGY PROD CO, LP 1/30/2023
МЕМО	[5/18/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PUBLIC WATER SUPPLY	[5/18/2023 - GC2] - OKARCHE - 2 WELLS N2 17-14N-9W AND OKARCHE RWD, INC - 2 WELLS SW4 8-14N-9W
SPACING - 663022	[5/19/2023 - G56] - (640)(HOR) 8-14N-9W VAC 641050 MSSP EXT 641963 MSNLC COMPL INT NCT 660' FB (COEXIST WITH SP # 197963 MSSSD)
SPACING - 663424	[5/19/2023 - G56] - (640)(HOR) 5-14N-9W VAC 641050 MSSP EXT 641963 MSNLC COMPL INT NCT 660' FB (COEXIST WITH SP # 185925 MSSSD)
SPACING - 731779	[5/19/2023 - G56] - (I.O.) 5 & 8-14N-9W EST MULTIUNIT HORIZONTAL WELL X663424 MSNLC 5-14N-9W X663022 MSNLC 8-14N-9W 50% 5-14N-9W 50% 8-14N-9W DEVON ENERGY PROD CO, LP 1/30/2023
SURFACE CASING	[5/18/2023 - GC2] - NO DEEP SURFACE CASING DUE TO BEING INSIDE PUBLIC WATER SUPPLY WELLS