API NUMBER: 017 25504

Oil & Gas

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: BISON

Pit is not located in a Hydrologically Sensitive Area.

Wellhead Protection Area?

Category of Pit: C

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 08/15/2019
Expiration Date: 02/15/2021

PERMIT TO DRILL

	_		_			
WELL LOCATION: Sec: 21 Twp: 14N Rge: 5W	County: CANAI	DIAN				
SPOT LOCATION: SW NW SW SE FEET FRO	M QUARTER: FROM	SOUTH FROM EA	ST			
SECTION	LINES:	700 24	02			
Lease Name: BROMLOW 1405	Well No:	8-28MH	Well will be	e 700 feet from nearest unit or lease boundary.		
Operator RED BLUFF RESOURCES OPERATING LLC		T-1h 40500	00007	OTO/OOO North are 00000 0		
Name:	,	Telephone: 40520	88667	OTC/OCC Number: 23828 0		
RED BLUFF RESOURCES OPERATING LLC		JERRY AND SHARON BROMLOW				
3030 NW EXPRESSWAY STE 900			1711 GOLF COURS	OUE COURSE DR		
OKLAHOMA CITY, OK 73112	-5447		EL RENO	OK 73036		
		J	LL KLINO	OK 73030		
Formation(s) (Permit Valid for Listed Formations	s Only):					
Name	Depth		Name	Depth		
1 MISSISSIPPIAN (LESS CHESTER)	7488	6				
2 WOODFORD	7600	7				
3		8				
5		10				
·						
Spacing Orders: No Spacing	Location Exception Orders:			Increased Density Orders:		
Pending CD Numbers: 201902025				Special Orders:		
201902028						
Total Depth: 13126 Ground Elevation: 1195	Surface C	Surface Casing: 1000		Depth to base of Treatable Water-Bearing FM: 780		
Total Depth. 10120 Ground Elevation. 1100	Surface C	asing. 1000	Бора	The base of Freduciale Water Bearing FW. 700		
Under Federal Jurisdiction: No	Fresh Water S	Supply Well Drilled: N	lo	Surface Water used to Drill: Yes		
DIT 1 INECOMATION		Approv	red Method for disposal of Drill			
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits		, φρισν	ooa io. diopoodi oi Dilli	g		
Type of Mud System: CLOSED Closed System Means Steel Pils Type of Mud System: WATER BASED						
		D On	e time land application (REC	QUIRES PERMIT) PERMIT NO: 19-36686		

HORIZONTAL HOLE 1

Sec 28 Twp 14N Rge 5W County CANADIAN

Spot Location of End Point: S2 S2 SE SE
Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 660

Depth of Deviation: 7077
Radius of Turn: 696
Direction: 168
Total Length: 4956

Measured Total Depth: 13126

True Vertical Depth: 7600

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING 7/31/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201902025 8/15/2019 - G56 - (E.O.)(640)(HOR) 28-14N-5W

VAC 182916 MSSLM W2 NW4, NE4, E2 SE4

EST MSNLC, WDFD, OTHER

(COEXIST WITH E2 NW4, SW4, W2 SE4 SP # 182916 MSSLM) REC 7/12/2019 (MINMIER) PER ATTORNEY FOR OPERATOR

PENDING CD - 201902028 8/15/2019 - G56 - (E.O) 28-14N-5W

X201902025 MSNLC, WDFD, OTHER

X165:10-3-28(C)(2)(B) MSNLC MAY BE CLOSER THAN 600' TO BLUGIL 28-1 WELL

COMPL INT NCT 165' FNL, NCT 165' FSL, NCT 330' FEL OR FWL

RED BLUFF RESOURCES OP. LLC

REC 7/12/2019 (MINMIER) PER ATTORNEY FOR OPERATOR




1530 SW 89th Street, Bldg. C3 Oklahoma City, OK (405) 692-7348 CIMSURVEY.COM

CANADIAN

County, Oklahoma

Section 21 Township 14N Range 5W I.M. 700'FSL - 2402'FEL



Scale: 1"= 2000'

GPS Observation: Latitude 35'40'09.720" N

Longitude 97'44'07.804" W

Latitude 35.66937 N

Longitude 97.73550 W

State Plane NAD83

Y: 243768N Oklahoma North Zone: X:2047066E

Operator: RED BLUFF RESOURCES Elevation: _1195'

Lease Name: Bromlow 1405

Well No.: 8-28MH

Topography & Vegetation: Cultivation

Alternate Location Stakes Set: No

Good Drill Site? Yes

Best Accessibility to Location: From the South Line

Distance & Direction

from Hwy Jct or Town: From the town of Piedmont; Thence North along St Hwy. 4

approx. 1¾ miles; Thence East 1 miles to the SW Corner of Section 21.

SURVEYOR'S CERTIFICATE:

I, D. MIKE DOSSEY, Registered Professional Land Surveyor, No. 1431 do hereby certify that the above described well location was carefully staked on the ground as shown and that all ties and distances shown are from existing lines of occupation.

JOB NO.:	190207B				
DATE:	04/15/19	1	REVISED BHL &	07/23/19	T.A.W.
DRAWN B	Y: S.R.T.	NO.	REVISION	DATE	BY

D. MIKE DOSSEY R.P.L.S. # 1431

