API NUMBER: 063 24915 A	OIL & GAS CONSE P.O. BC OKLAHOMA CIT (Rule 16	RATION COMMISSIO ERVATION DIVISION DX 52000 Y, OK 73152-2000 S5:10-3-1)	Approval Date: 07/17/2020 Expiration Date: 01/17/2022
nend reason: REVISED SHL & GROUND ELEVATION	AMEND PER	MIT TO DRILL	
WELL LOCATION: Section: 12 Township: 8N F	Range: 12E County: H	IUGHES	
SPOT LOCATION: NE SW NW SE FEET FROM Q	WARTER: FROM SOUTH	FROM EAST	
SECTIO	DN LINES: 1904	2028	
Lease Name: FRANKLIN	Well No: 4-12-24W	H	Well will be 1904 feet from nearest unit or lease boundary.
Operator Name: CALYX ENERGY III LLC	Telephone: 918949422	24	OTC/OCC Number: 23515 0
CALYX ENERGY III LLC			
6120 S YALE AVE STE 1480		MIDDLE CREEK, I	IC
TULSA, OK 74136-42	26	2798 NORTH 394	
10ESA, OK 14130-42	20	DUSTIN	01/ 74000
		DUSTIN	OK 74839
Formation(s) (Permit Valid for Listed Formations Or			
Name Code	Depth		
1 MAYES 353MYES 2 WOODFORD 319WDFD	4700 4800		
2 WOODFORD 319WDFD 3 HUNTON 269HNTN	4800		
4 SYLVAN 203SLVN	4865		
Spacing Orders: 671206	Location Exception Orders:	: 707384	Increased Density Orders: 707350
671757	Education Exception Orders.	. 707304	707351
677910			707352
707383			
Pending CD Numbers: No Pending			Special Orders: No Special Orders
Total Depth: 15500 Ground Elevation: 914	Surface Casing:	500	Depth to base of Treatable Water-Bearing FM: 250
Under Federal Jurisdiction: No		Approved Method for dis	sposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No		A. Evaporation/dewater an	d backfilling of reserve pit.
Surface Water used to Drill: Yes		B. Solidification of pit cont	
			on (REQUIRES PERMIT) PERMIT NO: 20-37380
		H. CLOSED SYSTEM=ST	EEL PITS PER OPERATOR REQUEST
PIT 1 INFORMATION		Category o	Pit: 4
Type of Pit System: ON SITE		Liner not required for C	ategory: 4
Type of Mud System: AIR		Pit Locatio	is: BED AQUIFER
		Pit Location Format	ion: SENORA
Is depth to top of ground water greater than 10ft below base of p	bit? Y	Mud System Change to 1000).	Nater-Based or Oil-Based Mud Requires an Amended Intent (Form
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION		Category o	Pit: C
Type of Pit System: CLOSED Closed System Means Stee	l Pits	Liner not required for C	
Type of Mud System: WATER BASED			is: BED AQUIFER
Chlorides Max: 8000 Average: 5000		Pit Location Format	ion: SENORA
Is depth to top of ground water greater than 10ft below base of	bit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is</u> located in a Hydrologically Sensitive Area.			

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1				
Section: 24 Town	nship: 8N	Range: 12E	Total Length:	10200
County:	PITTSBURG		Measured Total Depth:	15500
Spot Location of End Point:	SW SE	SE SW	True Vertical Depth:	4900
Feet From:	SOUTH	1/4 Section Line: 165	End Point Location from	
Feet From:	WEST	1/4 Section Line: 2080	Lease,Unit, or Property Line:	165

NOTES:	
Category	Description
HYDRAULIC FRACTURING	7/13/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY – 707350 (201905614)	7/16/2020 - GB6 - 12-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
INCREASED DENSITY – 707351 (201905615)	7/16/2020 - GB6 - 13-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
INCREASED DENSITY – 707352 (201905616)	7/16/2020 - GB6 - 24-8N-12E X671206 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
LOCATION EXCEPTION – 707384 (201905609)	7/16/2020 - GB6 - (I.O.) 12, 13, 24 -8N-12E X671206 MYES, WDFD, HNTN 24-8N-12E X671757 MYES, WDFD, HNTN 12, 13 -8N-12E X677910 SLVN 12, 13, 24 -8N-12E COMPL. INT. (12-8N-12E) NFT 1600' FSL, NCT 0' FSL, NCT 1100' FWL COMPL. INT. (13-8N-12E) NCT 0' FNL, NCT 0' FSL, NCT 1100' FWL COMPL. INT. (24-8N-12E) NCT 0' FNL, NCT 165' FSL, NCT 1100' FWL CALYX ENERGY III, LLC 01/10/2020
SPACING – 671206	7/16/2020 - GB6 - (640)(HOR) 24-8N-12E EST CNEY, MYES, WDFD, HNTN COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (CNEY) NCT 330' FB COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 671757	7/16/2020 - GB6 - (640)(HOR) 12, 13, -8N-12E EST CNEY, MYES, WDFD, HNTN COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (CNEY) NCT 330' FB COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 677910	7/16/2020 - GB6 - (640)(HOR) 12, 13, 24 -8N-12E EXT 671213 SLVN COMPL. INT. NCT 330' FB

SPACING – 707383 (201905608)	7/16/2020 - GB6 - (I.O.) 12, 13, 24 -8N-12E EST MULTIUNIT HORIZONTAL WELL X671206 MYES, WDFD, HNTN 24-8N-12E X671757 MYES, WDFD, HNTN 12, 13 -8N-12E X677910 SLVN 12, 13, 24 -8N-12E (MYES, HNTN, SLVN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD. IN THIS AREA THE HNTN IS ERRATIC AND THE SLVN SHOULD BE CONSIDERED AN ADJACENT COMMON SOURCE OF SUPPLY TO WDFD) 10% 12-8N-12E 45% 13-8N-12E 45% 24-8N-12E CALYX ENERGY III, LLC 01/00/0200
	01/10/2020

