| PI NUMBER: 011 24190 | OIL & GAS CONS P.O. B OKLAHOMA CI | DRATION COMMISSIO ERVATION DIVISION OX 52000 TY, OK 73152-2000 65:10-3-1) | Approval Date: 03/08/2019 Expiration Date: 09/08/2020 |
|---|---|---|--|
| lti Unit | PERMI | T TO DRILL | |
| | | | |
| WELL LOCATION: Sec: 09 Twp: 15N Rge: SPOT LOCATION: SW SW SW SE | 13W County: BLAINE FEET FROM QUARTER: FROM SOUTH SECTION LINES: 275 | FROM EAST 2594 | |
| Lease Name: BIG NUGGET 9_4-15N-13W | Well No: 3MHX | | Well will be 275 feet from nearest unit or lease boundary. |
| Operator PALOMA OPERATING CO INC Name: | Telepi | none: 7136508509 | OTC/OCC Number: 23932 0 |
| PALOMA OPERATING CO INC | | JOYCE TO | MLINSON, TRUSTEE |
| 1100 LOUISIANA ST STE 5100 | 77000 5000 | 8133 NW 80 | |
| HOUSTON, TX | 77002-5220 | OKLAHOM | A CITY OK 73132 |
| | | | |
| Formation(s) (Permit Valid for Listed For Name | Drmations Only): Depth | Name | Depth |
| 1 MISSISSIPPIAN | 10857 | 6 | |
| 2 | | 7 | |
| 3 | | 8 | |
| 4 5 | | 9 10 | |
| Spacing Orders: 659938 659015 661308 | Location Exception Orders: | | Increased Density Orders: |
| Pending CD Numbers: 201900705 201900703 201900701 201900707 | | | Special Orders: |
| Total Depth: 22260 Ground Elevation: | ¹⁷³² Surface Casing: | 1500 | Depth to base of Treatable Water-Bearing FM: 220 |
| Under Federal Jurisdiction: No | Fresh Water Supply W | ell Drilled: No | Surface Water used to Drill: No |
| PIT 1 INFORMATION | | Approved Method for dis | |
| Type of Pit System: CLOSED Closed System Means | s Steel Pits | | |
| Type of Mud System: WATER BASED | | D. One time land applic | ation (REQUIRES PERMIT) PERMIT NO: 19-3617 |
| Chlorides Max: 8000 Average: 5000 | | | use facility: Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741 |
| Is depth to top of ground water greater than 10ft below | base of pit? Y | H. SEE MEMO | |
| Within 1 mile of municipal water well? N Wellhead Protection Area? N | | | |
| Pit is located in a Hydrologically Sensitive Area. | | | |
| Category of Pit: C | | | |
| Liner not required for Category: C | | | |
| Pit Location is AP/TE DEPOSIT | | | |
| | | | |

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

 Pit Location is
 AP/TE DEPOSIT

 Pit Location Formation:
 TERRACE

HORIZONTAL HOLE 1

Sec 04 Twp 15N Rge 13W County BLAINE Spot Location of End Point: N2 N2 N2 N2 Feet From: NORTH 1/4 Section Line: 65 Feet From: EAST 1/4 Section Line: 2640 Depth of Deviation: 11139 Radius of Turn: 478 Direction: 358 Total Length: 10371 Measured Total Depth: 22260 True Vertical Depth: 11906 End Point Location from Lease, Unit, or Property Line: 65

| Notes: | |
|----------------------|--|
| Category | Description |
| DEEP SURFACE CASING | 3/6/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING |
| HYDRAULIC FRACTURING | 3/6/2019 - G71 - OCC 165:10-3-10 REQUIRES: |
| | 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; |
| | 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, |
| | 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG |
| INTERMEDIATE CASING | 3/6/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES |
| MEMO | 3/6/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT |

011 24190 BIG NUGGET 9_4-15N-13W 3MHX

| Category | Description |
|------------------------|---|
| PENDING CD - 201900701 | 3/8/2019 - G58 - (I.O.) 4 & 9-15N-13W X659938 MSSP X659015 MSSP COMPL. INT. 9-15N-13W NCT 165' FSL, NCT 0' FNL, NCT 330' FEL COMPL. INT. 4-15N-13W NCT 0' FSL, NCT 165' FNL, NCT 330' FEL NO OP. NAMED REC 3/5/2019 (JOHNSON) |
| PENDING CD - 201900703 | 3/8/2019 - G58 - 9-15N-13W X659015 MSSP 3 WELLS NO OP. NAMED REC 3/5/2019 (JOHNSON) |
| PENDING CD - 201900705 | 3/8/2019 - G58 - 4-15N-13W X659938 MSSP 2 WELLS NO OP. NAMED REC 3/5/2019 (JOHNSON) |
| PENDING CD - 201900707 | 3/8/2019 - G58 - (I.O.) 4 & 9-15N-13W EST MULTIUNIT HORIZONTAL WELL X659938 MSSP X659015 MSSP 50% 4-15N-13W 50% 9-15N-13W NO OP. NAMED REC 3/5/2019 (JOHNSON) |
| SPACING - 659015 | 3/8/2019 - G58 - (640) 9-15N-13W EXT 654488 MSSP, OTHERS EST OTHERS |
| SPACING - 659938 | 3/8/2019 - G58 - (640)(HOR) 4-15N-13W VAC 131101 CSTR EST MSSP, OTHERS COMPL. INT. NLT 660' FB |
| SPACING - 661308 | 3/8/2019 - G58 - NPT 659015 LEGAL DESCRIPTION |

