API NUMBER: 017 25905

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/26/2023

Expiration Date: 07/26/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	28	Township	: 12N	Range:	8W	County: 0	CANA	ADIAN							
SPOT LOCATION:	NW NE	NE	NE	FEET	FROM QUARTER:	FROM	NORTH	FRO	M EAST							
					SECTION LINES:		243		496							
Lease Name:	BROKEN BO	W LAKE 1	208			Well No:	21-16-6M	IXH		Well	will be	243	feet from	nearest unit	or lease	boundary.
Operator Name:	CAMINO NAT	URAL RE	SOURCES	LLC	Т	elephone:	72040527	729					ОТО	C/OCC Num	ber:	24097 0
CAMINO NAT	ΓURAL RES	OURCE	ES LLC] [JACK E HUN	IT LIVING	TRUS	Т				
1401 17TH ST STE 1000								5103 SOUTH	I FORT RI	ENO R	OAD					
DENVER, CO 80202-1247							EL RENO				OK	73036				
			00	00201					LLINU				OK	73030		
								-								
								_								
Formation(s)	(Permit Va	lid for L	isted Fo	rmation	s Only):											
Name			Code	e		Depth]								
1 MISSISSIPP	PIAN		3591	MSSP		10683										
2 MISSISSIPP	יו		351N	MISS		10683										
3 WOODFORI	D		319V	WDFD		11013										
Spacing Orders:	131699				Loca	tion Excep	tion Orders	s:	729793			Inc	creased De	nsity Orders:	72906	5
	592308														72972	9
	718548															
	729191															
Pending CD Number	ers: No Pe	ending	j		V	Vorking int	erest owne	ers' no	otified: ***				Spe	ecial Orders:	No S	Special
Total Depth: 21355 Ground Elevation: 1446 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 340									340							
												D	eep surf	ace casinç	 g has b	een approved
Under Federal Jurisdiction: No								Approved Method for disposal of Drilling Fluids:								
Fresh Water Supply Well Drilled: No							D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38790								22-38790	
Surface Water used to Drill: Yes									H. (Other) SEE MEMO							
								Ľ	n. (Other)			OLL IVII	LIVIO			
PIT 1 INFOR	MATION								Cate	gory of Pit:	С					
Type of Pit System: CLOSED Closed System Means Steel Pits							Liner not required for Category: C									
Type of Mud System: WATER BASED								Pit Location is: NON HSA								
Chlorides Max: 5000 Average: 3000						Pit Location	Formation:	DOG CF	REEK							
Is depth to	top of ground w	ater greate	er than 10ft	below bas	se of pit? Y											
Within 1 r	mile of municipa															
	Wellhead Prote	ection Area	a? N													
Pit <u>is not</u> lo	ocated in a Hydro	ologically	Sensitive A	rea.												
PIT 2 INFOR	MATION								Cate	gory of Pit:	С					
Type of Pit System: CLOSED Closed System Means Steel Pits							Liner not required for Category: C									
Type of Mud System: OIL BASED							Pit Location is: NON HSA									
Chlorides Max: 300000 Average: 200000							Pit Location Formation: DOG CREEK									
Is depth to	top of ground wa	ater greate	er than 10ft	below bas	se of pit? Y											
Within 1 r	mile of municipa	l water we	II? N													
Wellhead Protection Area? N																
Pit <u>is not</u> lo	ocated in a Hydro	ologically	Sensitive A	rea.												

MULTI UNIT HOLE 1

Section: 16 Township: 12N Range: 8W Meridian: IM Total Length: 10000

County: CANADIAN Measured Total Depth: 21355

Spot Location of End Point: NW NE NE NE True Vertical Depth: 12000

Feet From: NORTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 580 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[1/24/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[1/24/2023 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF
	SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 729065	[1/26/2023 - G56] - 16-12N-8W X131699 MISS 3 WELLS CAMINO NATURAL RESOURCES, LLC 10/11/2022
INCREASED DENSITY - 729729	[1/26/2023 - G56] - 21-12N-8W X718548 MSSP 3 WELLS CAMINO NATURAL RESOURCES, LLC 11/9/2022
LOCATION EXCEPTION - 729793	[1/26/2023 - G56] - (I.O.) 16 & 21 -12N-8W X131699 MISS 16-12N-8W X592308 WDFD 16-12N-8W X718548 MSSP, WDFD 21-12N-8W COMPL INT (16-12N-8W) NCT 0' FSL, NCT 165' FNL, NCT 330' FEL COMPL INT (21-12N-8W) NCT 165' FSL, NCT 0' FNL, NCT 330' FEL CAMINO NATURAL RESOURCES, LLC 11/10/2022
МЕМО	[1/24/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 131699	[1/26/2023 - G56] - (640) 16 & 21 -12N-8W EXT OTHERS EST OTHER EXT 122864 MISS, OTHER (VAC BY 138347 IN 21-12N-8W)
SPACING - 592308	[1/26/2023 - G56] - (640) 16-12N-8W EXT 139652 WDFD
SPACING - 718548	[1/26/2023 - G56] - (640)(HOR) 21-12N-8W VAC 137304 CSTR VAC 131699/138347 MISS EXT 688916 MSSP, WDFD COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL
SPACING - 729191	[1/26/2023 - G56] - (I.O.) 16 & 21 -12N-8W EST MULTIUNIT HORIZONTAL WELL X131699 MISS 16-12N-8W X592308 WDFD 16-12N-8W X718548 MSSP, WDFD 21-12N-8W (WDFD IS ADJACENT COMMON SOURCE OF SUPPLY TO MISS, MSSP) 50% 16-12N-8W 50% 21-12N-8W CAMINO NATURAL RESOURCES, LLC 10/14/2022