API NUMBER: 051 24962 Α OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/14/2022 03/14/2024 **Expiration Date:**

Multi Unit Oil & Gas

Amend reason: CHANGE DISPOSAL METHODS

AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	29	Township:	8N Rang	e: 5W	County:	GRAI	ΟY				
SPOT LOCATION:	NE NW	NW	NW	FEET FROM QUARTE	R: FROM	NORTH	FRO	WEST				
				SECTION LINE	S:	201		586				
Lease Name:	DESKINS 2932				Well No:	6H			Well will be	201	feet from nearest unit or lease bour	dary.
Operator Name:	EOG RESOURC	ES INC			Telephone:	4052463	3248				OTC/OCC Number: 1623	31 0
EOG RESOURCES INC					1	PHYLLIS J PICKARD REV TRUST						
14701 BOGEI	RT PARKWA	Y						PHYLLIS J PIC	KARD & TEDD	YJP	ICKARD, CO-TRUSTEES	
OKI AHOMA (CITY		OK	73134-2646			11	PO BOX 743				

BLANCHARD

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth
1	MISSISSIPPIAN (LESS CHESTER)	359MSNLC	10700
2	WOODFORD	319WDFD	11080
3	HUNTON	269HNTN	11200

Increased Density Orders: 727854 Location Exception Orders: 683856 727855 728417

Special Orders: No Special Pending CD Numbers: No Pending Working interest owners' notified:

728321

Total Depth: 21700 Ground Elevation: 1322 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 460

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

683855

Spacing Orders:

	Deep surface casing has been approved				
Approved Method for disposal of Drilling Fluids:					
E. Haul to Commercial pit facility	Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 717427				
F. Haul to Commercial soil farming facility	Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No: 665063				
H. (Other)	SEE MEMO				
G. Haul to recycling/re-use facility	Sec. 36 Twn. 5N Rng. 11W Cnty. 15 Order No: 728810				

OK

73010

PIT 1 INFORMATION Category of Pit: C Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: WATER BASED Pit Location is: NON HSA

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Chlorides Max: 5000 Average: 3000

is not located in a Hydrologically Sensitive Area.

PIT 2 INFORMATION Category of Pit: C Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N

Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.

Pit Location is: NON HSA Pit Location Formation: CHICKASHA

Pit Location Formation: CHICKASHA

MULTI UNIT HOLE 1

Section: 32 Township: 8N Range: 5W Meridian: IM Total Length: 10500

County: GRADY Measured Total Depth: 21700

Spot Location of End Point: SW SE SE SE True Vertical Depth: 11520

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 365 Lease, Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[8/31/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[8/31/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 727854	[9/14/2022 - G56] - (I.O.) 29-8N-4W X683855 WDFD 2 WELLS EOG RESOURCES, INC 8/24/2022
INCREASED DENSITY - 727855	[9/14/2022 - G56] - (I.O.) 32-8N-5W X685999 WDFD 2 WELLS EOG RESOURCES, INC 8/24/2022
LOCATION EXCEPTION - 728321	[9/14/2022 - G56] - (I.O.) 29 & 32-8N-5W X683855 MSNLC, WDFD, HNTN 29-8N-4W X685999 MSNLC, WDFD, HNTN 32-8N-4W COMPL INT (29-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (32-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL EOG RESOURCES, INC 9/9/2022
MEMO	[8/31/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 683855	[9/14/2022 - G56] - (640)(HOR) 29-8N-5W EXT 670842 WDFD, HNTN EST MSNLC COMPL. INT. (MSNLC, HNTN) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 685999	[9/14/2022 - G56] - (640)(HOR) 32-8N-5W EXT 671033 WDFD, HNTN EST MSNLC COMPL. INT. (MSNLC, HNTN) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 728417	[9/14/2022 - G56] - (I.O.) 29 & 32-8N-5W EST MULTIUNIT HORIZONTAL WELL X683855 MSNLC, WDFD, HNTN 29-8N-4W X685999 MSNLC, WDFD, HNTN 32-8N-4W (MSNLC, HNTN ARE ADJACENT CSS TO WDFD) 50% 29-8N-4W 50% 32-8N-4W NO OP NAMED 9/13/2022