	070 00700	
API NUMBER:	073 26722	

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/02/2021 Expiration Date: 08/02/2022

## PERMIT TO DRILL

WELL LOCATION: Section: 19 Township: 16N Range: 7W County:	KINGFISHER	
SPOT LOCATION: NE SW SE SW FEET FROM QUARTER: FROM SOUTH	FROM WEST	
SECTION LINES: 345	1680	
Lease Name: CAROL FIU 1607 Well No: 2H-18X	Well will be	e 345 feet from nearest unit or lease boundary.
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 2812105	100; 9188781290;	OTC/OCC Number: 20944 0
OVINTIV MID-CONTINENT INC.	ROYSE-SMITH, LLC	
4 WATERWAY AVE STE 100	P.O. BOX 204	
THE WOODLANDS, TX 77380-2764	KINGFISHER	OK 73750
	1	
Formation(s) (Permit Valid for Listed Formations Only):	1	
Name Code Depth		
1 MISSISSIPPIAN 359MSSP 8110		
2 WOODFORD 319WDFD 8600		
Spacing Orders: 643998 Location Exception Order	s: 715411	Increased Density Orders: 715408
646110		715409
715410		
Pending CD Numbers: No Pending Working interest own	ers' notified: ***	Special Orders: No Special Orders
Total Depth: 18518 Ground Elevation: 1084 Surface Casing:	1500 Deptr	n to base of Treatable Water-Bearing FM: 260
		Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Dr	illing Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQU	IRES PERMIT) PERMIT NO: 21-37504
Surface Water used to Drill: Yes	E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
	H. (Other)	SEE MEMO
PIT 1 INFORMATION	Category of Pit: C	
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C	
Type of Mud System: WATER BASED	Pit Location is: NON I	HSA
Chlorides Max: 5000 Average: 3000	Pit Location Formation: BISON	١
Is depth to top of ground water greater than 10ft below base of pit? Y		
Within 1 mile of municipal water well? N		
Wellhead Protection Area? N		
Pit <b>is not</b> located in a Hydrologically Sensitive Area.		
PIT 2 INFORMATION	Category of Pit: C	
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C	
Type of Mud System: OIL BASED	Pit Location is: NON I	HSA
Chlorides Max: 300000 Average: 200000	Pit Location Formation: BISON	١
Is depth to top of ground water greater than 10ft below base of pit? Y		
Within 1 mile of municipal water well? N		
Wellhead Protection Area? N		
Pit <b>is not</b> located in a Hydrologically Sensitive Area.		

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1		
Section: 18 Township: 16N Range:	7W Meridian: IM	Total Length: 10267
County: KINGFISHER		Measured Total Depth: 18518
Spot Location of End Point: NE NE N	V NE	True Vertical Depth: 8600
Feet From: NORTH 1/4	Section Line: 85	End Point Location from
Feet From: EAST 1/4	Section Line: 1550	Lease, Unit, or Property Line: 85
Additional Surface Owner(s) Additional Surface Owner(s)	dress	City, State, Zip
CATHERINE LOUISE WOLFF 10	4 AMARYLISS	ORANGE, TX 77630
NOTES:		
Category	Description	
DEEP SURFACE CASING		ROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF URE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR
HYDRAULIC FRACTURING	[1/21/2021 - GC2] - OCC	165:10-3-10 REQUIRES:
	HYDRAULIC FRACTURI WELLS WITHIN 1 MILE TO SUCH OPERATORS HYDRAULIC FRACTURI PROVIDED, RESULTING	IVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF NG OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCIN OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE NG OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN 3 IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE NOTICE IS REQUIRED TO BE GIVEN;
	LÉAST 48 HOURS PRIC	YEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT OR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. BE USED AND IS FOUND AT THIS LINK: GFORMS.HTML; AND,
	TO BE REPORTED TO I	CLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS I FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC IONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY – 715408 (202001733)	[2/1/2021 - GB6] - 18-16 X643998 MSNLC 4 WELLS OVINTIV MID-CONTINE 11/19/2020	
INCREASED DENSITY – 715409 (202001734)	[2/1/2021 - GB6] - 19-16 X646110 MSSP 4 WELLS OVINTIV MID-CONTINE 11/19/2020	
LOCATION EXCEPTION – 715411 (202001736)	X643998 MSNLC, WDFE X646110 MSSP, WDFD COMPL. INT. (18-16N-7)	) 18-16N-7W 19-16N-7W <i>N</i> ) NCT 165' FNL, NCT 1500' FEL, NCT 0' FSL <i>N</i> ) NCT 0' FNL, NCT 1500' FEL, NCT 165' FSL
MEMO		SED SYSTEM=STEEL PITS (REQUIRED - DEAD INDIAN CREEK), OBM R, CUTTINGS PERMITTED PER DISTRICT
SPACING – 643998	[2/1/2021 - GB6] - (640)( EXT 642257 MSNLC, WI COMPL. INT. (MSNLC) N COMPL. INT. (WDFD) N	HOR) 18-16N-7W DFD
SPACING – 646110	[2/1/2021 - GB6] - (640)( VAC 41819 MSCST 19-1 VAC OTHER EXT 638049 MSSP, WD EST OTHER COMPL. INT. (MSSP, O' COMPL. INT. (WDFD) N	6N-ŹW FD

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 715410 (202001735)	[2/1/2021 - GB6] - (I.O.) 18 & 19 -16N-7W	
	EST MULTIUNIT HORIZONTAL WELL	
	X643998 MSNLC, WDFD 18-16N-7W	
	X646110 MSSP, WDFD 19-16N-7W	
	(WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC, MSSP)	
	50% 18-16N-7W	
	50% 19-16N-7W	
	OVINTIV MID-CONTINENT, INC.	
	11/19/2020	