API NUMBER: 049 25285

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: GARBER

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/05/2019
Expiration Date: 10/05/2020

Horizontal Hole Multi Unit

PERMIT TO DRILL

WELL LOCATION: Sec: 17 Twp: 1N Rge: 1W County: GARVIN FEET FROM QUARTER: SPOT LOCATION: NW sw lsw SE SOUTH EAST SECTION LINES: 2438 413 Lease Name: JIMMY Well No: 1-17-18WXHR Well will be 413 feet from nearest unit or lease boundary. TRIAD ENERGY INC Operator Telephone: 4058424312 OTC/OCC Number: 10399 0 TRIAD ENERGY INC JIMMIE H ROGERS 6 NE 63RD ST STE 220 9205 RED FERN LANE OKLAHOMA CITY. OK 73105-1401 **FOUNTAIN** CO 80817 Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth WOODFORD 12700 1 6 2 7 3 8 4 9 5 10 169883 Spacing Orders: Location Exception Orders: 690029 Increased Density Orders: 687383 172043 688856 Pending CD Numbers: Special Orders: Total Depth: 20555 Ground Elevation: 972 Surface Casing: 265 Depth to base of Treatable Water-Bearing FM: 210 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36216 H. SEE MEMO Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? Wellhead Protection Area? is located in a Hydrologically Sensitive Area. Category of Pit: C

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: GARBER

## HORIZONTAL HOLE 1

Sec 18 Twp 1N Rge 1W County GARVIN

Spot Location of End Point: W2 SW SW SW Feet From: SOUTH 1/4 Section Line: 330
Feet From: WEST 1/4 Section Line: 165

Depth of Deviation: 11700
Radius of Turn: 700
Direction: 270
Total Length: 7755

Measured Total Depth: 20555

True Vertical Depth: 12800

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING 4/5/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 687383 4/5/2019 - GB1 - 17-1N-1W

X169883/172043 WDFD

1 WELL

TRAID ENERGY, INC.

11/29/2018

LOCATION EXCEPTION - 690029 4/5/2019 - GB1 - (I.O.) 17 & 18-1N-1W

X169883/172043 WDFD

COMPL. INT. (17-1N-1W) NCT 330' FSL, NCT 2640' FEL, NCT 0' FWL COMPL. INT. (18-1N-1W) NCT 330' FSL, NCT 0' FEL, NCT 165' FWL

TRIAD ENERGY, INC.

1/18/2019

MEMO 4/5/2019 - GB1 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

 Category
 Description


 SPACING - 169883
 4/5/2019 - GB1 - (640) 17 & 18-1N-1W EXT 161935 WDFD, OTHERS

 SPACING - 172043
 4/5/2019 - GB1 - NPT PARAGRAPH 3 OF ORDER #169883 TO STATE DRILLING AND SPACING UNITS OF 640 ACRES


 SPACING - 688856
 4/5/2019 - GB1 - (I.O.) 17 & 18-1N-1W EST MULTIUNIT HORIZONTAL WELL X169883/172043 WDFD 34% 17-1N-1W 66% 18-1N-1W

TRIAD ENERGY, INC.

12/26/2018



BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 Wireless Woy, Okla. City, OK. 73134 \* LOCAL (405) 845-4847 \* OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS 414'FSL-2431'FEL Section GARVIN Township County, Oklahoma Range 1W I.M.



LONG:\_

97°19'31.0"W 34.551479137°N

AT:

LAT:

34°33'05.3"N

DATUM:

This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy.

1000

NAD-27
OK SOUTH
US FEET
Scale:
1" = 1000'

STATE PLANE

COORDINATES (US FEET):

ZONE:

2203163 443975

FOR CONSTRUCTION PURPOSES

LONG: 97.325288988°W

CERTIFICATE:

Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein Thomas L Howell an Oklahoma Licensed Land

go North

±4 miles

from Hwy Jct or Town From junction of St. Hwy 7 and Indian Meridian Road in Hoover, Oklahoma,

on Indian Meridian Road, then West ±5 miles, then South ±1 mile, then East ±1 mile to lease road

Best Accessibility to Location

rom

East off lease road.

Stakes Set

Reference Stakes or Alternate Location
Stakes Set None

Distance & Direction

at Northeast corner of Section 17, T1N-R1W.

Good Drill Site?

Yes

Operator:




Oklahoma Lic. No.

## TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
13800 Wireless Way Oklahoma City, OK 73134 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

## LOCATION & ELEVATION VERIFICATION MAP



Sec. 17 Twp. 1N Rng. 1W I.M.

County GARVIN State OK

Operator TRIAD ENERGY, INC.

Description 414'FSL-2431'FEL

Lease JIMMY 1-17-18 WXHR

Above Background Data from U.S.G.S. Topographic Map Scale: 1"=2000'

Contour Interval 10'

When elevation is shown hereon it is the ground elevation of the location stake. Review this plat and inform us immediately of any possible discrepancy.

Elevation 971' Gr. at Level Pad



LAND SURVEYORS OF OKLAHOMA