API NUMBER: 051 25040

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/18/2023

Expiration Date: 01/18/2025

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section: 3	36 Township	o 7N Rang	e: 6W	County: G	RADY								
SPOT LOCATION:	SW NW	SW SE	¬											
SPOT LOCATION.	OVV INVV	300 30	FEET FROM QUARTE		SOUTH	FROM	EAST							
			SECTION LINE	S:	734		2623							
Lease Name:	HATFIELD RANC	CH 0606		Well No:	4-1-12WXI	Н		Well will be	734	feet from	nearest unit	or lease	boundary.	
Operator Name:	MARATHON OIL	COMPANY		Telephone:	713296348	89				ОТС	OCC Num	ber:	1363 0	
MARATHON C	OIL COMPAN'	Y				W	HEELER FAI	MILY FARMS,	LLC					
					l _w	ILL WHEELE	R, MANAGER							
HOUSTON,		TX	77024-2217			61	3 COUNTY F	ROAD 1350						
		170					HICKASHA			OK	73018			
						"	IIOIVAOIIA			OIC	73010			
Formation(s)	(Permit Valid	for Listed Fo	rmations Only):											
Name		Cod	le	Depth										
1 WOODFORD		319	WDFD	12730										
Spacing Orders: 5	85945		Loc	ation Excep	tion Orders:	: 735	156		Inc	reased Der	sity Orders:	735149)	
5	84195					735	082					73515	1	
7	35155													
Pending CD Numbers	s: 1544			Working int	erest owners	s' notifie	ed: DNA			Spe	cial Orders:	No S	Special	
	1546													
Total Depth: 23	500 Gr	round Elevation:	1189	Surface (Casing:	1500		Depth to	o base o	of Treatable	Water-Bearin	na FM: 4	70	
. ota: 2 opt.:: 2 ot		ound Elovation.		our ruoc v	Jusing.									
									D	eep sun	ace casing	nas be	een approved	
Under Federal Jurisdiction: No						Approved Method for disposal of Drilling Fluids:								
Fresh Water Supply Well Drilled: No				D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38981										
Surface Water used to Drill: Yes					H. (Other) SEE MEMO									
DIT 4 INFORM	IATION					-	Catama	mu of Dity						
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits						Category of Pit: C Liner not required for Category: C								
Type of Mud System: WATER BASED								ation is: NON HS	SA					
Chlorides Max: 5000 Average: 3000						Pit Location Formation: CHICKASHA								
Is depth to to	op of ground water	greater than 10f	t below base of pit?	Y										
Within 1 mi	ile of municipal wa	iter well? N												
,	Wellhead Protection	on Area? N												
Pit <u>is not</u> loc	ated in a Hydrolog	gically Sensitive A	Area.											
PIT 2 INFORM	IATION						Catego	ry of Pit: C						
Type of Pit System: CLOSED Closed System Means Steel Pits						Lin	Liner not required for Category: C							
Type of Mud System: OIL BASED							Pit Location is: NON HSA							
Chlorides Max: 300000 Average: 200000							Pit Location For	rmation: CHICKA	SHA					
		-	t below base of pit?	Υ										
	ile of municipal wa													
	Wellhead Protection													
Pit <u>is not</u> loc	ated in a Hydrolog	jically Sensitive A	Area.											

MULTI UNIT HOLE 1

Section: 12 Township: 6N Range: 6W Meridian: IM Total Length: 10865

County: GRADY Measured Total Depth: 23500

Spot Location of End Point: SE SW SE SE True Vertical Depth: 13060

Feet From: SOUTH

1/4 Section Line: 165

End Point Location from
Lease, Unit, or Property Line: 165

NOTES:

Category	Description					
DEEP SURFACE CASING	[7/17/2023 - GE7] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.					
EXCEPTION TO RULE - 735082	[7/18/2023 - G56] - (I.O.) 1 & 12-6N-6W X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO WHEELER 1-1 (051-23560) NO OP NAMED 6/15/2023					
HYDRAULIC FRACTURING	[7/17/2023 - GE7] - OCC 165:10-3-10 REQUIRES:					
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;					
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,					
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG					
INCREASED DENSITY - 735149	[7/18/2023 - G56] - 1-6N-6W X585945 WDFD 4 WELLS MARATHON OIL CO 6/19/2023					
INCREASED DENSITY - 735151	[7/18/2023 - G56] - 12-6N-6W X584195 WDFD 4 WELLS MARATHON OIL CO 6/19/2023					
LOCATION EXCEPTION - 735156	[7/18/2023 - G56] - (I.O.) 1 & 12-6N-6W X585945 WDFD 1-6N-6W X584195 WDFD 12-6N-6W COMPL INT (1-6N-6W) NCT 150' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (12-6N-6W) NCT 0' FNL, NCT 150' FSL, NCT 330' FEL MARATHON OIL CO 6/19/2023					
МЕМО	[7/17/2023 - GE7] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT					
SPACING - 584195	[7/18/2023 - G56] - (640) 12-6N-6W EST OTHERS EXT 581320 WDFD					
SPACING - 585945	[7/18/2023 - G56] - (640) 1-6N-6W EXT 584195 WDFD					
SPACING - 735155	[7/18/2023 - G56] - (I.O.) 1 & 12-6N-6W EST MULTIUNIT HORIZONTAL WELL X585945 WDFD 1-6N-6W X584195 WDFD 12-6N-6W 50% 1-6N-6W 50% 12-6N-6W MARATHON OIL CO 6/19/2023					