API NUMBER: 047 25190

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 02/05/2019 08/05/2020 **Expiration Date** 

PERMIT TO DRILL

County: GARFIELD WELL LOCATION: Sec: 29 Twp: 20N Rge: 6W

FEET FROM QUARTER: WEST SPOT LOCATION: SE lsw SOUTH llsw

SECTION LINES: 317 1145

Lease Name: BETTY Well No: 29-M1NH Well will be 317 feet from nearest unit or lease boundary.

SK NEMAHA LLC Operator OTC/OCC Number: Telephone: 7133955141 24221 0 Name:

SK NEMAHA LLC

11700 KATY FWY STE 900

HOUSTON. TX 77079--1222 FUKSA TRUST DATED 6/26/15

D. One time land application -- (REQUIRES PERMIT)

H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

1701 W. BISON

**BISON** OK 73720

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 6720 1 6 2 7 3 8 4 9 10 602714 Spacing Orders: Location Exception Orders: Increased Density Orders: 689324

Pending CD Numbers: 201809296 Special Orders:

Total Depth: 11958 Ground Elevation: 1183 Surface Casing: 450 Depth to base of Treatable Water-Bearing FM: 400

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER

Pit Location Formation: SALT PLAINS

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PERMIT NO: 18-36067

## **HORIZONTAL HOLE 1**

Sec 29 Twp 20N Rge 6W County GARFIELD

Spot Location of End Point: NE NE NW NW Feet From: NORTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 1030

Depth of Deviation: 6250 Radius of Turn: 824 Direction: 359 Total Length: 4956

Measured Total Depth: 12500

True Vertical Depth: 7300

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING 1/3/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 689324 2/5/2019 - G58 - 29-20N-6W

X602714 MSSP 4 WELLS SK NEMAHA 1/1/2019

PENDING CD - 201809296 2/5/2019 - G58 - (I.O.) 29-20N-6W

X602714 MSSP

COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 730' FWL

NO OP. NAMED

REC 11/26/2018 (P. PORTER)

SPACING - 602714 2/5/2019 - G58 - (640)(HOR) 29-20N-6W

EST MSSP, OTHERS POE TO BHL NCT 660' FB

(SUPERSEDE SP. ORDER 63882 MSSLM NW4, SE4, SP. ORDER 46581 MNNG; COEXIST SP.

ORDER 63882 MSSLM NE4, SW4)

