API NUMBER: 015 23318

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/10/2021

Expiration Date: 11/10/2022

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	20	Township	: 9N	Range:	11W	County: (CADDO		\neg						
SPOT LOCATION:	NW SE	NW	NW	1	T FROM QUARTER:		NORTH	FROM WEST								
0. 0. 2007					SECTION LINES:											
					SECTION LINES.		725	898								
Lease Name:	CART AND GI	UNTER 17	-9-11			Well No:	1H		We	ell will be	725	feet from	nearest un	it or lease	e boundar	у.
Operator Name:	KAISER-FRAN	NCIS OIL	COMPANY	′	T	elephone:	91849400	00				ОТО	C/OCC Nui	nber:	6390	0
KAISER-FRAN	NCIS OIL C	OMPAN	ΙΥ					CART AND	GUNTER	LLC						
6733 S YALE	AVE							301 NORT	H BROADV	VAY						
TULSA,			ОК	7412	21-1468			BINGER				ОК	74121			
,								Biitozit				Oit	74121			
Formation(s)	(Permit Val	lid for Li	sted Fo	rmatio	ns Only):											
Name			Code	9		Depth										
1 MARCHAND			405N	MRCD		10100										
Spacing Orders: N	lo Spacing				Loca	tion Excep	otion Orders	: No Exceptions			Inc	reased De	nsity Orders	No De	nsity Orde	rs
Pending CD Number	rs: 2018064	20			v	orking int	erest owne	rs' notified: ***		=		Sp	ecial Orders:	No Spe	ecial Orde	's
	2019022	53														
	2019019	40														
	2019019	00														
	2013013	39														
Total Depth: 15			levation:	1501	Sı	ırface (Casing:	1500		Depth to	o base o	f Treatable	e Water-Bear	ing FM:	380	
Total Depth: 15			levation:	1501	Sı	ırface (Casing:	1500		Depth to						proved
·	5700	Ground E	levation:	1501	Sı	ırface (Casing:		had fay diana		D	eep surf	Water-Bear			proved
Under F	5700 Federal Jurisdict	Ground E	levation:	1501	Sı	ırface (Casing:	Approved Meti		sal of Drilli	D ing Fluid	eep surf	ace casir	g has b	een app	
Under F Fresh Water	5700	Ground E tion: No lled: No		1501	Sı	urface (Casing:	Approved Metal		sal of Drilli	Ding Fluid	eep surf ds: MIT)	ace casir	g has b		
Under F Fresh Water	5700 Federal Jurisdict Supply Well Dri	Ground E tion: No lled: No		1501	Sı	ırface (Casing:	Approved Meti		sal of Drilli	D ing Fluid	eep surf ds: MIT)	ace casir	g has b	een app	
Under F Fresh Water	5700 Federal Jurisdict Supply Well Dri Water used to I	Ground E tion: No lled: No		1501	Sı	urface (Casing:	Approved Metal D. One time lar H. (Other)		sal of Drilli	Ding Fluid	eep surf ds: MIT)	ace casir	g has b	een app	
Under F Fresh Water Surface	5700 Federal Jurisdict Supply Well Dri Water used to I	Ground E tion: No lled: No Drill: Yes				urface (Casing:	Approved Metl D. One time lar H. (Other)	nd application -	sal of Drilli	Ding Fluid	eep surf ds: MIT)	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P	Federal Jurisdict Supply Well Dri Water used to I	Ground E tion: No lled: No Drill: Yes	osed Syste			urface (Casing:	Approved Metl D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Diing Fluid	eep surf ds: MIT)	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL: Id System: WA	Ground E tion: No lled: No Drill: Yes	osed Syste			urface (Casing:	Approved Meti D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL: Id System: WA	Ground E tion: No Illed: No Drill: Yes OSED CI ATER BAS	osed Syste	em Mear	ns Steel Pits	urface (Casing:	Approved Meti D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CLI Id System: WA OO Average: 50	Ground E tion: No Illed: No Drill: Yes OSED CI ATER BAS 00 ater greater	osed Syste ED r than 10ft	em Mear	ns Steel Pits	urface (Casing:	Approved Meti D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to Within 1 m	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA 00 Average: 50 op of ground we nile of municipal Wellhead Prote	Ground E tion: No Illed: No Drill: Yes OSED CI ATER BAS 00 ater greate water wel ection Area	osed Syste ED r than 10ft !? N	em Mear below b	ns Steel Pits	urface (Casing:	Approved Meti D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to Within 1 m	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA 00 Average: 50 op of ground wa nile of municipal	Ground E tion: No Illed: No Drill: Yes OSED CI ATER BAS 00 ater greate water wel ection Area	osed Syste ED r than 10ft !? N	em Mear below b	ns Steel Pits	urface (Casing:	Approved Meti D. One time lan H. (Other) C. Liner not requ	ategory of Pit:	sal of Drilli - (REQUIR - C gory: C	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loo PIT 2 INFORM	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA 00 Average: 50 op of ground wa nile of municipal Wellhead Prote cated in a Hydro	Ground E tion: No lled: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area ologically S	osed Syste ED r than 10ft I? N I? N Sensitive Al	em Mear below b rea.	ns Steel Pits ase of pit? Y	urface (Casing:	Approved Mett D. One time lar H. (Other) C. Liner not requ P Pit Locatio	ategory of Pit: uired for Categ it Location is: on Formation:	eal of Drilli - (REQUIR - C gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loc PIT 2 INFORM Type of P	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA 00 Average: 50 op of ground we nile of municipal Wellhead Prote cated in a Hydro MATION Pit System: CL	Ground E tion: No lled: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area cologically S	osed Syste ED r than 10ft I? N I? N Sensitive Al	em Mear below b rea.	ns Steel Pits ase of pit? Y	urface (Casing:	Approved Mett D. One time lar H. (Other) C. Liner not requ P Pit Location	ategory of Pit: uired for Categ it Location is: on Formation:	GEAL OF DRILLING CONTROL OF CONTR	D ing Fluid ES PER SEE ME	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loc PIT 2 INFORM Type of Mu	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL: Id System: WA 00 Average: 50 op of ground wa nile of municipal Wellhead Prote cated in a Hydro MATION Pit System: CL: Id System: CL: Id System: CL: Id System: CIL: Id System: CIL: Id System: Oil.	Ground E tion: No Illed: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area clogically S OSED Cl BASED	osed Syste ED r than 10ft I? N I? N Sensitive Al	em Mear below b rea.	ns Steel Pits ase of pit? Y	urface (Casing:	Approved Meth D. One time lar H. (Other) C. Liner not requ Prit Location C. Liner not reque Prit Location	ategory of Pit: uired for Category it Location is: ategory of Pit: uired for Category ategory of Pit: uired for Category it Location is:	BED AQ RUSH S C Gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME SUIFER SPRINGS	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loc PIT 2 INFORM Type of Mu Chlorides Max: 300	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA OO Average: 50 op of ground wa nile of municipal Wellhead Prote cated in a Hydro MATION Pit System: CL Id System: OIL MOOOO Average:	Ground E tion: No lled: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area clologically S OSED Cl _ BASED 2000000	osed Syste ED r than 10ft P N P N Sensitive A	em Mear below b rea. em Mear	ase of pit? Y	urface (Casing:	Approved Meth D. One time lar H. (Other) C. Liner not requ Prit Location C. Liner not reque Prit Location	ategory of Pit: uired for Categ it Location is: on Formation:	BED AQ RUSH S C Gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME SUIFER SPRINGS	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loc PIT 2 INFORM Type of Mu Chlorides Max: 300 Is depth to to	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA DO Average: 50 Op of ground wa nile of municipal Wellhead Prote Cated in a Hydro MATION Pit System: CL Id System: CL Id System: Oll 0000 Average: Op of ground wa	Ground E tion: No lled: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area blogically \$ OSED Cl BASED 200000 ater greate	osed Syste ED r than 10ft ? N Sensitive Al cosed Syste	em Mear below b rea. em Mear	ase of pit? Y	urface (Casing:	Approved Meth D. One time lar H. (Other) C. Liner not requ Prit Location C. Liner not reque Prit Location	ategory of Pit: uired for Category it Location is: ategory of Pit: uired for Category ategory of Pit: uired for Category it Location is:	BED AQ RUSH S C Gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME SUIFER SPRINGS	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loc PIT 2 INFORM Type of Mu Chlorides Max: 300 Is depth to to Within 1 m	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA 00 Average: 50 op of ground wa nile of municipal Wellhead Prote cated in a Hydro MATION Pit System: CL Id System: Oll 0000 Average: op of ground wa nile of municipal	Ground E tion: No lled: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel ection Area ologically S OSED Cl BASED 200000 ater greate water wel water wel water wel	osed Syste ED r than 10ft P N Sensitive Al cosed Syste r than 10ft P N	em Mear below b rea. em Mear	ase of pit? Y	urface (Casing:	Approved Meth D. One time lar H. (Other) C. Liner not requ Prit Location C. Liner not reque Prit Location	ategory of Pit: uired for Category it Location is: ategory of Pit: uired for Category ategory of Pit: uired for Category it Location is:	BED AQ RUSH S C Gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME SUIFER SPRINGS	eep surf	ace casir	g has b	een app	
Under F Fresh Water Surface PIT 1 INFORM Type of P Type of Mu Chlorides Max: 800 Is depth to to Within 1 m Pit is loo PIT 2 INFORM Type of Mu Chlorides Max: 300 Is depth to to Within 1 m	Federal Jurisdict Supply Well Dri Water used to I MATION Pit System: CL Id System: WA DO Average: 50 Op of ground wa nile of municipal Wellhead Prote Cated in a Hydro MATION Pit System: CL Id System: CL Id System: Oll 0000 Average: Op of ground wa	Ground E tion: No Illed: No Drill: Yes OSED Cl ATER BAS 00 ater greate water wel action Area 2000000 ater greate water greate water wel action Area 2000000 ater greate water wel action Area	osed Syste ED r than 10ft P N Sensitive Al osed Syste r than 10ft P N	em Mear below b rea. em Mear below b	ase of pit? Y	urface (Casing:	Approved Meth D. One time lar H. (Other) C. Liner not requ Prit Location C. Liner not reque Prit Location	ategory of Pit: uired for Category it Location is: ategory of Pit: uired for Category ategory of Pit: uired for Category it Location is:	BED AQ RUSH S C Gory: C BED AQ RUSH S	Ding Fluid ES PER SEE ME SUIFER SPRINGS	eep surf	ace casir	g has b	een app	

HORIZONTAL HOLE 1

Section: 17 Township: 9N Range: 11W Meridian: IM Total Length: 5700

County: CADDO Measured Total Depth: 15700

Spot Location of End Point: NE NW NE NW True Vertical Depth: 10200


Feet From: NORTH


1/4 Section Line: 166

End Point Location from
Lease,Unit, or Property Line: 165


NOTES:	NOT	ES:
--------	-----	-----

INOTES:	
Category	Description
HYDRAULIC FRACTURING	[4/29/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[4/29/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201806420	[5/7/2021 - GB1] - (E.O.)(640)(HOR) 17-9N-11W EST MRCD COMPL INT NLT 660' FB (COEXIST SP #364289 MRCD) REC 4/20/21 (MOORE)
	*** WILL BE COMBINED WITH 201902253 PER HEARING
PENDING CD - 201901939	[5/7/2021 - GB1] - (E.O.)17-9N-11W X165:5-7-6(H)(I) MRCD COEXIST WITH SP 364289 KAISER-FRANCIS OIL COMPANY REC 4/20/21 (MOORE)
PENDING CD - 201901940	[5/7/2021 - GB1] - (E.O.) 17-9N-11W X201806420 MRCD X201902253 MRCD COMPL INT NCT 165' FNL, NCT 165' FSL, NCT 660' FWL KAISER-FRANCIS OIL COMPANY REC 4/20/21 (MOORE)
PENDING CD - 201902253	[5/7/2021 - GB1] - (E.O.) (640)(HOR) 17-9N-11W EST MRCD COMPL INT NCT 660' FB (COEXIST SP #364289 MRCD) REC 4/20/21 (MOORE)
	*** WILL BE COMBINED WITH 201806420 PER HEARING





LOCATION & ELEVATION VERIFICATION MAP



THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY KAISER-FRANCIS OIL COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM

VICINITY MAP



THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY KAISER-FRANCIS OIL COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1920.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM