API NUMBER: 105 41271

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/29/2022
Expiration Date: 12/29/2023

Straight Hole Injection

## **PERMIT TO DRILL**

SPOT LOCATION: NW NW SE SE PEET FROM QUARTER. FROM SOUTH FROM EAST SECTION LINES: 1035 1215  Lease Name: WATERS MATERIALS REED COBB Well No: 6 Well will be 1035 feet from nearest unit or lease boundary.  Operator Name: WATERS MATERIALS CO LLC  Sp15 70TH ST  LUBBOCK, TX 79424-1927  Formation(s) (Permit Valid for Listed Formations Only):  Name Code Depth 1 SQUIRREL 404SQRL 275  Spacing Orders: No Spacing  Location Exception Orders: No Exceptions  Increased Density Orders: No Density  Pending CD Numbers: No Pending  Total Depth: 300 Ground Elevation: 695 Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Approved Method for disposal of Drilling Fluids: A. Evaporation/dewater and backfilling of reserve pit.  PIT 1 INFORMATION  Category of Pit: 4		
Lease Name: WATERS MATERIALS REED COBB Well No: 6 Well will be 1035 feet from nearest unit or lease boundary.  Operator Name: WATERS MATERIALS CO LLC  WATERS MATERIALS CO LLC  5915 70TH ST  LUBBOCK, TX 79424-1927		
WATERS MATERIALS CO LLC  WATERS MATERIALS CO LLC  5915 70TH ST  LUBBOCK, TX 79424-1927    KENTON AND NANCY KIMBALL   PO BOX 678   STRATFORD OK 79084    ST		
WATERS MATERIALS CO LLC 5915 70TH ST LUBBOCK, TX 79424-1927  Formation(s) (Permit Valid for Listed Formations Only):  Name Code Depth 1 SQUIRREL 404SQRL 275  Spacing Orders: No Spacing Location Exception Orders: No Exceptions Increased Density Orders: No Density  Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special  Total Depth: 300 Ground Elevation: 695 Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No		
Formation(s) (Permit Valid for Listed Formations Only):    Name   Code   Depth     SQUIRREL   404SQRL   275     Spacing Orders:   No Spacing     Total Depth: 300   Ground Elevation: 695   Surface Casing: 130   Depth to base of Treatable Water-Bearing FM: 80     Under Federal Jurisdiction: No Surface Water used to Drill: No Surface Water used to Dri		
Formation(s) (Permit Valid for Listed Formations Only):    Name		
Formation(s) (Permit Valid for Listed Formations Only):    Name		
Formation(s) (Permit Valid for Listed Formations Only):    Name		
Name Code Depth  SQUIRREL 404SQRL 275  Spacing Orders: No Spacing  Pending CD Numbers: No Pending  Total Depth: 300 Ground Elevation: 695  Under Federal Jurisdiction: No Surface Water used to Drill: No  No Spacing Orders: No Exceptions  Location Exception Orders: No Exceptions  Increased Density Orders: No Density  Working interest owners' notified: ***  Special Orders: No Special  Surface Casing: 130  Depth to base of Treatable Water-Bearing FM: 80  Approved Method for disposal of Drilling Fluids:  A. Evaporation/dewater and backfilling of reserve pit.		
Name Code Depth  SQUIRREL 404SQRL 275  Spacing Orders: No Spacing  Pending CD Numbers: No Pending  Total Depth: 300 Ground Elevation: 695  Under Federal Jurisdiction: No Surface Water used to Drill: No  No Spacing Orders: No Exceptions  Location Exception Orders: No Exceptions  Increased Density Orders: No Density  Working interest owners' notified: ***  Special Orders: No Special  Surface Casing: 130  Depth to base of Treatable Water-Bearing FM: 80  Approved Method for disposal of Drilling Fluids:  A. Evaporation/dewater and backfilling of reserve pit.		
Name Code Depth  SQUIRREL 404SQRL 275  Spacing Orders: No Spacing  Pending CD Numbers: No Pending  Total Depth: 300 Ground Elevation: 695  Under Federal Jurisdiction: No Surface Water used to Drill: No  Surface Water used to Drill: No  Depth  Squirace Vader Supply Well Drilled: No Surface Water used to Drill: No  Depth to base of Treatable Water-Bearing FM: 80  Approved Method for disposal of Drilling Fluids:  A. Evaporation/dewater and backfilling of reserve pit.		
Spacing Orders: No Spacing  Location Exception Orders: No Exceptions  Increased Density Orders: No Density  Working interest owners' notified: ***  Special Orders: No Special  Total Depth: 300 Ground Elevation: 695  Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Under Federal Jurisdiction: No  Fresh Water Supply Well Drilled: No Surface Water used to Drill: No		
Spacing Orders: No Spacing  Location Exception Orders: No Exceptions  Increased Density Orders: No Density  Working interest owners' notified: ***  Special Orders: No Special  Total Depth: 300 Ground Elevation: 695  Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Under Federal Jurisdiction: No  Fresh Water Supply Well Drilled: No  Surface Water used to Drill: No		
Pending CD Numbers: No Pending  Working interest owners' notified: ***  Special Orders: No Special  Total Depth: 300 Ground Elevation: 695  Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Under Federal Jurisdiction: No  Fresh Water Supply Well Drilled: No  Surface Water used to Drill: No		
Total Depth: 300 Ground Elevation: 695 Surface Casing: 130 Depth to base of Treatable Water-Bearing FM: 80  Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No		
Under Federal Jurisdiction: No  Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  Approved Method for disposal of Drilling Fluids:  A. Evaporation/dewater and backfilling of reserve pit.		
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  A. Evaporation/dewater and backfilling of reserve pit.		
Surface Water used to Drill: No		
PIT 1 INFORMATION Category of Pit: 4		
Type of Pit System: ON SITE Liner not required for Category: 4		
Type of Mud System: AIR Pit Location is: NON HSA		
Pit Location Formation: FORT SCOTT		
Is depth to top of ground water greater than 10ft below base of pit? Y Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).		
Within 1 mile of municipal water well? N		
Wellhead Protection Area? N		
Pit <u>is not</u> located in a Hydrologically Sensitive Area.		

NOTES:

Category	Description
HYDRAULIC FRACTURING	[3/10/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING	[6/29/2022 - GC2] - N/A - DISPOSAL WELL

## Waters Materials Reed Cobb 6 Waters Materials

## SECTIONPLAT

