API NUMBER: 073 26736 Α

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 02/09/2021 08/09/2022 **Expiration Date:** 

Multi Unit Oil & Gas

nend reason: OCC C	ORRECTION TA	RGET FC	RMATION	<u>A</u>	MEND	PER	RM	T TO DRIL	<u>_L</u>				
WELL LOCATION:	Section:	22	Township:	17N Rang	e: 8W	County:	KING	FISHER					
SPOT LOCATION:	NW SW	SW	SE	FEET FROM QUARTE	R: FROM	SOUTH	FRC	M EAST					
				SECTION LINE	S:	383		2368					
Lease Name:	EMORY				Well No:	1708 2H-	-15X		Well will be	383	feet from	nearest unit or leas	se boundary.
Operator Name: OVINTIV MID-CONTINENT INC.				Telephone: 2812105100; 9188781290;					OTC/OCC Number: 20944 0				
OVINTIV MID-CONTINENT INC.						] [	GARRETT AND	COMPANY, I	LC				
4 WATERWAY AVE STE 100							9701 N BROAD	WAY					
THE WOODL	ANDS,		TX	77380-2764				OKLAHOMA CI	TY		ОК	73114	
							]						
Formation(s)	(Permit Val	id for Li	isted For	mations Only):									
Name			Code		Depth								
1 MISSISSIPPIAN (LESS CHESTER)			359M	359MSNLC									

715682 715634 715639 Special Orders: No Special

715635

No Pending Working interest owners' notified:

Total Depth: 18535 Ground Elevation: 1128 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 200

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

8695

Location Exception Orders:

Approved Method for disposal of Drilling Fluids: D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 21-37516 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO H. (Other)

Increased Density Orders:

715633

Deep surface casing has been approved

**PIT 1 INFORMATION** 

Type of Pit System: CLOSED Closed System Means Steel Pits

319WDFD

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area. Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILL

**PIT 2 INFORMATION** 

WOODFORD

Pending CD Numbers:

649745

Spacing Orders:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area. Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILL

**MULTI UNIT HOLE 1** 

Section: 15 Township: 17N Range: 8W Meridian: IM Total Length: 10235

County: KINGFISHER Measured Total Depth: 18535

Spot Location of End Point: NW NE NW NE True Vertical Depth: 8695

Feet From: NORTH 1/4 Section Line: 85 End Point Location from
Feet From: EAST 1/4 Section Line: 1790 Lease,Unit, or Property Line: 85

## NOTES:

NOTES:							
Category	Description						
DEEP SURFACE CASING	[2/1/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING						
EXCEPTION TO RULE – 715639 (202001797)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X165:10-3-28(C)(2)(B) MSNLC (EMORY 1708 2H-15X) MAY BE CLOSER THAN 600' TO EXISTING WELLS M.CONLEY 1 (API# 073-22027), CONLEY 1 1-15 (API# 073-23171), EMORY 1H-15X (API# 073-25391, R.W.GARRET 2 (API# 073-21597) AND/OR PROPOSED WELLS EMORY 1708 3H-15X, EMORY 1708 4H-15X, EMORY 1708 5H-15X. 12/01/2020						
HYDRAULIC FRACTURING	[2/1/2021 - GC2] - OCC 165:10-3-10 REQUIRES:						
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;						
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,						
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG						
INCREASED DENSITY - 715633 (202001787)	[2/8/2021 - GB6] - 15-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020						
INCREASED DENSITY – 715634 (202001788)	[2/8/2021 - GB6] - 22-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020						
LOCATION EXCEPTION – 715635 (202001790)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X649745 MSNLC, WDFD COMPL. INT. (15-17N-8W) NCT 165' FNL, NCT 0' FSL, NCT 1440' FEL COMPL. INT. (22-17N-8W) NCT 0' FNL, NCT 165' FSL, NCT 1440' FEL OVINTIV MID-CONTINENT INC. 12/01/2020						
MEMO	$\ [2/1/2021$ - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT						
SPACING - 649745	[2/8/2021 - GB6] - (640)(HOR) 15, 22 -17N-8W EST MSNLC, WDFD COMPL. INT. (MSNLC) 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 33' FEL, NCT 330' FWL (COEXIST SP. ORDER# 89974/93777 MSSLM; SP. ORDER# 101356 MSSLM; SP. ORDER# 138429 MSSLM; SP. ORDER# 101356/138429 MSSLM)						
SPACING – 715682 (202001789)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W EST MULTIUNIT HORIZONTAL WELL X649745 MSNLC, WDFD (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC) 50% 15-17N-8W 50% 22-17N-8W OVINTIV MID-CONTINENT INC. 12/03/2020						