

API NUMBER: 051 24844

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 06/17/2021
Expiration Date: 12/17/2022

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 15 Township: 9N Range: 6W County: GRADY

SPOT LOCATION: ☐ NW ☐ NE ☐ NW ☐ NW FEET FROM QUARTER: FROM NORTH FROM WEST
SECTION LINES: 265 870

Lease Name: RABBIT ROAD Well No: 1H-9 Well will be 265 feet from nearest unit or lease boundary.

Operator Name: CITIZEN ENERGY III LLC Telephone: 9189494680 OTC/OCC Number: 24120 0

CITIZEN ENERGY III LLC
320 S BOSTON AVE STE 900
TULSA, OK 74103-3729

JERRY CAMPBELL
1539 COUNTY ROAD 1212
TUTTLE OK 74103

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	10550

Spacing Orders: 144013

Location Exception Orders: No Exceptions

Increased Density Orders: No Density Orders

Pending CD Numbers: 202100821

Working interest owners' notified: ***

Special Orders: No Special Orders

202100822

Total Depth: 15800

Ground Elevation: 1351

Surface Casing: 1000

Depth to base of Treatable Water-Bearing FM: 370

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 21-37662

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT

Pit Location Formation: TERRACE

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 250000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT

Pit Location Formation: TERRACE

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1

Section: 9	Township: 9N	Range: 6W	Meridian: IM	Total Length: 5200
County: GRADY				Measured Total Depth: 15800
Spot Location of End Point: N2	N2	N2	NE	True Vertical Depth: 11000
Feet From: NORTH	1/4 Section Line: 165			End Point Location from
Feet From: EAST	1/4 Section Line: 1320			Lease,Unit, or Property Line: 165

NOTES:

Category	Description
DEEP SURFACE CASING	[6/15/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	<p>[6/15/2021 - GC2] - OCC 165:10-3-10 REQUIRES:</p> <p>1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;</p> <p>2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,</p> <p>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG</p>
MEMO	[6/15/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202100821	<p>[6/17/2021 - G56] - (I.O.) 9-9N-6W</p> <p>X144013 MSSP</p> <p>COMPL INT NCT 165' FNL, NCT 165' FSL, NCT 1320' FEL</p> <p>CITIZEN ENERGY III, LLC</p> <p>REC 6/7/2021 (MOORE)</p>
PENDING CD - 202100822	<p>[6/17/2021 - G56] - 9-9N-6W</p> <p>X144013 MSSP</p> <p>1 WELL</p> <p>CITIZEN ENERGY III, LLC</p> <p>REC 6/7/2021 (MOORE)</p>
SPACING - 144013	<p>[6/17/2021 - G56] - (640) 9-9N-6W</p> <p>EXT OTHERS</p> <p>EXT 129471 MSSP, OTHERS</p>




Well Location Plat

S.H.L. Sec. 15-9N-6W I.M.
B.H.L. Sec. 9-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: RABBIT ROAD 1H-9
Surface Hole Location: 265' FNL - 870' FWL Gr. Elevation: 1351'
NW/4-NE/4-NW/4-NW/4 Section: 15 Township: 9N Range: 6W I.M.
Bottom Hole Location: 165' FNL - 1320' FEL
NW/4-NW/4-NE/4-NE/4 Section: 9 Township: 9N Range: 6W I.M.
County: Grady State of Oklahoma
Terrain at Loc.: Location fell in an open wheat field.

Surface Hole Loc.: Lat: 35°15'39.62"N Lon: 97°49'37.42"W Lat: 35.26100514 Lon: -97.82706084 X: 2020131 Y: 701589	Landing Point: Lat: 35°15'43.86"N Lon: 97°50'03.83"W Lat: 35.26218263 Lon: -97.83439780 X: 2017940 Y: 702014	Bottom Hole Loc.: Lat: 35°16'32.81"N Lon: 97°50'03.89"W Lat: 35.27578133 Lon: -97.83441371 X: 2017927 Y: 706964
Surface Hole Loc.: Lat: 35°15'39.39"N Lon: 97°49'36.26"W Lat: 35.26094292 Lon: -97.82673938 X: 2051728 Y: 701547	Landing Point: Lat: 35°15'43.63"N Lon: 97°50'02.67"W Lat: 35.26212052 Lon: -97.83407617 X: 2049537 Y: 701972	Bottom Hole Loc.: Lat: 35°16'32.59"N Lon: 97°50'02.73"W Lat: 35.27571967 Lon: -97.83409196 X: 2049524 Y: 706922



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.
-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711. Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2022


Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

Invoice #9421-C
Date Staked: 06/04/2021 By: D.W.
Date Drawn: 06/09/2021 By: J.K.

LANCE G. MATHIS

06/10/2021
OK LPLS 1664







Well Location Plat

S.H.L. Sec. 15-9N-6W I.M.
B.H.L. Sec. 9-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: RABBIT ROAD 1H-9
Surface Hole Location: 265' FNL - 870' FWL Gr. Elevation: 1351'
NW/4-NE/4-NW/4-NW/4 Section: 15 Township: 9N Range: 6W I.M.
Bottom Hole Location: 165' FNL - 1320' FEL
NW/4-NW/4-NE/4-NE/4 Section: 9 Township: 9N Range: 6W I.M.
County: Grady State of Oklahoma
Terrain at Loc.: Location fell in an open wheat field.

Surface Hole Loc.: Lat: 35°15'39.62"N Lon: 97°49'37.42"W Lat: 35.26100514 Lon: -97.82706084 X: 2020131 Y: 701589	Landing Point: Lat: 35°15'43.86"N Lon: 97°50'03.83"W Lat: 35.26218263 Lon: -97.83439780 X: 2017940 Y: 702014	Bottom Hole Loc.: Lat: 35°16'32.81"N Lon: 97°50'03.89"W Lat: 35.27578133 Lon: -97.83441371 X: 2017927 Y: 706964
Surface Hole Loc.: Lat: 35°15'39.39"N Lon: 97°49'36.26"W Lat: 35.26094292 Lon: -97.82673938 X: 2051728 Y: 701547	Landing Point: Lat: 35°15'43.63"N Lon: 97°50'02.67"W Lat: 35.26212052 Lon: -97.83407617 X: 2049537 Y: 701972	Bottom Hole Loc.: Lat: 35°16'32.59"N Lon: 97°50'02.73"W Lat: 35.27571967 Lon: -97.83409196 X: 2049524 Y: 706922



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.
-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711. Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2022

Invoice #9421-C
Date Staked: 06/04/2021 By: D.W.
Date Drawn: 06/09/2021 By: J.K.


Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

06/10/2021

OK LPLS 1664





Anti-Collision


Sec. 15-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: RABBIT ROAD 1H-9
Surface Hole Location: 265' FNL - 870' FWL
Sec. 15 Twp. 9N Rng. 6W I.M.
Landing Point: 165' FSL - 1320' FEL
Bottom Hole Location: 165' FNL - 1320' FEL
Sec. 9 Twp. 9N Rng. 6W I.M.
County: Grady State of Oklahoma

- SHL
- LP & BHL
- Bore Path
- PAD
- OCC Wells
- Counties
- Township-Range
- Sections



0 1,000 2,000 Feet






Topographic Vicinity Map

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: RABBIT ROAD 1H-9
Surface Hole Location: 265' FNL - 870' FWL
Sec. 15 Twp. 9N Rng. 6W I.M.
Landing Point: 165' FSL - 1320' FEL
Bottom Hole Location: 165' FNL - 1320' FEL
Sec. 9 Twp. 9N Rng. 6W I.M.
County: Grady State of Oklahoma



Scale 1" = 2000'
Contour Interval: 10'

Ground Elevation at Surface Hole Location: 1351'



Provided by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348
Expires June 30, 2022

Date Staked: 06/04/2021

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

County Highway Vicinity Map

Job #: 9421-C

Operator: CITIZEN ENERGY, LLC

Lease Name and No.: RABBIT ROAD 1H-9

Accessibility: From the South.

Directions: From the junction of Highway 37 & "S. Cimaron Rd." in Tuttle, OK, go 2.0 miles South on "S. Cimaron Rd.". Then 0.85 mile West on "Rabbit Rd." to the NE/4 of Section 15-9N-6W on the South side of the road.



1 inch = 0.5 mile

provided by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2020

