API NUMBER: 017 25941

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/24/2023

Expiration Date: 09/24/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 16 Township: 14N Range: 9W County	y: CANADIAN
SPOT LOCATION: NW SW SW NE FEET FROM QUARTER: FROM NORT	"H FROM EAST
SECTION LINES: 2052	2439
Lease Name: LION 16_9_4-14N-9W Well No: 5HXX	Well will be 2052 feet from nearest unit or lease boundary.
Operator Name: DEVON ENERGY PRODUCTION CO LP Telephone: 40523	953611; 4052353611; OTC/OCC Number: 20751 0
DEVON ENERGY PRODUCTION CO LP	MARK & MELISSA WILKERSON
333 W SHERIDAN AVE	5195 N. MANNING ROAD
OKLAHOMA CITY, OK 73102-5015	EL RENO OK 73036
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 9524	
Spacing Orders: 682693 Location Exception On	ders: 731918 Increased Density Orders: 731750
648601	731751
658382	731752
731913	
Pending CD Numbers: No Pending Working interest ov	wners' notified: *** Special Orders: No Special
Total Depth: 22988 Ground Elevation: 1442 Surface Casing	g: 690 Depth to base of Treatable Water-Bearing FM: 440
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38948
Surface Water used to Drill: Yes	H. (Other) SEE MEMO
DIT (INFORMATION	
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 5000 Average: 3000	Pit Location Formation: TERRACE
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	
Wellhead Protection Area? Y	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 300000 Average: 200000	Pit Location Formation: TERRACE
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	
Wellhead Protection Area? Y	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 4 Township: 14N Range: 9W Meridian: IM Total Length: 12946

County: CANADIAN Measured Total Depth: 22988

Spot Location of End Point: NW NE NW NE True Vertical Depth: 10639

Feet From: NORTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 1665 Lease,Unit, or Property Line: 50

NOTES:

NOTES:	
Category	Description
HYDRAULIC FRACTURING	[3/23/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731750	[3/24/2023 - G56] - 4-14N-9W X682693 MSSP 4 WELLS DEVON ENERGY PROD CO, LP 1/27/2023
INCREASED DENSITY - 731751	[3/24/2023 - G56] - 9-14N-9W X648601 MSSP 3 WELLS DEVON ENERGY PROD CO, LP 1/27/2023
INCREASED DENSITY - 731752	[3/24/2023 - G56] - 16-14N-9W X658382 MSSP 6 WELLS DEVON ENERGY PROD CO, LP 1/27/2023
INTERMEDIATE CASING	[3/23/2023 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 731918	[3/24/2023 - G56] - (I.O.) 4, 9 & 16-14N-9W X682693 MSSP 4-14N-9W X648601 MSSP 9-14N-9W X648601 MSSP 9-14N-9W X658382 MSSP, OTHER 16-14N-9W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO STROUD 5-4 (017-23941), STROUD A1 (017-22229), WILKERSON 1-16 (017-23633) WELLS COMPL INT (4-14N-9W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FEL COMPL INT (9-14N-9W) NCT 0' FNL, NCT 0' FSL, NCT 1320' FEL COMPL INT (16-14N-9W) NCT 1320' FNL, NCT 1320' FSL, NCT 1320' FEL DEVON ENERGY PROD CO, LP 2/2/2023
МЕМО	[3/23/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PUBLIC WATER SUPPLY	[3/23/2023 - GC2] - OKARCHE - 2 WELLS NE/4 17-14N-9W
SPACING - 648601	[3/24/2023 - G56] - (640)(HOR) 9-14N-9W EST OTHER VAC 193707 MSSSD, OTHER VAC 199782 MNNG, CSTR EXT 641050 MSSP COMPL INT NCT 660' FB

SPACING - 658382	[3/24/2023 - G56] - (640)(HOR) 16-14N-9W EXT 648601/593793 MSSP, OTHERS COMPL INT NCT 660' FB (COEXIST WITH SP # 193707 MSSSD, # 199782 MNNG, CSTR)
SPACING - 682693	[3/24/2023 - G56] - (640)(HOR) 4-14N-9W EXT 648601 MSSP COMPL INT NCT 660' FB (COEXIST WITH SP # 199707 MNNG, MSSSD, CSTRU)
SPACING - 731913	[3/24/2023 - G56] - (I.O.) 4, 9 & 16-14N-9W EST MULTIUNIT HORIZONTAL WELL X682693 MSSP 4-14N-9W X648601 MSSP 9-14N-9W X658382 MSSP, OTHER 16-14N-9W 40% 4-14N-9W 40% 9-14N-9W 20% 16-14N-9W DEVON ENERGY PROD CO, LP 2/2/2023
SURFACE CASING	[3/23/2023 - GC2] - NO DEEP SURFACE CASING DUE TO BEING INSIDE PUBLIC WATER SUPPLY BOUNDARIES