API NUMBER: 073 26741

Oil & Gas

Horizontal Hole

OIL & GAS CONSERVATION DIVISION

P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

OKLAHOMA CORPORATION COMMISSION

Approval Date: 02/18/2021 **Expiration Date:** 08/18/2022

PERMIT TO DRILL

| WELL LOCATION: | Section: | 35 | Township: | 16N R | ange: 5W | County: | KING | FISHER | | | | | | |
|----------------------------|----------------|-----|-----------|--------------|--------------|-------------|-----------------|-------------|------------|---------|-----------|----------------------|-----------|-----|
| SPOT LOCATION: | SE NE | NW | NE | FEET FROM QU | ARTER: FROM | NORTH | FRO | M EAST | | | | | | |
| | | | | SECTION | LINES: | 360 | | 1340 | | | | | | |
| Lease Name: | HARMAN 26-16 | i-5 | | | Well N | lo: 3H | | | Well will | be 360 | feet from | nearest unit or leas | e boundar | ry. |
| Operator Name: | BCE-MACH III L | LC | | | Telephor | ne: 4052528 | 3100 | | | | отс | /OCC Number: | 24485 | 0 |
| BCE-MACH II | I LLC | | | | | | $\rceil \lceil$ | WARREN L. H | IARMAN LIV | ING TRU | JST | | | |
| 14201 WIRELESS WAY STE 300 | | | | | P.O. BOX 105 | | | | | | | | | |
| OKLAHOMA (| CITY, | | OK | 73134-252 | 21 | | | CASHION | | | OK | 73016 | | |


(Permit Valid for Listed Formations Only): Formation(s) Name Code Depth 6658 MISSISSIPPIAN (LESS CHESTER) 359MSNLC Spacing Orders: No Density Orders No Exceptions Increased Density Orders: Location Exception Orders: No Special Orders Special Orders: Pending CD Numbers: Working interest owners' notified: 202100188 202100189 Depth to base of Treatable Water-Bearing FM: 90 Total Depth: 11926 Ground Elevation: 1083 Surface Casing: 500 Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 21-37524 Surface Water used to Drill: Yes H. (Other) CLOSED SYSTEM = STEEL PITS PER OPERATOR


| | REQUEST |
|--|------------------------------------|
| PIT 1 INFORMATION | Category of Pit: C |
| Type of Pit System: CLOSED Closed System Means Steel Pits | Liner not required for Category: C |
| Type of Mud System: WATER BASED | Pit Location is: NON HSA |
| Chlorides Max: 5000 Average: 3000 | Pit Location Formation: FAIRMONT |
| Is depth to top of ground water greater than 10ft below base of pit? Y | |
| Within 1 mile of municipal water well? N | |
| Wellhead Protection Area? N | |
| Pit is not located in a Hydrologically Sensitive Area. | |
| | |

| HORIZONTAL HOLE 1 | | |
|-----------------------------|-----------------------------|------------------------------------|
| Section: 26 Township: | 16N Range: 5W Meridian: IM | Total Length: 4965 |
| County: | KINGFISHER | Measured Total Depth: 11926 |
| Spot Location of End Point: | NW NE NE NE | True Vertical Depth: 6930 |
| Feet From: | NORTH 1/4 Section Line: 150 | End Point Location from |
| Feet From: | EAST 1/4 Section Line: 380 | Lease, Unit, or Property Line: 150 |

NOTES:

| Category | Description |
|------------------------|--|
| HYDRAULIC FRACTURING | [2/16/2021 - GC2] - OCC 165:10-3-10 REQUIRES: |
| | 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; |
| | 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, |
| | 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG |
| PENDING CD - 202100188 | [2/18/2021 - G56] - (E.O.) 26-16N-5W X651750 MSNLC 1 WELL NO OP NAMED REC 2/12/21 (THOMAS) |
| PENDING CD - 202100189 | [2/18/2021 - G56] - (E.O.) 26-16N-5W X651750 MSNLC COMPL INT NCT 150' FSL, NCT 150' FNL, NCT 330' FEL NO OP NAMED REC 2/12/21 (THOMAS) |
| SPACING - 651750 | [2/18/2021 - G56] - (640)(HOR) 26-16N-5W EXT 649156 MSNLC POE TO BHL NLT 660' FB (COEXIST WITH SP # 59564/61637 MSSLM) |





SURVEYOR'S CERTIFICATE:

I, T. WAYNE FISCH, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.

T. Wayne Fisch, P.L.S. No. 1378 Authorized Agent of Topographic Land Surveyors HARMAN 26-16-5 3H

WAYNE FISCH 1378 2-12-2021

OKLAHOMA

OKLAHOMA

TOPOGRAPHIC LOYALTY INNOVATION LEGACY

SECTION 35 TWP 16N RGE_ 5W _ MERIDIAN_ KINGFISHER STATE COUNTY_ 360' FNL & 1340' FEL **DESCRIPTION**


13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM REVISION: INT DATE HARMAN 26-16-5 3H 2/12/2021 KEU 02/08/2021 DATE: FILE:LO_HARMAN_26-16-5_3H_REV1 DRAWN BY: KEU SHEET: 2 OF 2

ORIGINAL DOCUMENT SIZE: 8.5" X 14"

ALL BEARINGS SHOWN HEREON ARE GRID ACCORDING TO THE RESULTS OF STATIC GPS OBSERVATIONS PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA, NORTH ZONE, NAD 27 - HORIZONTAL AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.
CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY BCE MACH LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHINADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
LANDING POINT, BOTTOM HOLE, AND DRILL PATH INFORMATION PROVIDED BY OPERATOR AS SHOWN AND ARE NOT SURVEYED LOCATIONS.
THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY

LEASE NAME & WELL NO.

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. HARMAN 26-16-5 3H

 SECTION
 35
 TWP
 16N
 RGE
 5W
 MERIDIAN
 I.M.

 COUNTY
 KINGFISHER
 STATE
 OKLAHOMA

 DESCRIPTION
 360' FNL & 1340' FEL

ELEVATION __1083'

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY BEE MACH L.L.C.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.



3800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 731 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM



VICINITY MAP



LEASE NAME & WELL NO.

HARMAN 26-16-5 3H

SECTION 35 TWP 16N RGE 5W MERIDIAN I.M.

COUNTY KINGFISHER STATE OKLAHOMA

DESCRIPTION 360' FNL & 1340' FEL

DISTANCE & DIRECTION

FROM THE JCT. OF ST. HWY 33 AND ST. HWY 74F, NORTH OF

CASHION, OK, GO ± 1 MILE SOUTH ON ST. HWY 74F, THEN ± 1

MILE WEST TO THE NE COR. OF SEC. 35, T16N, R5W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY SEC MACH L.L.C.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM