API NUMBER: 017 25793

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/01/2022
Expiration Date: 10/01/2023

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	17	Township:	12N	Range:	7W	County: (CANADIAN						
SPOT LOCATION:	SW SE	NE	NW	T FEET FE	ROM QUARTER:	FROM	NORTH	FROM WEST						
				_	SECTION LINES:		1312	2110						
Lease Name:	BATTLE CRY	1207 17-	08			Well No:		2110	Well will be	1312	feet from	nearest unit	or lease bou	ndarv.
Operator Name:	REVOLUTION	OPERA	ING COMP	ANY LLC	Te	elephone:	40553452	232			OIC	C/OCC Numb	oer: 245	13 0
REVOLUTIO	N OPERATII	NG COI	MPANY L	LC				WILLIAMSTO	WN NORTH LL	С				
14301 CALIBER DR STE 110							810 SW 26TH	HST.						
OKLAHOMA CITY, OK 73134-1016						EL RENO			ОК	73036				
	,										Oit	70000		
Formation(s)	(Permit Va	lid for I	isted For	mations	Only):									
Name	(i cirilli va	101 L	Code			Depth								
1 MISSISSIPP	ΡΙΔΝ		359M			9946								
	723856		000141				ation Oudon	No Evention		Inci	oasod Do	nsity Orders:	724433	
	683787				Local	ion excel	otion Orders	No Exception	ms	IIIO	easeu Dei	isity Orders.	724434	
	709998												724434	
Pending CD Number	ers: 2022000	97			w	orking int	erest owne	rs' notified: ***			Spe	ecial Orders:	No Spe	cial
3	2022000					3								
Total Donth: 1	6304	Ground I	Elevation: 1	271	9	ırfaca (Cacina:	1200	Denth t	n hase n	Treatable	Water-Rearin	a FM: 340	
Total Depth: 1	6394	Ground I	Elevation: 1	371	Su	ırface (Casing:	1300	Depth t			Water-Bearin		
Total Depth: 1	6394	Ground I	Elevation: 1	371	Su	ırface (Casing:	1300	Depth t			Water-Bearin		approved
Under	Federal Jurisdic	tion: No		371	Su	ırface (Casing:		Depth t	De	eep surf			approved
Under Fresh Water	Federal Jurisdic r Supply Well Dri	tion: No lled: No		371	Su	ırface (Casing:	Approved Method		De	eep surf	ace casing		
Under Fresh Water	Federal Jurisdic	tion: No lled: No		371	Su	ırface (Casing:	Approved Method	I for disposal of Drill	De	eep surf	ace casing	has been	
Under Fresh Water	Federal Jurisdic r Supply Well Dri e Water used to l	tion: No lled: No		371	Su	ırface (Casing:	Approved Method D. One time land a H. (Other)	I for disposal of Drill	De ing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface	Federal Jurisdic r Supply Well Dri e Water used to l	tion: No lled: No Drill: Yes	s			irface (Casing:	Approved Method D. One time land a H. (Other)	I for disposal of Drill pplication (REQUIR	De ing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR	Federal Jurisdic r Supply Well Dri e Water used to I	tion: No lled: No Drill: Yes	s Closed Syste			ırface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require	I for disposal of Drill pplication (REQUIR gory of Pit: C	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA	tion: No lled: No Drill: Yes OSED C	s Closed Syste			irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Chlorides Max: 50 Is depth to	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA 2000 Average: 30 top of ground wa	osed control	s Closed Syste SED er than 10ft l	m Means \$	Steel Pits	urface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C ocation is: NON HS	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Chlorides Max: 50 Is depth to	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA 2000 Average: 30 top of ground wa mile of municipal	OSED CATER BAS	s closed Syste SED er than 10ft l	m Means \$	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C ocation is: NON HS	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Chlorides Max: 50 Is depth to	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA 2000 Average: 30 top of ground wa	OSED CATER BAS	s closed Syste SED er than 10ft l	m Means \$	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C ocation is: NON HS	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA 2000 Average: 30 top of ground wa mile of municipal	OSED CATER BAS	closed Syste SED er than 10ft b II? N a? N	m Means \$	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C ocation is: NON HS	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r	Federal Jurisdic r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA 2000 Average: 30 top of ground wa mile of municipal Wellhead Prote occated in a Hydro	OSED CATER BAS	closed Syste SED er than 10ft b II? N a? N	m Means \$	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location f	I for disposal of Drill pplication (REQUIR gory of Pit: C d for Category: C ocation is: NON HS	Deing Fluid	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo	Federal Jurisdice of Supply Well Drie WATION Pit System: CL ud System: WA 000 Average: 30 top of ground wa mile of municipal Wellhead Prote ocated in a Hydro MATION Pit System: CL	osed consideration of the cons	closed Syste SED er than 10ft I II? N a? N Sensitive An	m Means s below base ea.	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location f	gory of Pit: C d for Category: C ocation is: NON HS Formation: CHICKA	De ing Fluid IES PERI SEE ME	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo PIT 2 INFOR Type of M	Federal Jurisdice or Supply Well Dri e Water used to le MATION Pit System: CL ud System: WA 200 Average: 30 top of ground wa mile of municipal Wellhead Prote ocated in a Hydro MATION Pit System: CL ud System: Oll	tion: No lled: No Drill: Yes OSED C ATER BAS 00 ater greate water we ection Are blogically: OSED C BASED	closed Syste SED er than 10ft I II? N a? N Sensitive An	m Means s below base ea.	Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location F	gory of Pit: C ocation is: NON HS gory of Pit: C ocation is: NON HS ormation: CHICKA	Deing Fluid RES PERI SEE ME GA ASHA	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo PIT 2 INFOR Type of M Chlorides Max: 30	Federal Jurisdice r Supply Well Dri e Water used to l MATION Pit System: CL ud System: WA 000 Average: 30 top of ground wa mile of municipal Wellhead Prote ocated in a Hydro MATION Pit System: CL ud System: CL ud System: Oll 00000 Average:	osed Control of the c	closed Syste SED er than 10ft b II? N a? N Sensitive Are	m Means \$ pelow base ea. m Means \$	Steel Pits e of pit? Y Steel Pits	urface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location F	gory of Pit: C d for Category: C ocation is: NON HS Formation: CHICKA	Deing Fluid RES PERI SEE ME GA ASHA	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo PIT 2 INFOR Type of M Chlorides Max: 30 Is depth to	Federal Jurisdice r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA DOO Average: 30 top of ground wa mile of municipal Wellhead Prote cocated in a Hydro MATION Pit System: CL ud System: Clud System: Oll DO0000 Average: top of ground wa	osed Cater greate water we ection Area blogically:	closed Syste SED er than 10ft b II? N a? N Sensitive An	m Means \$ pelow base ea. m Means \$	Steel Pits e of pit? Y Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location F	gory of Pit: C ocation is: NON HS gory of Pit: C ocation is: NON HS ormation: CHICKA	Deing Fluid RES PERI SEE ME GA ASHA	eep surf	ace casing	has been	
Under Fresh Water Surface PIT 1 INFOR Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo PIT 2 INFOR Type of M Chlorides Max: 30 Is depth to	Federal Jurisdice or Supply Well Drie e Water used to I MATION Pit System: CL ud System: WA DOO Average: 30 top of ground wa mile of municipal Wellhead Prote cocated in a Hydro MATION Pit System: CL ud System: Oll DO0000 Average: top of ground wa mile of municipal	OSED CONTROL OSED	Sclosed Syste SED er than 10ft III N Sensitive Are Closed Syste er than 10ft III N	m Means \$ pelow base ea. m Means \$	Steel Pits e of pit? Y Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location F	gory of Pit: C ocation is: NON HS gory of Pit: C ocation is: NON HS ormation: CHICKA	Deing Fluid RES PERI SEE ME GA ASHA	eep surf	ace casing	has been	
PIT 1 INFOR Type of M Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is not lo PIT 2 INFOR Type of M Chlorides Max: 30 Is depth to Within 1 r	Federal Jurisdice r Supply Well Dri e Water used to I MATION Pit System: CL ud System: WA DOO Average: 30 top of ground wa mile of municipal Wellhead Prote cocated in a Hydro MATION Pit System: CL ud System: Clud System: Oll DO0000 Average: top of ground wa	osed C ATER BAS OOSED C ATER BAS OO ater greate water we cologically : OSED C BASED 200000 ater greate water we cotion Are:	closed Syste SED er than 10ft II II? N Sensitive Are closed Syste er than 10ft II II? N	m Means S ea. m Means S below base	Steel Pits e of pit? Y Steel Pits	irface (Casing:	Approved Method D. One time land a H. (Other) Cate Liner not require Pit L Pit Location F	gory of Pit: C ocation is: NON HS gory of Pit: C ocation is: NON HS ormation: CHICKA	Deing Fluid RES PERI SEE ME GA ASHA	eep surf	ace casing	has been	

MULTI UNIT HOLE 1

Section: 8 Township: 12N Range: 7W Meridian: IM Total Length: 6075


County: CANADIAN Measured Total Depth: 16394


Spot Location of End Point: NE NW NW NE True Vertical Depth: 9946

Feet From: NORTH 1/4 Section Line: 165 End Point Location from
Feet From: EAST 1/4 Section Line: 1990 Lease,Unit, or Property Line: 165


NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[3/24/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[3/24/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 724433	[4/1/2022 - G56] - 17-12N-7W X683787/709998 MSSP 4 WELLS REVOLUTION OP CO, LLC 3/24/2022
INCREASED DENSITY - 724434	[4/1/2022 - G56] - (I.O.) 8-12N-7W X723856 MSSP 3 WELLS REVOLUTION OP CO, LLC 3/24/2022
MEMO	[3/24/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202200097	[4/1/2022 - G56] - (I.O.) 8 & 17-12N-7W EST MULTIUNIT HORIZONTAL WELL X723856 MSSP, OTHER 8-12N-7W X683787/709998 MSSP, OTHER 17-12N-7W 15% 17-12N-7W 85% 8-12N-7W NO OP NAMED REC 2/25/2022 (HUBER)
PENDING CD - 202200098	[4/1/2022 - G56] - (I.O.) 8 & 17-12N-7W X723856 MSSP, OTHER 8-12N-7W X683787/709998 MSSP, OTHER 17-12N-7W COMPL INT (17-12N-7W) NCT 330' FNL, NCT 0' FNL, NCT 1320' FEL COMPL INT (8-12N-7W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL NO OP NAMED REC 2/25/2022 (HUBER)
SPACING - 683787	[4/1/2022 - G56] - (640)(HOR) 17-12N-7W EST MSSP, OTHERS COMPL INT NLT 660' FB (COEXIST WITH SP # 146122 & # 147489)
SPACING - 709998	[4/1/2022 - G56] - CONFIRM 683787 AS TO RESPONDENTS
SPACING - 723856	[4/1/2022 - G56] - (640)(HOR) 8-12N-7W VAC 146122 MSSP, OTHER VAC 147489 MSSP, OTHER EXT 660608 MSSP, OTHERS POE TO BHL NLT 660' FB





LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. BATTLE CRY 1207 17-08 3MH

ELEV.: <u>1371' (NAVD29)</u> ELEV.: <u>1371' (NGVD88)</u>

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY REVOLUTION RESOURCES. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM

VICINITY MAP



BATTLE CRY 1207 17-08 3MH LEASE NAME & WELL NO. SECTION 17 TWP 12N 7W RGE_ _ MERIDIAN_ CANADIAN STATE **OKLAHOMA** COUNTY ___ 1312' FNL & 2110' FWL DESCRIPTION **DISTANCE & DIRECTION** FROM THE INTERSECTION S. COUNTRY CLUB RD. & W. ELM ST., GO ±0.5 MI. EAST ON W. ELM ST. TO THE NORTH QUARTER CORNER OF 17-12**N**-7W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY REVOLUTION RESOURCES. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1927, U.S. SURVEY FEET AND THE NATIONAL GEODETIC VERTICAL DATUM OF 1929.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM