	000	05075
API NUMBER:	093	25275

Horizontal Hole

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/01/2022 Expiration Date: 10/01/2023

PERMIT TO DRILL

WELL LOCATION: Section: 27 Township: 23N Range: 12W County:	MAJOR
SPOT LOCATION: SE SE SW SE FEET FROM QUARTER: FROM SOUTH	FROM EAST
SECTION LINES: 260	1649
Lease Name: BISON 2312 Well No: 3UOH-3	4A Well will be 260 feet from nearest unit or lease boundary.
Operator Name: CHAPARRAL ENERGY LLC Telephone: 4054264	451; 4054264481; OTC/OCC Number: 16896 0
CHAPARRAL ENERGY LLC	SANDRA SUE WHITTENBURG & JACK L. WHITTENBURG
4700 GAILLARDIA PARKWAY STE 200	PO BOX 164
OKLAHOMA CITY, OK 73142-1839	CLEO SPRINGS OK 73729
Formation(s) (Permit Valid for Listed Formations Only):	_
Name Code Depth]
1 MISSISSIPPI LIME 351MSSLM 6831	
Spacing Orders: 63692 Location Exception Orde	rs: No Exceptions Increased Density Orders: No Density
Pending CD Numbers: 202200515 Working interest own	ers' notified: *** Special Orders: No Special
202200512	
202200916	
Total Depth: 11700 Ground Elevation: 1285 Surface Casing:	790 Depth to base of Treatable Water-Bearing FM: 540
Total Depth: 11700 Ground Elevation: 1285 Surface Casing: Under Federal Jurisdiction: No	790 Depth to base of Treatable Water-Bearing FM: 540 Approved Method for disposal of Drilling Fluids:
-	
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other)
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is cotated in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Category of Pit: C Liner not required for Category: C Liner not required for Category: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: Chorides Max: 8000 Average: Chlorides Max: 8000 Average: Sourd ace date of pit and the protection Area? N Wellhead Protection Area? N Pit is Iocated in a Hydrologically Sensitive Area. Pit 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Steel Pit is located in a Hydrologically Sensitive Area. Pit 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: Chlorides Max: 30000 Average: 20000	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38140 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE Category of Pit: C Liner not required for Category: C Display="2">Liner not required for Category: C Pit Location is: AP/TE DEPOSIT Pit Location Formation: TERRACE

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1					
Section: 34 Township:	23N Rar	nge: 12W	Meridian:	IM Total Length: 4	4898
County:	MAJOR			Measured Total Depth: 1	11700
Spot Location of End Point:	SW SE	SE	SE	True Vertical Depth: 6	6861
Feet From:	SOUTH	1/4 Section	on Line: 165	End Point Location from	
Feet From:	EAST	1/4 Section	on Line: 380	Lease,Unit, or Property Line: 1	165

NOTES:	
Category	Description
HYDRAULIC FRACTURING	[4/1/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[4/1/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202200512	[4/1/2022 - GB1] - 34-23N-12W X63692 MSSP++ 3 WELLS NO OP NAMED REC 3/7/2022 (THOMAS)
	++FORMATION WILL BE CHANGED TO MSSLM AT HEARING AND NEW SP ADDED
PENDING CD - 202200515	[4/1/2022 - GB1] - (I.O.) 34-23N-12W X63692 MSSP++ COMPL INT NCT 150' FNL, NCT 150' FSL, NCT 330' FEL*** NO OP NAMED REC 3/7/2022 (THOMAS)
	*** WILL BE CORRECTED TO 165' FNL/FSL PER ATTORNEY FOR OPR AT HEARING ++FORMATION WILL BE CHANGED TO MSSLM AT HEARING AND NEW SP ADDED
PENDING CD - 202200916	[4/1/2022 - GB1] - (E.O.)(640) 34-23N-12W MOD 63692 FROM MSSP TO MSSLM REC 3/17/22 (NORRIS)
SPACING - 63692	[4/1/2022 - GB1] - (640) 34-23N-12W EXT 42717/61821 MSSP CLARIFY 42717 MSSP
SURFACE CASING	[4/1/2022 - GC2] - NO DEEP SURFACE CASING - LOST CIRCULATION IN 27-23N-12W

				VER S					
SECTION: 27	. TOW	NSHIP: <u>2</u>	<u>3 N</u> RA	NGE: <u>12 W</u>	LIM. WE	LL: BI	SON 2	312 2	JOH-34A
COUNTY:	MAJO	R COUNTY	STAT		OMA WE	LL: B	SON 2	<u>312 3</u>	JOH-34
OPERATOR: CH					WE	LL: N	/A		
		LARDIA PK //A CITY, OK		E 200					
						LL. <u>IN</u>	/A		
NAME		NORTHING	EASTING	GPS DATUM OK NORTH			Vell Ca		S-T-R
BISON 2312 2UOF	I-34A	522619'	1862477	N36.434808°	W98.467492°	-	SL & 1,6		
BISON 2312 2UOH-		522200'	1861927'	N36.433651°	W98.469353°		NL & 2,2		
BISON 2312 2UOH-3	4A BHL	517291'	1861882'	N36.420166°	W98.469424°	165' F	SL & 2,2	10 FEL	34, T 23 N - R 12 W
BISON 2312 3UO	H-34	522619'	1862492'	N36.434808°	W98.467441°	260' F	SL & 1,6	649 FEL	27, T 23 N - R 12 W
BISON 2312 3UOH	-34 LP	522179'	1863757'	N36.433616°	W98.463132°	165'	FNL & 3	80 FEL	34, T 23 N - R 12 W
DIGON 2312 300H	34 RUI	517281'	1863712'	N36.420162°	W98.463204°	165'	FSL & 3	BO FEL	34, T 23 N - R 12 W
BISON 2312 300H-									



