API NUMBER:	017 25205	А

Multi Unit Oil & Gas

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 09/29/2020 Expiration Date: 03/29/2022

PERMIT TO DRILL

WELL LOCATION:	Section:	36 Township	: 11N Ra	nge: 8W	County: CA	NADIAN				
SPOT LOCATION:	NW	NW NW	FEET FROM QUA	RTER: FROM	NORTH	ROM WEST				
			SECTION L	INES:	240	255				
Lease Name:	CAREL			Well No:	1H-2524X		Well will be	240 fe	et from nearest ur	it or lease boundary.
Operator Name:	CIMAREX ENER	RGY CO		Telephone:	918585110	)			OTC/OCC Nu	mber: 21194 0
CIMAREX ENERGY CO				SCHIEBER F	AMILY FARMS,	LLC				
202 S CHEYE	ENNE AVE ST	E 1000				5225 S HWY	81			
TULSA,		ОК	74103-3001			UNION CITY			OK 73090	
Formation(s)	(Permit Valio	d for Listed Fo	rmations Only	).						
Name	(i cirint vanc	Code		). Depth						
1 WOODFOR	D		VDFD	11330						
	631118			ocation Except	tion Orders:	702978		Increa	sed Density Orders	: 702350
	662553		L		dion Orders.	714223		morea		714200
	702977					702988				702351
	714262					714199				714201
			-						Special Orders	No Special Orders
Pending CD Numbe	ers: No Pending			Working in	erest owners	notified: ***			Special Orders	
Total Depth: 2	21912 0	Fround Elevation:	1281	Surface	Casing: 1	500	Depth to	base of Ti	eatable Water-Bea	ring FM: 370
								Dee	p surface casir	ng has been approved
Under	Federal Jurisdictio	n: No				Approved Method	d for disposal of Drilli	ng Fluids:		
Fresh Water Supply Well Drilled: No			D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37390							
Surface	e Water used to Dr	ill: No				H. (Other)		CLOSED S REQUEST	YSTEM=STEEL PI	IS PER OPERATOR
PIT 1 INFOR	-						gory of Pit: C			
Type of Pit System: CLOSED Closed System Means Steel Pits				-	ed for Category: C					
Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000					.ocation is: ALLUVIA					
	•		holow hope of all			Pit Location	Formation: ALLUVIL	IVIL		
	top of ground wate mile of municipal w	-	Delow base of pits	Ţ						
vviuilli i r	Wellhead Protect									
Pit <b>is</b> lo	ocated in a Hydrolo		rea.							
<u>io</u> K		growy contract	/							

MOETHONNI HOLE I				
Section: 24 Township:	11N Range: 8	V Meridian: IM	Total Length:	10059
County:	CANADIAN		Measured Total Depth:	21912
Spot Location of End Point:	NE NW NW	NW	True Vertical Depth:	11540
Feet From:	NORTH 1/4 Se	ection Line: 150	End Point Location from	
Feet From:	<b>WEST</b> 1/4 Se	ection Line: 370	Lease, Unit, or Property Line:	150

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
DEEP SURFACE CASING	9/4/2020 - GC2 - APPROVED: NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF
	CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE – 702988 (201904135)	9/28/2020 - GB6 - 9/25/2020 - GB6 - (I.O.) 24 & 25 11N-8W X165:10-3-28(C)(2)(B) WDFD (CAREL 1H-2524X) MAY BE CLOSER THAN 600' TO SWEENEY 8-24H (API# 017-25210) AND/OR STRAKA 1H-36X (API# 017-24696) AND/OR PROPOSED CAREL 2H-2524X, CAREL 3H-2524X, CAREL 4H-2524X, CAREL 5H-2524X, CAREL 6H-2524X NO OPER. NAMED 09/30/2019
EXCEPTION TO RULE – 714199 (201904135)	9/28/2020 - GB6 - 9/25/2020 - GB6 - EXTENSION OF ORDER # 702988 UNTIL 09/30/2021
HYDRAULIC FRACTURING	9/4/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY – 702350	9/28/2020 - GB6 - 9/25/2020 - GB6 - 24-11N-8W X662553 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY – 702351	9/28/2020 - GB6 - 9/25/2020 - GB6 - 25-11N-8W X631118 WDFD 6 WELLS CIMAREX ENERGY CO. 09/17/2019
INCREASED DENSITY – 714200	9/28/2020 - GB6 - 9/25/2020 - GB6 - EXTENSION OF ORDER # 702350 UNTIL 09/17/2021
INCREASED DENSITY – 714201	9/28/2020 - GB6 - 9/25/2020 - GB6 - EXTENSION OF ORDER # 702351 UNTIL 09/17/2021
LOCATION EXCEPTION – 702978 (201904124)	9/28/2020 - GB6 - 9/25/2020 - GB6 - (I.O.) 24 & 25 -11N-8W X662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W COMPL. INT. (25-11N-8W) NCT 150' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (24-11N-8W) NCT 0' FSL, NCT 150' FNL, NCT 330' FWL CIMAREX ENERGY CO. 09/30/2019
LOCATION EXCEPTION – 714223 (201904124)	9/28/2020 - GB6 - 9/25/2020 - GB6 - EXTENSION OF ORDER # 702978 UNTIL 09/30/2021
SPACING – 631118	9/25/2020 - GB6 - (640)(HOR) 25-11N-8W VAC OTHER VAC 144210 MSSLM 25-11N-8W VAC 258100 CSTR 25-11N-8W EST MSSP EXT 595379 WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL
SPACING – 662553	9/25/2020 - GB6 - (640)(HOR) 24-11N-8W EXT 646343 MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER# 144210 MSSLM, SP. ORDER# 258100 CSTR, SP. ORDER# 380183 WDFD)
SPACING – 702977 (201904116)	9/28/2020 - GB6 - (I.O.) 24 & 25 -11N-8W EST MULTIUNIT HORIZONTAL WELL X662553 WDFD 24-11N-8W X631118 WDFD 25-11N-8W 50% 24-11N-8W 50% 25-11N-8W CIMAREX ENERGY CO. 09/30/2019
SPACING – 714262 (201904116)	9/25/2020 - GB6 - EXTENSION OF ORDER # 702977 UNTIL 09/30/2021

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

