API NUMBER: 137 27604

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/02/2020 Expiration Date: 03/02/2022

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

**Extended** 

WELL LOCATION: Section: 15 Township: 2N Range: 4W County:	STEPHENS		
SPOT LOCATION: NW NE SE NE FEET FROM QUARTER: FROM NORTH	FROM <b>EAST</b>		
SECTION LINES: 1630	445		
Lease Name: VANARKEL Well No: 9-15-100	CHS Well will be 445 feet from nearest unit or lease boundary.		
Operator Name: CONTINENTAL RESOURCES INC Telephone: 4052349	020; 4052349000; OTC/OCC Number: 3186 0		
CONTINENTAL RESOURCES INC	PUMPING UNIT SERVICE INC.		
PO BOX 268870	PO BOX 712		
OKLAHOMA CITY, OK 73126-8870	LINDSAY OK 73052		
Formation(s) (Permit Valid for Listed Formations Only):			
Name Code Depth			
1 SPRINGER 401SPRG 12800			
Spacing Orders: 131585 Location Exception Order 601726	S: No Exceptions Increased Density Orders: No Density Orders		
Pending CD Numbers: 202000297 Working interest own 202000301 202000302	special Orders: No Special Orders		
Total Depth: 17842 Ground Elevation: 1163 Surface Casing:	1500 Depth to base of Treatable Water-Bearing FM: 560		
Total Depth: 17842 Ground Elevation: 1163 Surface Casing:			
	Deep surface casing has been approved		
Total Depth: 17842 Ground Elevation: 1163 Surface Casing:  Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No			
Under Federal Jurisdiction: No	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED  Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y  Within 1 mile of municipal water well? N  Wellhead Protection Area? N	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.  PIT 2 INFORMATION	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C  Liner not required for Category: C  Pit Location is: BED AQUIFER  Pit Location Formation: DUNCAN  Category of Pit: C		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.  PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN  Category of Pit: C Liner not required for Category: C		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.  PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER  Pit Location Formation: DUNCAN  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.  PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER  Pit Location Formation: DUNCAN  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER		
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes  PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.  PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved  Approved Method for disposal of Drilling Fluids:  D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37253  H. (Other) SEE MEMO  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER  Pit Location Formation: DUNCAN  Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER		

**MULTI UNIT HOLE 1** 

Section: 10 Township: 2N Range: 4W Meridian: IM Total Length: 6877

County: STEPHENS Measured Total Depth: 17842

Spot Location of End Point: N2 NE NE NE True Vertical Depth: 12800

Feet From: NORTH 1/4 Section Line: 30 End Point Location from
Feet From: EAST 1/4 Section Line: 330 Lease,Unit, or Property Line: 30

NOTES:

NOTES:			
Category	Description		
DEEP SURFACE CASING	2/13/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING		
HYDRAULIC FRACTURING	2/13/2020 - G71 - OCC 165:10-3-10 REQUIRES:		
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;		
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,		
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG		
MEMO	2/13/2020 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT		
PENDING CD - 202000297	3/2/2020 - GB1 - 15-2N-4W X601726 SPRG 4 WELLS NO OP. NAMED REC 2/24/2020 (DENTON)		
PENDING CD - 202000301	3/2/2020 - GB1 - (I.O.) 15 & 10-2N-4W EST MULTIUNIT HORIZONTAL WELL X601726 SPRG 15-2N-4W X131585 SPRG 10-2N-4W 33% 15-2N-4W 67% 10-2N-4W NO OP NAMED REC 2/24/2020 (DENTON)		
PENDING CD - 202000302	3/2/2020 - GB1 - (I.O.) 15 & 10-2N-4W X601726 SPRG 15-2N-4W X131585 SPRG 10-2N-4W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED WELLBORE COMPL INT (15-2N-4W) NCT 1320' FSL, NCT 0' FNL, NCT 330' FEL COMPL INT (10-2N-4W) NCT 0' FSL, NCT 150' FNL, NCT 330' FEL NO OP NAMED REC 2/24/2020 (DENTON)		
SPACING - 131585	3/2/2020 - GB1 - (640) 10-2N-4W EST SPRG, OTHERS		
SPACING - 601726	3/2/2020 - GB1 - (640) 15-2N-4W EXT 131585 SPRG, OTHERS EXT OTHERS		



Continental Resources, Inc.

PO Box 268870

Oklahoma City, OK 73102

Attention: Ms Virginia Hullinger

Oklahoma Corporation Commission

Oil & Gas Conservation Division

Jim Thorpe Building

2101 N. Lincoln Blvd.

Oklahoma City, OK 73105

RECEIVED

JUL 2 2 2021

OKLAHOMA CORPORATION COMMISSION

Approved for 6 Month

Extension From

9/2/21

7/23/21



RE: Request for Six (6) Month extension on the approved permits for the wells referenced below. All information included on the permit remains the same. We understand the extension will be granted for only one six-month period and once that period has elapsed, the permit and fee must be re-filed.

WELL NAME _	<u>API NUMBER</u>	EXPIRATION DATE
Honeycutt 11-15-22XHS	137-27603	Expires 8/26/2021
Honeycutt 12-15-22XHS	137-27602	Expires 8/26/2021
Vanarkel 8-15-10XHS	137-27605	Expires 9/3/2021
Vanarkel 9-15-10XHS	137-27604	Expires 9/2/2021

If Additional information is required, please feel free to contact me directly at (405) 234-9257

or via email christi.scritchfield@clr.com.

Sincerely,

Christi Scritchfield

Christi Scritchfield

**Regulatory Compliance Specialist**