API NUMBER: 137 27603

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/26/2020
Expiration Date: 02/26/2022

Multi Unit Oil & Gas

PERMIT TO DRILL

Extended

WELL LOCATION: Section: 15 Township: 2N Range: 4W County:	STEPHENS
SPOT LOCATION: SE NW SW NE FEET FROM QUARTER: FROM NORTH	FROM EAST
section lines: 1945	2305
Lease Name: HONEYCUTT Well No: 11-15-22	EXHS Well will be 1945 feet from nearest unit or lease boundary.
Operator Name: CONTINENTAL RESOURCES INC Telephone: 4052349	020; 4052349000; OTC/OCC Number: 3186 0
CONTINENTAL RESOURCES INC	PUMPING UNIT SERVICE INC.
PO BOX 268870	PO BOX 712
OKLAHOMA CITY, OK 73126-8870	RHONDA STAMPER, PRESIDENT
	LINDSAY OK 73052
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 SPRINGER 401SPRG 12800	
Spacing Orders: 596943 Location Exception Orde 601726	No Exceptions Increased Density Orders: No Density Orders
	Special Orders: No Special Orders
Pending CD Numbers: 202000303 Working interest own 202000304	ers notified:
202000097	
	AFOO Double to have of Treatable Water Desires TAL FFO
Total Depth: 20373 Ground Elevation: 1154 Surface Casing:	
	Deep surface casing has been approved
	1 0 11
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	
	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN Category of Pit: C
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN Category of Pit: C Liner not required for Category: C
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 3000 Average: 2000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 20-37289 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER

MULTI UNIT HOLE 1

Section: 22 Range: 4W Township: 2N Meridian: IM Total Length: 20373

> County: STEPHENS Measured Total Depth: 20373

True Vertical Depth: 13500 Spot Location of End Point: SW SE SW

> Feet From: SOUTH 1/4 Section Line: 30 End Point Location from Lease, Unit, or Property Line: 30 1/4 Section Line: 2233 Feet From: WEST

NOTES:			
Category	Description		
DEEP SURFACE CASING	2/25/2020 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING		
HYDRAULIC FRACTURING	2/25/2020 - GC2 - OCC 165:10-3-10 REQUIRES:		
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;		
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,		
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG		
MEMO	2/25/2020 - GC2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT		
PENDING CD – 202000297	2/26/2020 - GB6 - (I.O.) 15-2N-4W X601726 SPRG 4 WELLS NO OP. NAMED REC 02/24/2020 (DENTON)		
PENDING CD – 202000303	2/26/2020 - GB6 - (I.O.) 15 & 22 -2N-4W EST MULTIUNIT HORIZONTAL WELL X601726 SPRG 15-2N-4W X596943 SPRG 22-2N-4W 34% 15-2N-4W 66% 22-2N-4W NO OP. NAMED REC 02/24/2020 (DENTON)		
PENDING CD – 202000304	2/26/2020 - GB6 - (I.O.) 15 & 22 -2N-4W X601726 SPRG 15-2N-4W X596943 SPRG 22-2N-4W X165:20-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING WELLBORE COMPL. INT. (15-2N-4W) NCT 1320' FNL, NCT 0' FSL, NCT 1320' FWL COMPL. INT. (22-2N-4W) NCT 0' FNL, NCT 150' FSL, NCT 1320' FWL NO OP. NAMED REC 02/24/2020 (DENTON)		
SPACING – 596943	2/26/2020 - GB6 - (640) 22-2N-4W EST 121917 SPRG, OTHERS EXT OTHER EST OTHERS		
SPACING - 601726	2/26/2020 - GB6 - (640) 15-2N-4W EXT 131585 SPRG, OTHERS EXT OTHER		



Continental Resources, Inc.

PO Box 268870

Oklahoma City, OK 73102

Attention: Ms Virginia Hullinger

Oklahoma Corporation Commission

Oil & Gas Conservation Division

Jim Thorpe Building

2101 N. Lincoln Blvd.

Oklahoma City, OK 73105

RECEIVED

JUL 2 2 2021

OKLAHOMA CORPORATION COMMISSION

Approved for 6 Month Extension From 8/26/21

7/23/21



RE: Request for Six (6) Month extension on the approved permits for the wells referenced below. All information included on the permit remains the same. We understand the extension will be granted for only one six-month period and once that period has elapsed, the permit and fee must be re-filed.

WELL NAME _	<u>API NUMBER</u>	EXPIRATION DATE
Honeycutt 11-15-22XHS	137-27603	Expires 8/26/2021
Honeycutt 12-15-22XHS	137-27602	Expires 8/26/2021
Vanarkel 8-15-10XHS	137-27605	Expires 9/3/2021
Vanarkel 9-15-10XHS	137-27604	Expires 9/2/2021

If Additional information is required, please feel free to contact me directly at (405) 234-9257 or via email christi.scritchfield@clr.com.

Sincerely,

Christi Scritchfield

Christi Scritchfield

Regulatory Compliance Specialist