API NUMBER: 085 21346

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	02/15/2023	_
Expiration Date:	08/15/2024	

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION. Castion 47 Tourship 70 Decem 45 County	LOVE
WELL LOCATION: Section: 17 Township: 7S Range: 1E County:	LOVE
SPOT LOCATION: SE NW NW NE FEET FROM QUARTER: FROM NORTH	FROM EAST
SECTION LINES: 632	2042
Lease Name: SHORT Well No: 2-17H20	X29 Well will be 632 feet from nearest unit or lease boundary.
Operator Name: XTO ENERGY INC Telephone: 4053193	200; 8178852283 OTC/OCC Number: 21003 0
Telephone. 4003193	21000 0
XTO ENERGY INC	SUSAN MCCARTY
210 PARK AVE STE 2240	911 WILLSON AVENUE
OKLAHOMA CITY, OK 73102	BOZEMAN MT 59715
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
·	
1 CANEY 354CNEY 13783 2 WOODFORD 319WDFD 14558	
Special Orders COSCAT	
Spacing Orders: 625917 Location Exception Order 642155	s: No Exceptions Increased Density Orders: No Density
640848	
	ers' notified: *** Special Orders: No Special
Pending CD Numbers: 202300147 Working interest owners	ers' notified: *** Special Orders. NO Special
202300149	
202300150	
202300153	
202300156	
Total Depth: 29185 Ground Elevation: 840 Surface Casing:	1990 Depth to base of Treatable Water-Bearing FM: 480
	Deep surface casing has been approved
Hadas Fadasal Issiadistian. Na	Assessed Mathed for disposal of Pulling Fluids
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Approved Method for disposal of Drilling Fluids:
Surface Water used to Drill: Yes	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38831
	H. (Other) SEE MEMO
PIT 1 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: NON HSA
Chlorides Max: 5000 Average: 3000	Pit Location Formation: KIAMICHI
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is not</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: NON HSA
Chlorides Max: 300000 Average: 200000	Pit Location Formation: KIAMICHI
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is not</u> located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 29 Township: 7S Range: 1E Meridian: IM Total Length: 15210

County: LOVE Measured Total Depth: 29185

Spot Location of End Point: SW SW SE SE True Vertical Depth: 15000

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 1224 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[1/25/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[1/25/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[1/25/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2023-000147	[1/30/2023 - GB7] - (I.O.) 17, 20 & 29-7S-1E EST. MULTIUNIT HORIZONTAL WELL X625917 CNEY, WDFD 17-7S-1E X642155 CNEY, WDFD 20-7S-1E X640848 CNEY, WDFD 29-7S-1E (WDFD ADJACENT CSS TO CNEY) 33.76% 17-7S-1E 34.85% 20-7S-1E 31.39% 29-7S-1E XTO ENERGY INC. REC 02/14/2023 (PRESLAR)
PENDING - CD2023-000150	[2/15/2023 - GB7] - 17-7S-1E X625917 CNEY 1 WELL XTO ENERGY INC 02/14/2023
PENDING - CD2023-000153	[2/15/2023 - GB7] - 20-7S-1E X642155 CNEY 1 WELL XTO ENERGY INC 02/14/2023
PENDING - CD2023-000156	[2/15/2023 - GB7] - 29-7S-1E X640848 CNEY 1 WELL XTO ENERGY INC 02/14/2023
PENDING CD2023-000149	[1/30/2023 - GB7] - (I.O.) 17, 20 & 29-7S-1E X625917 CNEY, WDFD 17-7S-1E X642155 CNEY, WDFD 20-7S-1E X640848 CNEY, WDFD 29-7S-1E COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 660' FEL (17-7S-1E) COMPL INT NCT 0' FNL, NCT 0' FSL, NCT 660' FEL (20-7S-1E) COMPL INT NCT 0' FNL, NCT 165' FSL, NCT 660' FEL (29-7S-1E) XTO ENERGY INC. REC 02/14/2023 (PRESLAR)
SPACING - 625917	[1/30/2023 - GB7] - (640) 17-7S-1E EXT 260251/260983 CNEY, WDFD, OTHERS
SPACING - 640848	[1/30/2023 - GB7] - (640) 29-7S-1E EXT 629534 CNEY, WDFD, HNTN, OTHER
SPACING - 642155	[1/30/2023 - GB7] - (640) 20-7S-1E EXT 625917 CNEY, WDFD, OTHERS