PI NUMBER: 093 25236 rizontal Hole Oil & Gas	OIL & GAS (F OKLAHOI	CORPORATION COMMISS CONSERVATION DIVISIO P.O. BOX 52000 MA CITY, OK 73152-2000 Rule 165:10-3-1)			
	P	ERMIT TO DRILL			
WELL LOCATION: Sec: 08 Twp: 20N Rge: 15	W County: MAJOR				
SPOT LOCATION: N2 N2 NE NE		ORTH FROM EAST			
	SECTION LINES: 21	10 660			
Lease Name: RAM	Well No: 8	-1H	Well will be 210 feet from nea	rest unit or lease boundary.	
Operator COMANCHE EXPLORATION CO LI Name:	.c	Telephone: 4057555900	OTC/OCC Number:	20631 0	
COMANCHE EXPLORATION CO LLC 6520 N WESTERN AVE STE 300			RESOURCES, LP ROBERT G	6. BLAIR,	
	MANGAGER				
OKLAHOMA CITY, OK	73116-7334 6520 N. WESTERN, SUITE 300				
		OKLAHC	MA CITY, OK MA	73116	
Formation(s) (Permit Valid for Listed For Name 1 MISSISSIPPI LIME 2	mations Only): Depth 9100	Name 6 7	De	pth	
3		8			
4		9			
5		10			
Spacing Orders: 633118	Location Exception Orders:		Increased Density Orders	Increased Density Orders:	
Pending CD Numbers: 201903823 201903825			Special Orders:		
Total Depth: 13739 Ground Elevation: 17	98 Surface Ca	asing: 800	Depth to base of Treatable Wa	ter-Bearing FM: 460	
Under Federal Jurisdiction: No	Fresh Water Se	upply Well Drilled: No	Surface Wate	r used to Drill: No	
PIT 1 INFORMATION		Approved Method for	disposal of Drilling Fluids:		
Type of Pit System: CLOSED Closed System Means S Type of Mud System: WATER BASED			PERMIT NO: 19-3686		
Chlorides Max: 8000 Average: 5000		H. SEE MEMO			
Is depth to top of ground water greater than 10ft below ba	se of pit? Y				
Within 1 mile of municipal water well? N Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C					
Pit Location is AP/TE DEPOSIT					

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

 Pit Location is
 AP/TE DEPOSIT

 Pit Location Formation:
 TERRACE

HORIZONTAL HOLE 1

Sec 08 Twp 20N Rge 15W County MAJOR Spot Location of End Point: S2 S2 SE SE Feet From: SOUTH 1/4 Section Line: 135 Feet From: EAST 1/4 Section Line: 660 Depth of Deviation: 7885 Radius of Turn: 600 Direction: 180 Total Length: 4911 Measured Total Depth: 13739 True Vertical Depth: 9100 End Point Location from Lease, Unit, or Property Line: 135

Notes:	
Category	Description
DEEP SURFACE CASING	7/31/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	7/31/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
МЕМО	7/31/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201903823	8/22/2019 - GB6 - 8-20N-15W X633118 MSSLM, OTHERS 1 WELL COMANCHE EXPLORATION COMPANY, L.L.C. REC 8/13/2019 (PRESLAR)

PENDING CD - 201903825

Description

8/22/2019 - GB6 - (I.O.) 8-20N-15W X633118 MSSLM, OTHERS X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO HURT UNIT 8-1 COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 560' FEL NO OP. NAMED REC 8/13/2019 (PRESLAR)

SPACING - 633118

8/22/2019 - GB6 - (640)(HOR) 8-20N-15W EXT OTHERS EST MSSLM, OTHERS POE TO BHL NCT 660' FB (MSSLM, OTHER) (COEXIST SP. ORDER #468875 MSSLM, COEXIST OTHERS)

093-25236

