API NUMBER: 073 26688 B

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	03/12/2020
Expiration Date:	09/12/2021

feet from nearest unit or lease boundary.

PERMIT NO: 20-37308

Multi Unit Oil & Gas

Lease Name:

Amend reason: OCC CORRECTION - UPDATE BHL AND ORDERS

AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	15	Township:	15N Ran	ge:	7W	County:	KINGFISH	HER	
SPOT LOCATION:	NW NE	NE	NW	FEET FROM QUART	TER:	FROM	NORTH	FROM	WEST	
				SECTION LIN	√ES:		325		2275	

 Operator Name:
 OVINTIV MID-CONTINENT INC.
 Telephone: 2812105100; 9188781290;
 OTC/OCC Number: 20944 0

Well No: 1507 2H-34XX

OVINTIV MID-CONTINENT INC. 4 WATERWAY AVE STE 100

MARY

THE WOODLANDS, TX 77380-2764

DAVID KRETCHMAR AND MARY LORETTA KRETCHMAR

325

26973 N. 2840 RD

KINGFISHER OK 73750

Well will be

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth	
1	MISSISSIPPIAN	359MSSP	7690	
2	MISSISSIPPIAN (LESS CHESTER)	359MSNLC	7835	

Spacing Orders: 617362 Location Exception Orders: 695441 Increased Density Orders: 692478

 639912
 709457
 709444

 719430
 719431
 692479

709445 692437 709584

Pending CD Numbers: No Pending Working interest owners' notified: *** Special Orders: No Special Orders

Total Depth: 19662 Ground Elevation: 1124 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 270

Deep surface casing has been approved

Under Federal Jurisdiction: No Approved Method for disposal of Drilling Fluids:

Fresh Water Supply Well Drilled: No
Surface Water used to Drill: No

D. One time land application -- (REQUIRES PERMIT)

E. Haul to Commercial pit facility Sec. 31 Twn. 12

E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
H. (Other) SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Category of Pit: C

Liner not required for Category: C

Type of Mud System: WATER BASED Pit Location is: BED AQUIFER
Chlorides Max: 5000 Average: 3000 Pit Location Formation: CEDAR HILLS

des Max: 5000 Average: 3000 Pit Location Formation: CEDAR HILLS
Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Wellhead Protection Area? N

PIT 2 INFORMATION Category of Pit: C

Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C

Type of Mud System: OIL BASED Pit Location is: BED AQUIFER
Chlorides Max: 300000 Average: 200000 Pit Location Formation: CEDAR HILLS

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

MULTI UNIT HOLE 1

Section: 34 Township: 16N Range: 7W Meridian: IM Total Length: 11289

> Measured Total Depth: 19662 County: KINGFISHER

> > True Vertical Depth: 7835

SW Spot Location of End Point: NE

> Feet From: SOUTH 1/4 Section Line: 1000 End Point Location from Lease, Unit, or Property Line: 1000 Feet From: WEST 1/4 Section Line: 1740

NOTES:	OTES:
--------	-------

NOTES:	
Category	Description
DEEP SURFACE CASING	3/5/2020 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 695441	3/12/2020 - GC2 - (I.O.) 3 & 10-15N-7W X165:10-3-28(C)(2)(B) MSSP, OTHER (MARY 1507 2H-3X) MAY BE CLOSER THAN 600' TO MARY 1507 3H-3X, MARY 1507 4H-3X, MAY 1507 5H-3X, MARY 1507 6H-3X, MARY 7H-3X, MARY 1H-3X NO OP. NAMED 5-1-2019
EXCEPTION TO RULE - 709457	3/12/2020 - GC2 - EXT OF TIME ORDER 695441 UNTIL 5-1-2021
HYDRAULIC FRACTURING	3/5/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 692437	6/5/2020 - GC2 - 34-16N-7W X639912 MSNLC 7 WELLS NO OP. NAMED 3-6-2019 NEWFIELD EXPLORATION MID-CONTINENT INC (BOUGHT IN ITS ENTIRETY BY OVINTIV MID-CONTINENT INC) 3-5-2019
INCREASED DENSITY - 692478	3/12/2020 - GC2 - 3-15N-7W X617362 MSSP 6 WELLS NO OP. NAMED 3-6-2019
INCREASED DENSITY - 692479	3/12/2020 - GC2 - 10-15N-7W X617362 MSSP 6 WELLS NO OP. NAMED 3-6-2019
INCREASED DENSITY - 709444	3/12/2020 - GC2 - EXT OF TIME FOR ORDER 692478 UNTIL 3-6-2021
INCREASED DENSITY - 709445	3/12/2020 - GC2 - EXT OF TIME FOR ORDER 692479 UNTIL 3-6-2021
INCREASED DENSITY - 709584	6/5/2020 - GC2 - EXT OF TIME FOR ORDER 692437 UNTIL 3-5-2021
LOCATION EXCEPTION - 719431	7/28/2021 - GC2 - (I.O.) 3 & 10-15N-7W & 34-16N-7W X617362 MSSP, OTHER X639912 MSNLC, OTHER SHL 325' FNL, 2275' FWL 15-15N-7W FIRST PERF (10-15N-7W) 196' FSL, 1754' FWL COMPL. INT. (3-15N-7W) 0' FSL, 1754' FWL COMPL. INT. (34-16N-7W) 0' FSL, 1757' FWL LAST PERF (34-16N-7W) 903' FSL, 1728' FWL BHL 1000' FSL, 1724' FWL OVINTIV MID-CONTINENT INC 7-14-2021

МЕМО	6/5/2020 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 617362	3/12/2020 - GC2 - (640)(HOR) 3 & 10-15N-7W VAC 41819 MSLCR VAC 184418 MSSLM, MNNG VAC 37910 MSLCR VAC OTHER EST MSSP, OTHER COMPL. INT. (MSSP) NCT 660' FB
SPACING - 639912	6/5/2020 - GC2 - (640)(HOR) 34-16N-7W EST MSNLC, OTHER COMPL. INT (MSNLC) NCT 660' FB (COEXIST EXISTING NON-HORIZONTAL SPACING UNITS; SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS)
SPACING - 719430	7/28/2021 - GC2 - (I.O.) 3 & 10-15N-7W & 34-16N-7W EST MULTIUNIT HORIZONTAL WELL X617362 MSSP, OTHER 3 & 10-15N-7W X639912 MSNLC, OTHER 34-16N-7W 45.3018% 10-15N-7W 46.6619% 3-15N-7W 8.0363% 34-16N-7W OVINTIV MID-CONTINENT INC 7-14-2021