API NUMBER: 073 26694 В

Oil & Gas

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

AMEND PERMIT TO DRILL

Approval Date:	03/16/2020
Expiration Date:	09/16/2021

Multi Unit

Amend reason: OCC CORRECTION - UPDATE BHL AND

ORDERS

WELL LOCATION:	Section:	15	Township:	15N Range:	7W	County: I	KINGFISH	IER	
SPOT LOCATION:	NE NE	NE	NW	FEET FROM QUARTER:	FROM	NORTH	FROM	WEST	
				SECTION LINES:		325		2315	

Well No: 1507 4H-34XX Lease Name: MARY Well will be 325 feet from nearest unit or lease boundary.

OVINTIV MID-CONTINENT INC. Operator Name: Telephone: 2812105100; 9188781290; OTC/OCC Number: 20944 0

OVINTIV MID-CONTINENT INC. 4 WATERWAY AVE STE 100

THE WOODLANDS. 77380-2764 TX

DAVID KRETCHMAR AND MARY LORETTA KRETCHMAR

26973 N. 2840 RD

KINGFISHER OK 73750

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth	
1	MISSISSIPPIAN	359MSSP	7650	
2	MISSISSIPPIAN (LESS CHESTER)	359MSNLC	7793	

Spacing Orders: 617362 Increased Density Orders: 692479 Location Exception Orders: 695441 639912

709457 709445 719434 692478 719435

> 709444 692437 709584

No Special Orders Special Orders: No Pending Pending CD Numbers: Working interest owners' notified:

Depth to base of Treatable Water-Bearing FM: 270 Surface Casing: 1500 Total Depth: 19750 Ground Elevation: 1124

Deep surface casing has been approved

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37308 Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 E. Haul to Commercial pit facility H. (Other) SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILLS

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area. Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILLS

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1

Section: 34 Township: 16N Range: 7W Meridian: IM Total Length: 11302

County: KINGFISHER Measured Total Depth: 19750

Spot Location of End Point: NE NE SW SE True Vertical Depth: 7793

Feet From: SOUTH 1/4 Section Line: 1000 End Point Location from
Feet From: EAST 1/4 Section Line: 1586 Lease,Unit, or Property Line: 1000

NOTES:	OTES:
--------	-------

NOTES:	
Category	Description
DEEP SURFACE CASING	3/5/2020 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 695441 (201810281)	3/16/2020 - GC2 - (I.O.) 3 & 10-15N-7W X165:10-3-28(C)(2)(B) MSSP, OTHER (MARY 1507 4H-3X) MAY BE CLOSER THAN 600' TO MARY 1507 2H-3X, MARY 1507 3H-3X, MAY 1507 5H-3X, MARY 1507 6H-3X, MARY 7H-3X, MARY 1H-3X NO OP. NAMED 5-1-2019
EXCEPTION TO RULE - 709457 (201810281)	3/16/2020 - GC2 - EXT OF TIME ORDER 695441 UNTIL 5-1-2021
HYDRAULIC FRACTURING	3/5/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 692437	6/9/2020 - GC2 - 34-16N-7W X639912 MSNLC 7 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC (BOUGHT IN ITS ENTIRETY BY OVINTIV MID- CONTINENT INC) 3-5-2019
INCREASED DENSITY - 692478 (201810267)	3/16/2020 - GC2 - 3-15N-7W X617362 MSSP 6 WELLS NO OP. NAMED 3-6-2019
INCREASED DENSITY - 692479 (201810268)	3/16/2020 - GC2 - 10-15N-7W X617362 MSSP 6 WELLS NO OP. NAMED 3-6-2019
INCREASED DENSITY - 709444 (201810267)	3/16/2020 - GC2 - EXT OF TIME FOR ORDER 692478 UNTIL 3-6-2021
INCREASED DENSITY - 709445 (201810268)	3/16/2020 - GC2 - EXT OF TIME FOR ORDER 692479 UNTIL 3-6-2021
INCREASED DENSITY - 709584	6/9/2020 - GC2 - EXT OF TIME FOR ORDER 692437 UNTIL 3-5-2021
LOCATION EXCEPTION - 719435	7/28/2021 - GC2 - (F.O.) 3 & 10-15N-7W & 34-16N-7W X617362 MSSP, OTHER X639912 MSNLC, OTHER SHL 325' FNL, 2315' FWL 15-15N-7W FIRST PERF (10-15N-7W) 198' FSL, 1623' FEL COMPL. INT. (3-15N-7W) 0' FSL, 1607' FEL COMPL. INT. (34-16N-7W) 0' FSL, 1615' FEL LAST PERF (34-16N-7W) 880' FSL, 1594' FEL BHL 998' FSL, 1592' FEL 34-16N-7W OVINTIV MID-CONTINENT INC 7-14-2021

МЕМО	6/5/2020 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 617362	3/13/2020 - GC2 - (640)(HOR) 3 & 10-15N-7W VAC 41819 MSLCR VAC 184418 MSSLM, MNNG VAC 37910 MSLCR VAC OTHER EST MSSP, OTHER COMPL. INT. (MSSP) NCT 660' FB
SPACING - 639912	6/9/2020 - GC2 - (640)(HOR) 34-16N-7W EST MSNLC, OTHER COMPL. INT (MSNLC) NCT 660' FB (COEXIST EXISTING NON-HORIZONTAL SPACING UNITS; SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS)
SPACING - 719434	7/28/2021 - GC2 - (F.O.) 3 & 10-15N-7W & 34-16N-7W EST MULTIUNIT HORIZONTAL WELL X617362 MSSP, OTHER 3 & 10-15N-7W X639912 MSNLC, OTHER 34-16N-7W 45.3542% 10-15N-7W 46.8049% 3-15N-7W 7.8409% 34-16N-7W OVINTIV MID-CONTINENT INC 7-14-2021