API NUMBER: 051 24945

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	06/01/2022	
Expiration Date:	12/01/2023	

Multi Unit Oil & Gas

### **PERMIT TO DRILL**

WELL LOCATION: Section: 10 Township: 6N Range: 7W County:	GRADY		
SPOT LOCATION: SW   SE   SE   SE   FEET FROM QUARTER: FROM SOUTH	FROM EAST		
SECTION LINES: 299	453		
Lease Name: LAUREN 0607 Well No: 10-3-1M3			
Operator Name: CAMINO NATURAL RESOURCES LLC Telephone: 7204052	729 OTC/OCC Number: 24097 0		
,	1.5		
CAMINO NATURAL RESOURCES LLC JAYSON S. & PAULA M. VEACH			
1401 17TH ST STE 1000 708 E. COTTONWOOD ROAD			
DENVER, CO 80202-1247	CHICKASHA OK 73018		
Formation(s) (Permit Valid for Listed Formations Only):			
Name Code Depth			
1 MISSISSIPPIAN 359MSSP 16165			
2 WOODFORD 319WDFD 16488			
Spacing Orders: 705303 Location Exception Order	s: No Exceptions Increased Density Orders: No Density		
	<u>-</u>		
Pending CD Numbers: 202201759 Working interest owners' notified: *** Special Orders: No Special			
202201758			
Total Depth: 24350 Ground Elevation: 1152 Surface Casing:	1500 Depth to base of Treatable Water-Bearing FM: 590		
	Deep surface casing has been approved		
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:		
Fresh Water Supply Well Drilled: No			
Surface Water used to Drill: Yes	E. Haul to Commercial pit facility Sec. 12 Twn. 6N Rng. 7W Cnty. 51 Order No: 703402		
	H. (Other) SEE MEMO		
PIT 1 INFORMATION	Category of Pit: C		
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C		
Type of Mud System: WATER BASED	Pit Location is: NON HSA		
Chlorides Max: 5000 Average: 3000	Pit Location Formation: DOG CREEK		
Is depth to top of ground water greater than 10ft below base of pit? Y			
Within 1 mile of municipal water well? N  Wellhead Protection Area? N			
Pit is not located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION Tune of Bit Suprtum: CLOSED, Closed Suprem Magne Steel Bits	Category of Pit: C		
Type of Pit System: CLOSED Closed System Means Steel Pits  Type of Mud System: OIL BASED	Liner not required for Category: C  Pit Location is: NON HSA		
Chlorides Max: 300000 Average: 200000  Pit Location Formation: DOG CREEK			
Is depth to top of ground water greater than 10ft below base of pit? Y			
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			

**MULTI UNIT HOLE 1** 

Section: 3 Township: 6N Range: 7W Meridian: IM Total Length: 7500

County: GRADY Measured Total Depth: 24350

Spot Location of End Point: SW SE SE NE True Vertical Depth: 18000

Feet From: NORTH

1/4 Section Line: 2590
End Point Location from
Lease, Unit, or Property Line: 380

#### NOTES:

INOTES:	
Category	Description
DEEP SURFACE CASING	[5/20/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/20/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[5/26/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202201758	[6/1/2022 - GB1] - (E.O.) 3 & 10-6N-7W EST MULTIUNIT HORIZONTAL WELL X705303 MSSP, WDFD (WDFD ADJACENT CSS TO MSSP) 33% 3-6N-7W 67% 10-6N-7W CAMINO NATURAL RESOURCES, LLC REC 5/27/22 (MOORE)
PENDING CD - 202201759	[6/1/2022 - GB1] - (E.O.) 3 & 10-6N-7W X705303 MSSP, WDFD COMPL INT (3-6N-7W) NCT 2640' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (10-6N-7W) NCT 165' FSL, NCT 0' FNL, NCT 330' FEL CAMINO NATURAL RESOURCES, LLC REC 5/27/22 (MOORE)
SPACING - 705303	[6/1/2022 - GB1] - (640)(HOR) 3 & 10-6N-7W EXT 676707 MSSP, WDFD, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL


## CAMINO Well Location Plat

Operator: CAMINO NATURAL RESOURCES, LLC Lease Name and No.: LAUREN 0607 10-3-1MXH

Surface Hole Location: 299' FSL - 453' FEL Gr. Elevation: 1152' SW/4-SE/4-SE/4-SE/4 Section: 10 Township: 6N Range: 7W I.M. Bottom Hole Location: 2690' FSL - 380' FEL

SW/4-SE/4-SE/4-NE/4 Section: 3 Township: 6N Range: 7W I.M.

County: Grady State of Oklahoma



B.H.L. Sec. 3-6N-7W I.M. All bearings shown are grid bearings.

S.H.L. Sec. 10-6N-7W I.M.

1" = 1320' **GPS DATUM NAD 83** 

1320'

**NAD 27** OK SOUTH ZONE

Surface Hole Loc. Lat: 35°00'04.60"N Lon: 97°55'07.31"W Lat: 35.00127771 Lon: -97.91869641 X: 1992849 Y: <u>607020</u>

Surface Hole Loc.: Lat: 35°00'04.36"N Lon: 97°55'06.15"W Lat: 35.00121160 Lon: -97.91837591 X: 2024446 Y: 606978

First Take Point: Lat: 35°00'03.28"N Lon: 97°55'06.42"W Lat: 35.00090978 Lon: -97.91844910 X: 1992923 Y: 606886

First Take Point: Lat: 35°00'03.04"N Lon: 97°55'05.26"W Lat: 35.00084366 Lon: -97.91812861 X: 2024520 Y: 606844

Last Take Point: Lat: 35°01'19.77"N Lon: 97°55'06.82"W Lat: 35.02215959 Lon: -97.91856133 X: 1992884 Y: 614620

Last Take Point: Lat: 35°01'19.54"N Lon: 97°55'05.67"W Lat: 35.02209385 Lon: -97.91824059 X: 2024480 Y: 614578

Bottom Hole Loc. Lat: 35°01'20.76"N Lon: 97°55'06.82"W Lat: 35.02243434 Lon: -97.91856186 X: 1992883 Y: 614720

Bottom Hole Loc.: Lat: 35°01'20.53"N Lon: 97°55'05.67"W Lat: 35.02236861 Lon: -97.91824112 X: 2024480 Y: 614678

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please context Aroma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS - NOTE: X and Y data shown hereon for Section Conners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plet or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348

Expires June 30, 2022

Invoice #9996-A-B
Date Staked: 04/22/2022
Date Drawn: 05/06/2022 By: G.G. By: J.L.

#### Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

05/09/2022 OK LPLS 1664



#### CAMINO Well Location Plat S.H.L. Sec. 10-6N-7W I.M. B.H.L. Sec. 3-6N-7W I.M. Operator: CAMINO NATURAL RESOURCES, LLC Lease Name and No.: LAUREN 0607 10-3-1MXH Surface Hole Location: 299' FSL - 453' FEL Gr. Elevation: 1152' SW/4-SE/4-SE/4-SE/4 Section: 10 Township: 6N Range: 7W I.M. Bottom Hole Location: 2690' FSL - 380' FEL SW/4-SE/4-SE/4-NE/4 Section: 3 Township: 6N Range: 7W I.M. County: Grady State of Oklahoma All bearings shown are grid bearings. 1320' 2641 1" = 1320' "EW 1370 RD. Y:617308 X:201957 **GPS DATUM** BAILEY TURNPIKE **NAD 83** LOT 1 LOT 2 **NAD 27** LOT 4 OK SOUTH ZONE Surface Hole Loc. Lat: 35°00'04.60"N Lon: 97°55'07.31"W Lat: 35.00127771 Lon: -97.91869641 X: 1992849 BOTTOM HOLE LOC. Y: <u>607020</u> 2690' FSL - 380' FEL Surface Hole Loc.: 3 Lat: 35°00'04.36"N N00°08'W-100' Lon: 97°55'06.15"W LAST TAKE POINT. Lat: 35.00121160 Lon: -97.91837591 X: 2024446 Y: 606978 First Take Point: Lat: 35°00'03.28"N "SOONER RD. Lon: 97°55'06.42"W Lat: 35.00090978 Lon: -97.91844910 X: 1992923 Y: 606886 First Take Point: Lat: 35°00'03.04"N 00° 27.1 Lon: 97°55'05.26"W Lat: 35.00084366 Lon: -97.91812861 X: 2024520 ន Y: 606844 Last Take Point: Lat: 35°01'19.77"N Lon: 97°55'06.82"W Lat: 35.02215959 Lon: -97.91856133 X: 1992884 Y: 614620 Last Take Point: Lat: 35°01'19.54"N Lon: 97°55'05.67"W Lat: 35.02209385 Lon: -97.91824059 X: 2024480 Y: 614578 Bottom Hole Loc. Lat: 35°01'20.76"N S29°00'E-1 FIRST TAKE POINT 165' FSL - 380' FEL Lon: 97°55'06.82"W Lat: 35.02243434 "COTTONWOOD RD." Lon: -97.91856186 X: 1992883 :606719 Y: 614720 Bottom Hole Loc.: Lat: 35°01'20.53"N Lon: 97°55'05.67"W Lat: 35.02236861 Lon: -97.91824112 X: 2024480 Y: 614678

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Aroma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS - NOTE: X and Y data shown hereon for Section Convers may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.

-Quarter Section distances may be assumed from a Covernment Survey Plat or assumed at a proportionale distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348


Expires June 30, 2022


Invoice #9996-A-B
Date Staked: 04/22/2022
Date Drawn: 05/06/2022 By: G.G. By: J.L.

#### Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

05/09/2022 OK LPLS 1664





# CAMINO Topographic Vicinity Map

Operator: CAMINO NATURAL RESOURCES, LLC Lease Name and No.: <u>LAUREN 0607 10-3-1MXH</u>

Surface Hole Location: 299' FSL - 453' FEL


First Take Point: 165' FSL - 380' FEL Sec. 10 Twp. 6N Rng. 7W I.M. Last Take Point: 2590' FSL - 380' FEL Bottom Hole Location: 2690' FSL - 380' FEL Sec. 3 Twp. 6N Rng. 7W I.M.

County: Grady State of Oklahoma



Scale 1" = 2000' Contour Interval: 10'

Ground Elevation at Surface Hole Location: 1152'



Provided by:

Arkoma Surveying and Mapping, PLLC

P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2022

Date Staked: N/A

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

