API NUMBER: 049 25380 A Horizontal Hole Oil & Gas	OKLAHOMA CORPOR OIL & GAS CONSEF P.O. BOJ OKLAHOMA CITY (Rule 165	RVATION DIVISION X 52000 ⁄, OK 73152-2000	Approval Date: 08/05/2022 Expiration Date: 02/05/2024	
Amend reason: OCC CORRECT: WELL NAME	AMEND PERM	<u>AIT TO DRILL</u>		
WELL LOCATION: Section: 12 Township: 3N	Range: 4W County: GA	RVIN]	
SPOT LOCATION: E2 SW SW SW FEI	ET FROM QUARTER: FROM SOUTH F	FROM WEST	_	
	SECTION LINES: 330	490		
Lease Name: BALUCHI 0304-13	Well No: 6WH	Well	will be 330 feet from nearest unit or lease boundary.	
Operator Name: RIMROCK RESOURCE OPERATING LLC	Telephone: 9183014714	4	OTC/OCC Number: 23802 0	
RIMROCK RESOURCE OPERATING LLC		PBMS, LLC		
20 E 5TH ST STE 1300		41 MADISON AVENUE		
TULSA, OK 741	03-4462	NEW YORK	NY 10010	
Formation(s) (Permit Valid for Listed Formatic	ons Only):			
Name Code	Depth			
1 WOODFORD 319WDFD	12298			
Spacing Orders: 660070	Location Exception Orders:	No Exceptions	Increased Density Orders: No Density	
Pending CD Numbers: 202202540	Working interest owners'	notified: ***	Special Orders: No Special	
Total Depth: 17689 Ground Elevation: 1160	Surface Casing: 1	500	Depth to base of Treatable Water-Bearing FM: 230	
	ounace oasing.		Deep surface casing has been approved	
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No		Approved Method for disposal of Drilling Fluids:		
Fresh water Supply Weil Drilled: No Surface Water used to Drill: Yes		D. One time land application (F		
		H. (Other)	SEE MEMO	
PIT 1 INFORMATION		Category of Pit:	с	
Type of Pit System: CLOSED Closed System Mea	ns Steel Pits	Liner not required for Categor	ry: C	
Type of Mud System: WATER BASED		Pit Location is:	BED AQUIFER	
Chlorides Max: 5000 Average: 3000		Pit Location Formation:	DUNCAN	
Is depth to top of ground water greater than 10ft below b	base of pit? Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				
PIT 2 INFORMATION		Category of Pit:		
Type of Pit System: CLOSED Closed System Mea	ns Steel Pits	Liner not required for Categor		
Type of Mud System: OIL BASED		Pit Location is:		
Chlorides Max: 300000 Average: 200000		Pit Location Formation:	DUNCAN	
Is depth to top of ground water greater than 10ft below b	ase of pit? Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1					
Section: 13 Township:	3N Rar	ige: 4W	Meridian: I	IM Total Length:	5051
County:	GARVIN			Measured Total Depth:	17689
Spot Location of End Point:	SE SE	SW	SW	True Vertical Depth:	12550
Feet From:	SOUTH	1/4 Section Line: 65		End Point Location from	
Feet From:	WEST	1/4 Section Line: 1120		Lease, Unit, or Property Line:	65

NOTES:	
Category	Description
COMPLETION INTERVAL	[8/5/2022 - G56] - WILL BE AT A LEGAL LOCATION PER OPERATOR;
DEEP SURFACE CASING	[8/1/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[8/1/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	 NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[8/1/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202202540	[8/5/2022 - G56] - 13-3N-4W X660070 WDFD 5 WELLS NO OP NAMED REC 7/25/2022 (MOORE)
SPACING - 660070	[8/5/2022 - G56] - (640)(HOR) 13-3N-4W EST WDFD, OTHERS COMPL INT NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 383823)