API NUMBER: 073 26602

Liner not required for Category: CPit Location is NON HSA

Pit Location Formation: CHICKASHA

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/17/2019
Expiration Date: 01/17/2021

Horizontal Hole Multi Unit

PERMIT TO DRILL

WELL LOCATION: Sec: SPOT LOCATION: SW	19 Twp: 17N Rge: 9W	FEET FROM QUARTER: FROM	SOUTH FROM EAST			
Lease Name: CHANI	NEL	Well No:	1709 8H-30X	Well will be	690 feet from nearest unit or lease bour	ndary.
Operator NET Name:	WFIELD EXPLORATION MID-CO	N INC	Telephone: 281210510	0; 9188781	OTC/OCC Number: 20944 0	
NEWFIELD EX 4 WATERWAY THE WOODLA		NC 77380-2764	46	HOMAS MOORE 17 MENTONE WAY ALEIGH	NC 27612	
Formation(s) (P	ermit Valid for Listed Forr	nations Only): Depth	,	√ame	Depth	
1 MISSIS	SSIPPIAN (LESS CHESTER)	8850	6			
2 WOOD	FORD	9443	7			
3			8			
4			9			
5			10			
Spacing Orders: 65917 64787		Location Exception (Orders:	Inc	creased Density Orders:	
Pending CD Numbers:	201903189 201903190 201903191 201903188 201903187			Spr	ecial Orders:	
Total Depth: 19621	Ground Elevation: 123	Surface C	Casing: 1500	Depth to	b base of Treatable Water-Bearing FM: 230	
Under Federal Jurisdic	ction: No	Fresh Water	Supply Well Drilled: No		Surface Water used to Drill: No	
PIT 1 INFORMATION			Approved M	ethod for disposal of Drilling	Fluids:	
Type of Pit System: Cl	LOSED Closed System Means S	teel Pits				
Type of Mud System:	WATER BASED		D. One tim	e land application (REQU	IRES PERMIT) PERMIT NO: 19	9-36531
Chlorides Max: 5000 Av	verage: 3000		E. Haul to	Commercial pit facility: Sec.	31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587	498
Is depth to top of ground	d water greater than 10ft below bas	se of pit? Y	H. SEE ME	EMO		
Within 1 mile of municipa						
Wellhead Protection Are						
	a Hydrologically Sensitive Area.					
Category of Pit: C						

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 31 Twp 17N Rge 9W County KINGFISHER

Spot Location of End Point: SW SE SE SE Feet From: SOUTH 1/4 Section Line: 85
Feet From: EAST 1/4 Section Line: 380

Depth of Deviation: 8407 Radius of Turn: 578 Direction: 177

Total Length: 10306

Measured Total Depth: 19621

True Vertical Depth: 9443

End Point Location from Lease,
Unit, or Property Line: 85

Additional Surface Owner	Address	City, State, Zip
TIMOTHY MOORE	411 EAST FRANKLIN STREET, SUITE 600	RICHMOND, VA 23219
ANN JACKSON	3110 N. PECAN ROAD	PONCA CITY, OK 74604
MARK MOORE	1435 S. JOSEPHINE STREET	DENVER, CO 80210
KENNETH K KELLUM JR & CHERYL	11240 EBY RD	OVERLAND, KS 66210

Notes:

MEMO

Category Description

DEEP SURFACE CASING 7/12/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 7/12/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

7/12/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM & WBM CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W),

CANADIAN CO, PIT 2 - OBM TO VENDOR

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

073 26602 CHANNEL 1709 8H-30X

Category Description

PENDING CD - 201903187 7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W

EST MULTIUNIT HORIZONTAL WELL X659118 MSNLC, WDFD 30-17N-9W X647819 MSNLC, WDFD 31-17N-9W

(WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC)

50% 31-17N-9W 50% 30-17N-9W NO OP NAMED REC 7/1/2019 (MOORE)

7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W PENDING CD - 201903188

X659118 MSNLC, WDFD 30-17N-9W X647819 MSNLC, WDFD 31-17N-9W

COMPL. INT. (31-17N-9W) NCT 0' FNL, NCT 165' FSL, NCT 340' FEL COMPL. INT. (30-17N-9W) NCT 0' FSL, NCT 165' FNL, NCT 340' FEL

NO OP NAMED REC 7/1/2019 (MOORE)

PENDING CD - 201903189 7/17/2019 - G56 - 30-17N-9W

> X659118 MSNLC 1 WELL NO OP NAMED REC 7/1/2019 (MOORE)

PENDING CD - 201903190 7/17/2019 - G56 - 31-17N-9W

> X647819 MSNLC 1 WELLS NO OP NAMED REC 7/1/2019 (MOORE)

PENDING CD - 201903191 7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W

X165:10-3-28(C)(2)(B) MSNLC MAY BE CLOSER THAN 600' TO CHANNEL 1H-30X, FREDA 2-30.

EILEEN 1-30, WHITNEY 1-30, ERMA 1-31, RENNER 31-1, CHANNEL 1-31, RENNER 2-31 AND/OR

PROPOSED WELLS NO OP NAMED REC 7/1/2019 (MOORE)

SPACING - 647819 7/17/2019 - G56 - (640)(HOR) 31-17N-9W

EST OTHER

EXT 639140/640131/644146 MSNLC EXT 639140/640131 WDFD COMPL. INT. (MSNLC) NLT 660' FB

COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL

(COEXIST WITH SP # 96050 MNNG, MSSSD)

SPACING - 659118 7/17/2019 - G56 - (640)(HOR) 30-17N-9W

EST OTHER

EXT 643256/645603/645331 MSNLC, WDFD COMPL. INT. (MSNLC) NCT 660' FB

COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST WITH SP # 89104 MNNG, MSSSD, # 518552 WDFD)

073-26602

PERMIT PLAT

GRID NORTH ZONE COORDINATES ARE NAD27

BASIS OF BEARINGS ARE

0

19192

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401


Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: CHANNEL 1709 8H-30X

Section 19 Township 17 N Range 9 W , I.B.M, County of Kingfisher, State of Oklahoma Elevation Good Location?

690'FSL - 1077'FEL 1224' GROUND Original Location:

Distance & Direction From Nearest Town: 14.0 miles Northeast of Watonga.



DATUM: NAD27		DATUM: NAD27		
LAT:	35° 55' 46.05"N	LAT:	35° 55' 37.62"N	
LONG:	98° 11' 44.22"W	LONG:	98° 11' 35.74"W	
LAT:	35.929457°N	LAT:	35.927116°N	
LONG:	98.195616°W	LONG:	98.193261°W	
Y (N):	338387.57	Y (N):	337533.71	
X (E):	1942084.37	X (E):	1942779.71	
Y (N): 338387.57 X (E): 1942084.37 DATUM: NAD83		DATUM: NAD83		
LAT:	35° 55' 46.19"N	LAT:	35° 55' 37.76"N	
LONG:	98° 11' 45.45"W	LONG:	98° 11' 36.98"W	
	35.929497°N		35.927155°N	
LONG:	98.195959°W	LONG:	98.193604°W	
Y (N):	338411.18 1910484.24	Y (N):	337557.32	
X (E):	1910484.24	X (E):	1911179.6	
LAST TAKE POINT				
LAST T	AKE POINT	BOTTO	M HOLE	
	AKE POINT : NAD27			
DATUM		DATUM	I: NAD27	
DATUM LAT:	: NAD27	DATUN LAT:	1: NAD27 35° 53' 55.69"N	
DATUM LAT: LONG: LAT:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N	DATUM LAT: LONG: LAT:	35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N	
DATUM LAT: LONG: LAT:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N	DATUM LAT: LONG: LAT:	35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N	
DATUM LAT: LONG: LAT: LONG: Y (N):	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63	DATUM LAT: LONG: LAT: LONG: Y (N):	1: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63	
DATUM LAT: LONG: LAT: LONG: Y (N):	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63	DATUM LAT: LONG: LAT: LONG: Y (N):	1: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N	DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	1: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63 1942803.65 : NAD83 35° 53' 56.63"N	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	I: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63 1942803.83 I: NAD83 35° 53' 55.84"N	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63 1942803.65 : NAD83 35° 53' 56.63"N 98° 11' 36.43"W	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG:	1: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63 1942803.83 1: NAD83 35° 53' 55.84"N 98° 11' 36.43"W	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63 1942803.65 : NAD83 35° 53' 56.63"N 98° 11' 36.43"W 35.899063°N	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT:	I: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63 1942803.83 I: NAD83 35° 53' 55.84"N 98° 11' 36.43"W 35.898844°N	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT: LONG: LONG:	: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63 1942803.65 : NAD83 35° 53' 56.63"N 98° 11' 36.43"W 35.899063°N 98.193454°W	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT: LONG:	I: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63 1942803.83 I: NAD83 35° 53' 55.84"N 98° 11' 36.43"W 35.898844°N 98.193453°W	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LONG: LAT: LONG: Y (N):	E: NAD27 35° 53' 56.48"N 98° 11' 35.20"W 35.899023°N 98.193112°W 327307.63 1942803.65 E: NAD83 35° 53' 56.63"N 98° 11' 36.43"W 35.899063°N 98.193454°W	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT: LONG: Y (N):	I: NAD27 35° 53' 55.69"N 98° 11' 35.20"W 35.898803°N 98.193111°W 327227.63 1942803.83 I: NAD83 35° 53' 55.84"N 98° 11' 36.43"W 35.898844°N	

SURFACE LOCATION LANDING POINT

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified.

CERTIFICATE:

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

6/20/2019

Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS) Phone (580) 226-5108 Fax (888) 662-7778

1010 Northwest Boulevard Ardmore, OK 73401