API NUMBER: 073 26601 OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 07/17/2019 01/17/2021 Expiration Date:

Horizontal Hole Multi Unit

Oil & Gas

### PERMIT TO DRILL

WELL LOCATION:	Sec:	19	Twp:	17N	Rge:	9W	County:	KINGFISHER	
	$\overline{}$		——	$\overline{}$	$\overline{}$	_			

FEET FROM QUARTER: SPOT LOCATION: SW NW SE SE SOUTH EAST 1102 690

Lease Name: CHANNEL Well No: 1709 7H-30X Well will be 690 feet from nearest unit or lease boundary.

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2812105100; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC

4 WATERWAY AVE STE 100

THE WOODLANDS. TX 77380-2764 THOMAS MOORE 4617 MENTONE WAY

**RALEIGH** NC 27612

Formation(s) (Permit Valid for Listed Formations Only):

Depth Name Depth MISSISSIPPIAN (LESS CHESTER) 1 8856 6 2 WOODFORD 9449 7 3 8 4 9 5 10 659118 Spacing Orders: Location Exception Orders: 694251 Increased Density Orders: 691369 647819 694252 691370 694809

Pending CD Numbers: Special Orders:

Total Depth: 19571 Ground Elevation: 1223 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 230

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA

Pit Location Formation: CHICKASHA

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36531 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

### **HORIZONTAL HOLE 1**

Sec 31 Twp 17N Rge 9W County KINGFISHER

Spot Location of End Point: SW SW SE SE
Feet From: SOUTH 1/4 Section Line: 85
Feet From: EAST 1/4 Section Line: 1017

Depth of Deviation: 8407 Radius of Turn: 547 Direction: 179

Direction. 170

Total Length: 10304

Measured Total Depth: 19571

True Vertical Depth: 9449

End Point Location from Lease,
Unit, or Property Line: 85

Additional Surface Owner	Address	City, State, Zip
TIMOTHY MOORE	411 EAST FRANKLIN STREET, SUITE 600	RICHMOND, VA 23219
ANN JACKSON	3110 N. PECAN ROAD	PONCA CITY, OK 74604
MARK MOORE	1435 S. JOSEPHINE STREET	<b>DENVER, CO 80210</b>
KENNETH K KELLUM JR & CHERY	L 11240 EBY RD	OVERLAND, KS 66210

Notes:

Category Description

DEEP SURFACE CASING 7/12/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

EXCEPTION TO RULE - 694252 7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W

X165:10-3-28(C)(2)(B) MSNLC MAY BE CLOSER THAN 600' TO CHANNEL 1H-30X, FREDA 2-30, EILEEN 1-30, WHITNEY 1-30, ERMA 1-31, RENNER 31-1, CHANNEL 1-31, RENNER 2-31 AND/OR

PROPOSED WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

4/8/2019

Category Description

HYDRAULIC FRACTURING 7/12/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 691369 7/17/2019 - G56 - 30-17N-9W

X659118 MSNLC

6 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

2/13/2019

INCREASED DENSITY - 691370 7/17/2019 - G56 - 31-17N-9W

X647819 MSNLC

6 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

2/13/2019

LOCATION EXCEPTION - 694251 7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W

X659118 MSNLC, WDFD 30-17N-9W X647819 MSNLC, WDFD 31-17N-9W

COMPL. INT. (31-17N-9W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL COMPL. INT. (30-17N-9W) NCT 0' FSL, NCT 165' FNL, NCT 330' FEL

NEWFIELD EXPLORATION MID-CONTINENT INC.

4/8/2019

MEMO 7/12/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST,

 ${\tt WBM/CUTTINGS\&OBM~CUTTINGS~CAPTURED~IN~STEEL~HALF~PITS,WBM\&WBM~CUTTINGS}$ 

WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W),

CANADIAN CO, PIT 2 - OBM TO VENDOR

SPACING - 647819 7/17/2019 - G56 - (640)(HOR) 31-17N-9W

EST OTHER

EXT 639140/640131/644146 MSNLC EXT 639140/640131 WDFD COMPL. INT. (MSNLC) NLT 660' FB

COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL

(COEXIST WITH SP # 96050 MNNG, MSSSD)

SPACING - 659118 7/17/2019 - G56 - (640)(HOR) 30-17N-9W

EST OTHER

EXT 643256/645603/645331 MSNLC, WDFD

COMPL. INT. (MSNLC) NCT 660' FB

COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST WITH SP # 89104 MNNG, MSSSD, # 518552 WDFD)

SPACING - 694809 7/17/2019 - G56 - (I.O.) 30 & 31-17N-9W

EST MULTIUNIT HORIZONTAL WELL X659118 MSNLC, WDFD 30-17N-9W X647819 MSNLC, WDFD 31-17N-9W

(WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC)

50% 31-17N-9W 50% 30-17N-9W

NEWFIELD EXPLORATION MID-CONTINENT INC.

4/17/2019

# 073-26601

Original Location:

## PERMIT PLAT

BASIS OF BEARINGS ARE GRID NORTH ZONE COORDINATES ARE NAD27

SHEET: 6 OF 9

DRAWING DATE: 06/13/2019

0

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401


Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: CHANNEL 1709 7H-30X

Section 19 Township 17 N Range 9 W , I.B.M, County of Kingfisher, State of Oklahoma

Elevation Good Location? 1223' GROUND

690'FSL - 1102'FEL Distance & Direction From Nearest Town: 14.0 miles Northeast of Watonga



SUKFA	CE LOCATION	LANDING FOINT			
DATUN	1: NAD27	DATUM: NAD27			
LAT:	35° 55' 46.05"N	LAT:	35° 55' 37.59"N		
LONG:	98° 11' 44.52"W	LONG:	98° 11' 43.49"W		
	35.929457°N		35.927109°N		
LONG:	98.195700°W	LONG:	98.195413°W		
	338387.54	Y (N):	337532.72		
X (E):	1942059.42	X (E):	1942142.72		
DATUN	1: NAD83	DATUM: NAD83			
LAT:	35° 55' 46.19"N	LAT:	35° 55' 37.74"N		
LONG:	98° 11' 45.75"W	LONG:	98° 11' 44.72"W		
LAT:	35.929497°N	LAT:	35.927149°N		
LONG:	98.196043°W	LONG:	98.195756°W		
Y (N):	338411.15	Y (N):	337556.33		
X (E):	1910459.29	X (E):	1910542.6		
LAST TAKE POINT		<b>BOTTOM HOLE</b>			
	1: NAD27	DATUM: NAD27			
LAT:	35° 53' 56.48"N	LAT:	35° 53' 55.69"N		
LONG:	98° 11' 42.94"W	LONG:	98° 11' 42.94"W		
LAT:	35.899021°N	LAT:	35.898802°N		
LONG:	98.195262°W	LONG:	98.195261°W		
Y (N):	327308.41	Y (N):	327228.41		
X (E):	1942166.66	X (E):	1942166.85		
DATUM	1: NAD83	DATUM: NAD83			
LAT:	35° 53' 56.62"N	LAT:	35° 53' 55.83"N		
LONG:	98° 11' 44.18"W	LONG:	98° 11' 44.17"W		
	30 11 44.10 44	LUIVO.			
LAT:	35.899062°N	LAT:	35.898842°N		
	Total Control of the	LAT:	35.898842°N 98.195604°W		
LONG:	35.899062°N	LAT: LONG:			
LONG:	35.899062°N 98.195605°W	LAT: LONG:	98.195604°W		

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified.

### **CERTIFICATE:**

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

6/20/2019

Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS) Phone (580) 226-5108

Fax (888) 662-7778 1010 Northwest Boulevard Ardmore, OK 73401