API NUMBER: 017 25806 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	04/15/2022	
Expiration Date:	10/15/2023	

Multi Unit Oil & Gas

Amend reason: EXTEND LATERAL - UPDATE BHL/ORDERS/WELL NAME

AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	16	Township:	14N	Range:	6W	County: 0	CAN	ADIAN							
SPOT LOCATION:	NE SW	SW	SE	FEET	FROM QUARTER:	FROM	SOUTH	FRO	DM EAST							
					SECTION LINES:		543		2272							
Lease Name:	DIVIDE CLARK	1406				Well No:	5H-21XX			Well wi	ill be	543	feet from	nearest uni	or leas	se boundary.
Operator Name:	OVINTIV USA I	NC			Te	elephone:	28121051	100					ОТС	/OCC Num	ber:	21713 0
OVINTIV USA INC JEVCO REAL ESTATE INVESTMENTS LLC C/O BOKF																
									P.O. BOX 24128							
THE WOODL	ANDS,		TX	7738	0-3197				OKLAHOMA CITY	,			OK	73124		
	-,								OKE, WIOW, COLL				OIX	70124		
								֓֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֡֓֡֓֓֡֓֓֡								
Formation(s)	(Permit Vali	d for Li	isted For	mation	ns Only):											
Name			Code		- 1	Depth										
1 MISSISSIPP	PIAN		359M	SSP	-	7924										
2 WOODFORI	D		319W	/DFD	+	8358										
Spacing Orders:	646844				Loca	tion Excep	tion Orders	s:	No Exceptions			Inc	reased Den	sity Orders:	No	Density
	640127															
Pending CD Number	ers: 20220092	4			W	orking int	erest owne	rs' n	otified: ***				Spe	cial Orders:	No	Special
	20220092	:6														
	20220092	:5														
	20220092	.7														
	20220093	8														
	20220157	2														
	20220157	1														
	20220158	1														
	20220158	2														
	20220156	8														
	20220156	9														
Total Depth: 2	20167	Ground E	Elevation: 1	324	Sı	ırface (Casing:	50	0	C	Depth to I	base o	f Treatable	Water-Beari	ng FM:	320
Under	Federal Jurisdicti	on: No						Γ	Approved Method for di	isposal o	of Drilling	g Fluid	ls:			
Fresh Water	Supply Well Drill	ed: No						ľ	D. One time land applicat	tion (RE	EQUIRES	S PER	MIT)	PER	MIT NO): 22-38248
Surface	e Water used to D	rill: Yes	3						E. Haul to Commercial pit	t facility	Se	ec. 31	Twn. 12N F	na. 8W Cnt	. 17 Ord	der No: 587498

H. (Other)

SEE MEMO

PIT 1 INFORMATION

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Category of Pit: C

Pit Location Formation: DUNCAN

Pit Location is: BED AQUIFER

Liner not required for Category: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Type of Pit System: CLOSED Closed System Means Steel Pits

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

MULTI UNIT HOLE 1

Section: 33 Township: 14N Range: 6W Meridian: IM Total Length: 11655

County: CANADIAN Measured Total Depth: 20167

Spot Location of End Point: SW SE NE NE True Vertical Depth: 8358

Feet From: NORTH 1/4 Section Line: 1315 End Point Location from
Feet From: EAST 1/4 Section Line: 596 Lease, Unit, or Property Line: 596

NOTES:

Category	Description
HYDRAULIC FRACTURING	[4/13/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[4/13/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202200924	[4/15/2022 - G56] - 21-14N-6W X646844 MSSP*** 5 WELLS NO OP NAMED REC 4/12/2022 (P. PORTER)
	*** S/B X646844 MSSP, X640127 MSSP; WILL BE ADDED AT FINAL HEARING PER ATTORNEY FOR OPERATOR;
PENDING CD - 202200925	[4/15/2022 - G56] - 21-14N-6W X646844 WDFD*** 5 WELLS NO OP NAMED REC 4/12/2022 (P. PORTER)
	*** S/B X646844 WDFD, X640127 WDFD; WILL BE ADDED AT FINAL HEARING PER ATTORNEY FOR OPERATOR;

[4/15/2022 - G56] - 28-14N-6W X646844 MSSP 5 WELLS NO OP NAMED REC 4/12/2022 (P. PORTER)
[4/15/2022 - G56] - 28-14N-6W X646844 WDFD 5 WELLS NO OP NAMED REC 4/12/2022 (P. PORTER)
[4/15/2022 - G56] - (I.O.) 21 & 28-14N-6W X165:10-3-28(C)(2)(B) MSSP, WDFD MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED WELLS NO OP NAMED REC 4/12/2022 (P. PORTER)
[5/9/2022 - G56] - (E.O.)(320)(HOR) N2 33-14N-6W VAC 122201 MISS NE4 EST MSSP COMPL INT NCT 660' FB (COEXIST WITH SP # 122201 MISS NW4) REC 5/6/2022 (NORRIS)
[5/9/2022 - G56] - (E.O.)(320)(HOR) N2 33-14N-6W EST WDFD COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL REC 5/6/2022 (NORRIS)
[5/9/2022 - G56] - (E.O.) N2 33-14N-6W X202201568 MSSP 4 WELLS NO OP NAMED REC 5/6/2022 (NORRIS)
[5/9/2022 - G56] - (E.O.) N2 33-14N-6W X202201569 WDFD 4 WELLS NO OP NAMED REC 5/6/2022 (NORRIS)
[5/9/2022 - G56] - (E.O.) 21, 28 & N2 33-14N-6W EST MULTIUNIT HORIZONTAL WELL X646844 MSSP, WDFD 21 & 28-14N-6W *** X202201568 MSSP N2 33-14N-6W X202201569 WDFD N2 33-14N-6W 40% 21-14N-6W 40% 28-14N-6W
20% N2 33-14N-6W NO OP NAMED REC 5/6/2022 (NORRIS) *** S/B X640127 MSSP, WDFD, OTHER 21-14N-6W; WILL BE ADDED AT HEARING PER ATTORNEY
FOR OPERATOR;
[5/9/2022 - G56] - (E.O.) 21, 28 & N2 33-14N-6W X646844 MSSP, WDFD 21 & 28-14N-6W ***
X202201568 MSSP N2 33-14N-6W X202201569 WDFD N2 33-14N-6W COMPL INT (21-14N-6W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (28-14N-6W) NCT 0' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (N2 33-14N-6W) NCT 0' FNL ,NCT 165' FSL, NCT 330' FEL NO OP NAMED REC 5/6/2022 (NORRIS)
*** S/B X640127 MSSP, WDFD, OTHER 21-14N-6W; WILL BE ADDED AT HEARING PER ATTORNEY FOR OPERATOR;
[4/15/2022 - G56] - (640)(HOR) 21-14N-6W EXT 622615 MSSP, WDFD, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 134137 SE4, # 134137/186831 N2, SW4)

[4/15/2022 - G56] - (640)(HOR) 21 & 28-14N-6W
[4/13/2022 - 030] - (040)(11011) 21 & 20-1411-011
VAC 134137 MISS, OTHER SE4 21-14N-6W
VAC 134137/186831 MISS, OTHER N2, E2 SW4 21-14N-6W
VAC 187280 MISS, OTHER N2, SE4, W2 SW4 28-14N-6W
EST MSSP, WDFD, OTHER
COMPL INT (MSSP) NCT 660' FB
COMPL INT (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL
(COEXIST WITH SP # 137137/186831 MISS W2 SW4 21-14N-6W, SP # 187280 MISS E2 SW4 28-
14N-6W


EXHIBIT: B (4 of 4) SHEET: <u>8</u>.5x14

PETRO LAND SERVICES SOUTH,

14612 BOGERT PARKWAY, OKLA. CITY, OKLA. 73134 * OFFICE (405) 212-3108 Certificate of Authorization No. 7318

Ovintiv (OPERATOR)

WELL: DIVIDE CLARK 1406 5H-21XX SITUATED IN CANADIAN COUNTY, OKLAHOMA



PROPOSED SURFACE LOCATION NE/4 SW/4 SW/4 SE/4 STATE PLANE COORDINATE - OK NORTH ZONE NAD-83 X: 2015563.39 Y: 248834.40 NAD-27 X: 2047161.42 Y: 248810.26 GEOGRAPHIC NAD-83: LAT: N35.683472 LON: W97.841529 GEOGRAPHIC NAD-27: LAT: N35.683422 LON: W97.841203

NAT. GROUND ELEV. 1324.15' CALLS: 543' FSL, 2272' FEL OF 16-14N-6W

PROPOSED LANDING POINT
STATE PLANE COORDINATE - OK NORTH ZONE

NAD-83 X: 2017240.10 Y: 248143.58 NAD-27 X: 2048838.13 Y: 248119.43 GEOGRAPHIC NAD-83: LAT: N35.681566 LON: W97.835887 GEOGRAPHIC NAD-27: LAT: N35.681517 LON: W97.835561

CALLS: 165' FNL, 596' FEL OF 21-14N-6W

PROPOSED LAST TAKE POINT
STATE PLANE COORDINATE - OK NORTH ZONE

NAD-83 X: 2017196.78 Y: 236488.68 NAD-27 X: 2048794.73 Y: 236464.48 GEOGRAPHIC NAD-83: LAT: N35.649549 LON: W97.836099 GEOGRAPHIC NAD-27: LAT: N35.649500 LON: W97.835772

CALLS: 1235' FNL, 596' FEL OF 33-14N-6W

CALLS: 1315' FNL, 596' FEL OF 33-14N-6W

PROPOSED BOTTOM HOLE LOCATION SW/4 SE/4 NE/4 NE/4 STATE PLANE COORDINATE - OK NORTH ZONE

NAD-83 X: 2017196.48 Y: 236408.68

NAD-27 X: 2048794.43 Y: 236384.48

GEOGRAPHIC NAD-83: LAT: N35.64929 LON: W97.836100

GEOGRAPHIC NAD-83: LAT: N35.649281 LON: W97.835775

Please note that this location was staked on the predict note that this location was staken on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS, NOTE: X and Y that also because in Section Consequence and NOT. data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

CERTIFICATE:

I, FRED A. SELENSKY, an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.



Oklahoma PLS No.1860 DATE

|--|

REVISIONS								
No.	DATE	STAKED	BY	DESCRIPTION				
00	04-08-22	04-08-22	HDG	ISSUED FOR APPROVAL				
01	05-04-22	04-08-22	HDG	REV'D 3H BHL				