

API NUMBER: 029 21423

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

Approval Date: 06/23/2022  
Expiration Date: 12/23/2023

Multi Unit Oil & Gas

**PERMIT TO DRILL**

WELL LOCATION: Section: 12 Township: 3N Range: 10E County: COAL

SPOT LOCATION: ☐ SE ☐ NE ☐ SW ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST  
SECTION LINES: 809 1396

Lease Name: D5R-E Well No: 3HR Well will be 809 feet from nearest unit or lease boundary.

Operator Name: CANYON CREEK ENERGY ARKOMA LLC Telephone: 9185616737 OTC/OCC Number: 24379 0

CANYON CREEK ENERGY ARKOMA LLC  
615 EAST 4TH STREET  
TULSA, OK 74120-3017

COAL COUNTY RANCH LLC  
3334 W MAIN STREET, STE 533  
NORMAN OK 73072

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 WOODFORD	319WDFD	8440

Spacing Orders: 279728 Location Exception Orders: 725336 Increased Density Orders: 725434  
494001 725436  
725335

Pending CD Numbers: No Pending

Working interest owners' notified: \*\*\*

Special Orders: No Special

Total Depth: 17500 Ground Elevation: 817 Surface Casing: 600 Depth to base of Treatable Water-Bearing FM: 460

Under Federal Jurisdiction: No  
Fresh Water Supply Well Drilled: No  
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

E. Haul to Commercial pit facility	Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: 653875
H. (Other)	SEE MEMO

**PIT 1 INFORMATION**

Type of Pit System: CLOSED Closed System Means Steel Pits  
Type of Mud System: WATER BASED  
Chlorides Max: 8000 Average: 5000  
Is depth to top of ground water greater than 10ft below base of pit? Y  
Within 1 mile of municipal water well? N  
Wellhead Protection Area? N  
Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: THURMAN

**PIT 2 INFORMATION**

Type of Pit System: CLOSED Closed System Means Steel Pits  
Type of Mud System: OIL BASED  
Chlorides Max: 300000 Average: 200000  
Is depth to top of ground water greater than 10ft below base of pit? Y  
Within 1 mile of municipal water well? N  
Wellhead Protection Area? N  
Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: THURMAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1					
Section: 24	Township: 3N	Range: 10E	Meridian: IM	Total Length: 8500	
	County: COAL			Measured Total Depth: 17500	
Spot Location of End Point:	C	NW	SE	True Vertical Depth: 8800	
Feet From: <b>SOUTH</b>		1/4 Section Line: 1980		End Point Location from	
Feet From: <b>EAST</b>		1/4 Section Line: 1980		Lease, Unit, or Property Line: 1980	

# NOTES:

Category	Description
HYDRAULIC FRACTURING	<p>[4/25/2022 - GC2] - OCC 165:10-3-10 REQUIRES:</p> <p>1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;</p> <p>2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: <a href="http://OCCEWEB.COM/OG/OGFORMS.HTML">OCCEWEB.COM/OG/OGFORMS.HTML</a>; AND,</p> <p>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT <a href="http://FRACFOCUS.ORG">FRACFOCUS.ORG</a></p>
INCREASED DENSITY - 725434	<p>[6/23/2022 - GB1] - 13-3N-10E X279728 WDFD 4 WELLS CANYON CREEK - ARKOMA, LLC 5/10/2022</p>
INCREASED DENSITY - 725436	<p>[6/23/2022 - GB1] - 24-3N-10E X494001 WDFD 4 WELLS CANYON CREEK - ARKOMA, LLC 5/10/2022</p>
LOCATION EXCEPTION - 725336	<p>[6/23/2022 - GB1] - (I.O.) 13 &amp; 24-3N-10E X279728 WDFD, OTHER 13-3N-10E X494001 WDFD, OTHER 24-3N-10E COMPL INT (13-3N-10E) NCT 165' FNL, NCT 0' FSL, NCT 1320' FEL COMPL INT (24-3N-10E) NCT 0' FNL, NCT 1980' FSL, NCT 1320' FEL CANYON CREEK ENERGY - ARKOMA, LLC 5/5/2022</p>
MEMO	<p>[4/25/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT</p>
SPACING - 279728	<p>[5/2/2022 - GB1] - (640) 13-3N-10E EXT 121547 WDFD, OTHERS</p>
SPACING - 494001	<p>[5/2/2022 - GB1] - (640) 24-3N-10E EXT OTHERS EXT 279728 WDFD, OTHERS</p>
SPACING - 725335	<p>[6/23/2022 - GB1] - (I.O.) 13 &amp; 24-3N-10E EST MULTIUNIT HORIZONTAL WELL X279728 WDFD, OTHER 13-3N-10E X494001 WDFD, OTHER 24-3N-10E 70% 13-3N-10E 30% 24-3N-10E NO OP NAMED 5/4/2022</p>
WATERSHED STRUCTURE	<p>[4/25/2022 - GC2] - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (580) 927-3414 PRIOR TO DRILLING</p>

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.






# Well Location Plat

S.H.L. Sec. 12-3N-10E I.M.  
B.H.L. Sec. 24-3N-10E I.M.

Operator: CANYON CREEK ENERGY  
Lease Name and No.: D5R-E 3HR  
Surface Hole Location: 809' FSL - 1396' FEL Gr. Elevation: 817' **FINAL PAD ELEV.= 815'**  
SE/4-NE/4-SW/4-SE/4 Section: 12 Township: 3N Range: 10E I.M.  
Bottom Hole Location: 1980' FSL - 1980' FEL  
NW/4-SE/4-NW/4-SE/4 Section: 24 Township: 3N Range: 10E I.M.  
County: Coal State of Oklahoma  
Terrain at Loc.: Location fell on brushy ridge, lying Westerly from an existing well pad.



GPS DATUM  
NAD 83  
NAD 27  
OK SOUTH ZONE

Surface Hole Loc.:  
Lat: 34°44'24.92"N  
Lon: 96°12'04.82"W  
Lat: 34.74025675  
Lon: -96.20133830  
X: 2508837  
Y: 516825


Surface Hole Loc.:  
Lat: 34°44'24.59"N  
Lon: 96°12'03.81"W  
Lat: 34.74016351  
Lon: -96.20105885  
X: 2540434  
Y: 516778

Landing Point:  
Lat: 34°44'15.24"N  
Lon: 96°12'11.85"W  
Lat: 34.73756605  
Lon: -96.20329131  
X: 2508268  
Y: 515836

Landing Point:  
Lat: 34°44'14.90"N  
Lon: 96°12'10.84"W  
Lat: 34.73747283  
Lon: -96.20301187  
X: 2539865  
Y: 515788

Bottom Hole Loc.:  
Lat: 34°42'51.90"N  
Lon: 96°12'12.11"W  
Lat: 34.71441783  
Lon: -96.20336438  
X: 2508396  
Y: 507412

Bottom Hole Loc.:  
Lat: 34°42'51.57"N  
Lon: 96°12'11.11"W  
Lat: 34.71432468  
Lon: -96.20308539  
X: 2539993  
Y: 507365



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping, PLLC, if any discrepancy is determined. GPS data is derived from NOT GPS. NOTE: X and Y data shown herein for Section Corners may NOT have been surveyed on the ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from adjoining section corners, or occupation thereof, and may not have been measured on the ground, and further, does not represent a true boundary survey.

Survey and plat by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2024  
Invoice #9921-A-C  
Date Staked: 04/07/2022 By: Z.D.  
Date Drawn: 04/06/2022 By: J.L.  
Add FPE: 06/07/2022 By: R.M.  
Revise SHL: 06/22/2022 By: J.L.


## Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

06/22/2022

OK LPLS 1664








# Well Location Plat

S.H.L. Sec. 12-3N-10E I.M.  
B.H.L. Sec. 24-3N-10E I.M.

Operator: CANYON CREEK ENERGY  
Lease Name and No.: D5R-E 3HR  
Surface Hole Location: 809' FSL - 1396' FEL Gr. Elevation: 817' **FINAL PAD ELEV.= 815'**  
SE/4-NE/4-SW/4-SE/4 Section: 12 Township: 3N Range: 10E I.M.  
Bottom Hole Location: 1980' FSL - 1980' FEL  
NW/4-SE/4-NW/4-SE/4 Section: 24 Township: 3N Range: 10E I.M.  
County: Coal State of Oklahoma  
Terrain at Loc.: Location fell on brushy ridge, lying Westerly from an existing well pad.



All bearings shown  
are grid bearings.



GPS DATUM  
NAD 83  
NAD 27  
OK SOUTH ZONE

Surface Hole Loc.:  
Lat: 34°44'24.92"N  
Lon: 96°12'04.82"W  
Lat: 34.74025675  
Lon: -96.20133830  
X: 2508837  
Y: 516825


Surface Hole Loc.:  
Lat: 34°44'24.59"N  
Lon: 96°12'03.81"W  
Lat: 34.74016351  
Lon: -96.20105885  
X: 2540434  
Y: 516778

Landing Point:  
Lat: 34°44'15.24"N  
Lon: 96°12'11.85"W  
Lat: 34.73756605  
Lon: -96.20329131  
X: 2508268  
Y: 515836

Landing Point:  
Lat: 34°44'14.90"N  
Lon: 96°12'10.84"W  
Lat: 34.73747283  
Lon: -96.20301187  
X: 2539865  
Y: 515788

Bottom Hole Loc.:  
Lat: 34°42'51.90"N  
Lon: 96°12'12.11"W  
Lat: 34.71441783  
Lon: -96.20336438  
X: 2508396  
Y: 507412

Bottom Hole Loc.:  
Lat: 34°42'51.57"N  
Lon: 96°12'11.11"W  
Lat: 34.71432468  
Lon: -96.20308539  
X: 2539993  
Y: 507365



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping, PLLC, if any discrepancy is determined. GPS data is derived from RTK GPS. NOTE: X and Y data shown herein for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2024  
Invoice #9921-A-C  
Date Staked: 04/07/2022 By: Z.D.  
Date Drawn: 04/06/2022 By: J.L.  
Add FPE: 06/07/2022 By: R.M.  
Revise SHL: 06/22/2022 By: J.L.


## Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

06/22/2022

OK LPLS 1664





Operator: CANYON CREEK ENERGY  
Lease Name and No.: D5R-E 3HR  
Surface Hole Location: 809' FSL - 1396' FEL  
Sec. 12 Twp. 3N Rng. 10E I.M.  
Landing Point: 165' FNL - 1980' FEL  
Sec. 13 Twp. 3N Rng. 10E I.M.  
Bottom Hole Location: 1980' FSL - 1980' FEL  
Sec. 24 Twp. 3N Rng. 10E I.M.  
County: Coal State of Oklahoma

● SHL

● LP & BHL

..... Bore Path



● OCC Wells

PAD

Counties

Township-Range

Sections







**CANYON  
CREEK  
ENERGY**

# Topographic Vicinity Map

Operator: CANYON CREEK ENERGY

Lease Name and No.: D5R-E 3HR

Surface Hole Location: 809' FSL - 1396' FEL

Sec. 12 Twp. 3N Rng. 10E I.M.

Landing Point: 165' FNL - 1980' FEL

Sec. 13 Twp. 3N Rng. 10E I.M.

Bottom Hole Location: 1980' FSL - 1980' FEL


Sec. 24 Twp. 3N Rng. 10E I.M.

County: Coal State of Oklahoma



Scale 1" = 2000'  
Contour Interval: 10'

Ground Elevation at Surface Hole Location: 817'



Provided by:

**Arkoma Surveying and Mapping, PLLC**

P.O. Box 238 Wilburton, OK 74578

Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348

Expires June 30, 2024

Date Staked: 04/07/2022

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.



# County Highway Vicinity Map



Job #:9921-A-C

Operator: CANYON CREEK ENERGY

Lease Name and No.: D5R-E 3HR

Accessibility: From the Southeast.

Directions: From the junction of Highway 31 and "Glass Rd." in Coal, CO., OK, go 2.0 miles West on "Glass Rd." Then 4.3 miles North on "N3840 Rd.", Then 1.1 miles West on "E1570 Rd." to the SE/4 of Section 12-3N-10E with the Proposed Site being at the end of a Proposed Lease Road on the North side of "E1570 Rd."

1 inch = 0.75 mile

provided by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2022

