API NUMBER: 063 24899

1717 S BOULDER AVE STE 201

TULSA.

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/05/2019
Expiration Date: 12/05/2020

23879 0

Well will be 304 feet from nearest unit or lease boundary.

OTC/OCC Number:

Horizontal Hole Multi Unit Oil & Gas

PERMIT TO DRILL

			PERMIT TO DE	<u> </u>
WELL LOCATION:		FEET FROM QUARTER: FROM	NORTH FROM	EAST
		SECTION LINES:	304	1995
Lease Name:	MITZI	Well No:	3-32/29H	
Operator Name:	TRINITY OPERATING (USG) LLC		Telephone: 918	85615600
TRINITY	OPERATING (USG) LLC			

OK

74119-4842

KENNNETH S STARK & LORI A STARK 28 CEDAR STREET

KIEFER OK 74041

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth		Name	Dep	oth
1	WOODFORD	4807	6			
2			7			
3			8			
4			9			
5			10			
Spacing Orders:	683439	Location Exception Orders:	683440		Increased Density Orders:	681375
	671215					681376
	674146					

Pending CD Numbers: Special Orders:

Total Depth: 15513 Ground Elevation: 774 Surface Casing: 1000 Depth to base of Treatable Water-Bearing FM: 160

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: ON SITE

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

H. SEE MEMO

Approved Method for disposal of Drilling Fluids:

B. Solidification of pit contents.

A. Evaporation/dewater and backfilling of reserve pit.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

HORIZONTAL HOLE 1

Sec 29 Twp 8N Rge 12E County HUGHES

Spot Location of End Point: NW NE NW NE

Feet From: NORTH 1/4 Section Line: 1

Feet From: EAST 1/4 Section Line: 1930

Depth of Deviation: 4260 Radius of Turn: 484

Direction: 1

Total Length: 10493

Measured Total Depth: 15513

True Vertical Depth: 4807

End Point Location from Lease,
Unit, or Property Line: 1

Notes:

Category Description

COMPLETION INTERVAL 6/5/2019 - GB1 - WILL BE GREATER THAN 165' FNL 29-8N-12E PER OPERATOR

DEEP SURFACE CASING 6/3/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 6/3/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 681375 6/5/2019 - GB1 - 29-8N-12E

X671215 WDFD

3 WELLS

TRINITY OPERATING (USG), LLC

8/13/2018

INCREASED DENSITY - 681376 6/5/2019 - GB1 - 32-8N-12E

X674146 WDFD 3 WELLS

TRINITY OPERATING (USG), LLC

8/13/2018

LOCATION EXCEPTION - 683440 6/5/2019 - GB1 - (I.O.) 32 & 29-8N-12E

X674146 WDFD 32-8N-12E X671215 WDFD 29-8N-12E

COMPL. INT. (32-8N-12E) NCT 165' FSL, NCT 0' FNL, NCT 1000' FEL COMPL. INT. (29-8N-12E) NCT 0' FSL, NCT 165' FNL, NCT 1000' FEL

TRINITY OPERATING (USG), LLC

9/21/2018

MEMO 6/3/2019 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC; PIT 3 - OBM TO VENDOR

SPACING - 671215 6/5/2019 - GB1 - (640)(HOR) 29-8N-12E

EST WDFD, OTHERS

POE TO BHL NLT 165' FNL & FSL, NLT 330' FEL & FWL

SPACING - 674146 6/5/2019 - GB1 - (640)(HOR) 32-8N-12E

EXT 615119 WDFD, ÓTHER

EXT OTHER

POE TO BHL NLT 165' FNL & FSL, NLT 330' FEL & FWL

SPACING - 683439 6/5/2019 - GB1 - (I.O.) 32 & 29-8N-12E

EST MULTIUNIT HORIZONTAL WELL

X674146 WDFD 32-8N-12E X671215 WDFD 29-8N-12E

50% 32-8N-12E 50% 29-8N-12E

TRINITY OPERATING (USG), LLC.

9/21/2018

P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348

Expires June 30, 2020

Invoice #8446-B
Date Staked: 01/19/19 By: D.W.
Date Drawn: 01/23/19 By: J.K.
Revised LP & BHL: 02/01/19 By:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.



02/04/19 OK LPLS 1664

