API NUMBER: 087 22245

Oil & Gas

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation:

**OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 06/05/2019 12/05/2020 **Expiration Date** 

Horizontal Hole Multi Unit

PERMIT TO DRILL

WELL LOCATION:         Sec:         07         Twp:         9N         Rge:         4V           SPOT LOCATION:         SW         SE         NE         NW	N County: MCC FEET FROM QUARTER: FROM SECTION LINES:	NORTH FROM	WEST 2269	
Lease Name: WARHAWK 0631  Operator EOG RESOURCES INC Name:	Well No:	<b>3H</b> Telephone: 405	Well will be 52463224	1065 feet from nearest unit or lease boundary OTC/OCC Number: 16231 0
EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500			MCMURTRY MANAG	SEMENT & INVESTMENTS, LLC

YUKON OK 73085

Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth MISSISSIPPIAN 1 9000 6 2 WOODFORD 9050 7 3 HUNTON 9180 8 9 10 645373 Spacing Orders: Location Exception Orders: Increased Density Orders: 689814 Pending CD Numbers: 201902749 Special Orders: 201902750 201902753 201902754 Total Depth: 20480 Ground Elevation: 1354 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 1090 Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36333 H SEE MEMO Chlorides Max: 5000 Average: 3000 G. Haul to recycling/re-use facility: Sec. 1 Twn. 15N Rng. 11W Cnty. 11 Order No: 662791 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area?

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

## **HORIZONTAL HOLE 1**

Sec 31 Twp 10N Rge 4W County MCCLAIN

Spot Location of End Point: NE NW NE NW
Feet From: NORTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 1675

Depth of Deviation: 8550 Radius of Turn: 1000

Direction: 355

Total Length: 10359

Measured Total Depth: 20480

True Vertical Depth: 9180

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 5/31/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 5/31/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 5/31/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM TO VENDOR, OBM CUTTINGS TO HEARTLAND ENVIRONMENTAL RESOURCES (ORDER # 662791) OR DEQ APPROVED FACILITY

(SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., # 3526013)

PENDING CD - 201902749 6/4/2019 - G75 - 6-9N-4W

X689814 MSSP, WDFD, HNTN

3 WELLS

NO OP. NAMED

REC 6-3-2019 (NORRIS)

Category Description

PENDING CD - 201902750 6/4/2019 - G75 - 31-10N-4W

X645373 MSSP, WDFD, HNTN

3 WELLS

NO OP. NAMED REC 6-3-2019 (NORRIS)

PENDING CD - 201902753 6/4/2019 - G75 - (I.O.) 6-9N-4W & 31-10N-4W

EST MULTIUNIT HORIZONTAL WELL X689814 MSSP, WDFD, HNTN 6-9N-4W X645373 MSSP, WDFD, HNTN 31-10N-4W

(MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD; HOWEVER, DUE TO DRILLING PROBLEMS ENCOUNTERED ON PREVIOUS WELL IN AREA BY OPERATOR, WDFD

MAY BE ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)

50% 6-9N-4W 50% 31-10N-4W NO OP. NAMED

REC 6-3-2019 (NORRIS)

PENDING CD - 201902754 6/4/2019 - G75 - (I.O.) 6-9N-4W & 31-10N-4W

X689814 MSSP, WDFD, HNTN 6-9N-4W X645373 MSSP, WDFD, HNTN 31-10N-4W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO WARHAWK 0631 2H & 4H

COMPL. INT. (6-9N-4W) NCT 165' FSL, NCT 0' FNL, NCT 990' FWL COMPL. INT. (31-10N-4W) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL

NO OP. NAMED

REC 6-3-2019 (NORRIS)

SPACING - 645373 6/4/2019 - G75 - (640) 31-10N-4W

VAC OTHERS VAC 103735 HNTN

EST MSSP, WDFD, HNTN, OTHERS

SPACING - 689814 6/4/2019 - G75 - (640)(HOR) 6-9N-4W

VAC 107502/270384 HNTN VAC 270384 MSSP, WDFD EST MSSP, WDFD, HNTN

POE TO BHL (MSSP, HNTN) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

