API NUMBER: 073 26586 A orizontal Hole Oil & Gas	OIL & GAS CONS P.O. B OKLAHOMA CI	DRATION COMMISSION ERVATION DIVISION OX 52000 TY, OK 73152-2000 65:10-3-1)	Approval Date: 06/12/2019 Expiration Date: 12/12/2020
nend reason: AMENDING NAME TO MJ 19-09-30 1MH; RDERS	UPDATE <u>AMEND PE</u>	RMIT TO DRILL	
WELL LOCATION: Sec: 30 Twp: 19N Rge	e: 9W County: KINGFISHER		
SPOT LOCATION: SW SE SE SE	FEET FROM QUARTER: FROM SOUTH	FROM EAST	
	204	534	
Lease Name: MJ 19-09-30 Operator CHISHOLM OIL & GAS OPER. Name:	Well No: 1MH ATING LLC Teleph	Wel	Il will be 204 feet from nearest unit or lease boundary. OTC/OCC Number: 23991 0
CHISHOLM OIL & GAS OPERATIN 6100 S YALE AVE STE 1700	G LLC	HOYT MCEAC 8289 HIGHWA	
TULSA, OK	74136-1921	SOUTHARD	OK 73770
Formation(s) (Permit Valid for Listed Name 1 MISSISSIPPIAN 2 3 4 5 Species Orders: 700773	<b>Depth</b> 7360	Name 6 7 8 9 10	Depth
Spacing Orders: 700773	Location Exception Orders:	702409	Increased Density Orders:
Pending CD Numbers:			Special Orders:
Total Depth: 13131 Ground Elevation	n: 1117 Surface Casing:	120	Depth to base of Treatable Water-Bearing FM: 70
Under Federal Jurisdiction: No	Fresh Water Supply We	ell Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION		Approved Method for dispose	al of Drilling Fluids:
Type of Pit System: CLOSED Closed System Me	ans Steel Pits		
Type of Mud System: WATER BASED		D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-36672	
Chlorides Max: 8000 Average: 5000		H. CLOSED SYSTEM=STE	EEL PITS PER OPERATOR REQUEST
Is depth to top of ground water greater than 10ft belo	ow base of pit? Y		
Within 1 mile of municipal water well? N Wellhead Protection Area? N			
Pit <b>is</b> located in a Hydrologically Sensitive Ar	ea		
Category of Pit: C			
Liner not required for Category: C			
Pit Location is BED AQUIFER			

## HORIZONTAL HOLE 1

KINGFISHER Sec 30 Twp 19N Rge 9W County Spot Location of End Point: NW NF NE NE Feet From: NORTH 1/4 Section Line: 155 Feet From: EAST 1/4 Section Line: 350 Depth of Deviation: 7779 Radius of Turn: 505 Direction: 5 Total Length: 4559 Measured Total Depth: 13131 True Vertical Depth: 8300 End Point Location from Lease. Unit. or Property Line: 155 Notes: Description Category HYDRAULIC FRACTURING 5/30/2019 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE: 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG LOCATION EXCEPTION - 702409 10/15/2019 - GB1 - (I.O.) 30-19N-9W X700773 MSSP COMPL. INT. NCT 150' FNL, NCT 150' FSL, NCT 330' FEL CHISHOLM OIL AND GAS OPERATING, LLC 9/18/2019 10/15/2019 - GB1 - (640)(HOR) 30-19N-9W SPACING - 700773 EXT 678731 MSSP, OTHERS POE TO BHL NLT 660' FB (COEXIST SP. ORDER 31905/173583 BPMSU SE4; SP. ORDER 31905/173583/186022 BPMSU NE4: SP. ORDER 31905/173583/186022/187299 BPMSU W2; SP. ORDER 59939 MSSSD; OTHERS)

