API NUMBER: 137 27696

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 12/23/2022

Expiration Date: 06/23/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELLLOCATION	Castian		Taumahin	451	20000 410/	Country	OTER	HENC					
WELL LOCATION:	Section:	22	Township:	7	Range: 4W	County:							
SPOT LOCATION:	SE NE	SE	SE	FEET FROM Q		SOUTH	FRO	M EAST					
				SECTIO	ON LINES:	691		281					
Lease Name:	BIFFLE 22-15				Well N	o: S3H			Well will b	e 281	feet from nearest un	t or lease	boundary.
Operator Name:	CHEYENNE P	ETROLE	UM COMPA	ANY	Telephor	e: 4059366	5220				OTC/OCC Nur	nber:	5593 0
CHEYENNE I	PETROLEUI	и сом	IPANY					DAVID P NE	WMAN				
14000 QUAIL	. SPRINGS F	PKWY :	STE 220	0				1512 W PLA	TE ROAD				
OKLAHOMA	CITY,		OK	73134-26	17			DUNCAN			OK 73533		
	,							201107111			70000		
Formation(s)	(Dormit \/o	lid for l	iotod Fo	motions On	ds A.								
Formation(s)	(Fermit val	iiu ioi L		mations Or			7						
Name			Code		Depth								
1 SYCAMORE			352S	CIVIR	8275								
	708071 708930				Location Exc	eption Order	rs:	727890		Ir	ncreased Density Orders:	72809	
	539901											72813	6
	416846												
	728107												
Pending CD Number	ers: No Pe	ending	 J		Working	interest owne	ers' no	otified: ***			Special Orders:	No S	Special
Total Depth: 1	8500	Ground	Elevation:	1127	Surface	Casing:	150	00	Dep	th to base	of Treatable Water-Bear	ing FM:	1240
										I	Deep surface casin	g has b	een approved
Under	Federal Jurisdict	tion: No	,				Į,	Approved Method	d for disposal of D	rilling Flu	ıids:		
Fresh Water Supply Well Drilled: No					D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38769								
Surface Water used to Drill: Yes					H. (Other)		SEE M						
							L						
PIT 1 INFORI									egory of Pit: C				
	Pit System: CL		•	em Means Stee	Pits				ed for Category: C	LICA			
Chlorides Max: 50	ud System: WA		SED						<pre>.ocation is: NON Formation: BISC</pre>				
	top of ground wa		er than 10ft	helow hase of r	nit? Y			Tit Location	Tomation. Bloc	/1 <b>\</b>			
·	mile of municipal	-		below base of p	,it: 1								
vvidiii i i	Wellhead Prote												
Pit <b>is not</b> lo	ocated in a Hydro			rea									
		,,og.,ou,											
PIT 2 INFORI									egory of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits  Type of Mud System: Oll RASED						Liner not required for Category: C							
Type of Mud System: OIL BASED  Chloridos May: 300000, Average: 200000						Pit Location is: NON HSA Pit Location Formation: BISON							
	Chlorides Max: 300000 Average: 200000  Is depth to top of ground water greater than 10ft below base of pit? Y					Pit Location	rormation: BISC	/IN					
		-		below base of p	DIL! Y								
Within 1 r	mile of municipal												
Die .	Wellhead Prote												
Pit <u>is not</u> lo	ocated in a Hydro	ologically	Sensitive Ai	ea.									

**MULTI UNIT HOLE 1** 

Section: 15 Township: 1N Range: 4W Meridian: IM Total Length: 8500

County: STEPHENS Measured Total Depth: 18500

Spot Location of End Point: SW SW NE NE True Vertical Depth: 8470

Feet From: NORTH 1/4 Section Line: 1025 End Point Location from
Feet From: EAST 1/4 Section Line: 1000 Lease,Unit, or Property Line: 1000

## NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[12/23/2022 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[12/23/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 728094	[12/23/2022 - G56] - NW4, N2 S2 22-1N-4W X539901 SCMR 3 WELLS CHEYENNE PETRO CO 9/2/2022
INCREASED DENSITY - 728136	[12/23/2022 - G56] - S2 S2 22 & NE4, N2 NW4 27-1N-4W X416846 SCMR 2 WELLS CHEYENNE PETRO CO 9/2/2022
LOCATION EXCEPTION - 727890	[12/23/2022 - G56] - (I.O.) S2 S2, N2 S2, NW4, NE4 22, NE4, N2 NW4 27 & 15-1N-4W X416846 SCMR S2 S2 22 & NE4, N2 NW4 27-1N-4W X539901 SCMR NW4, N2 S2 22-1N-4W X708930 SCMR NE4 22-1N-4W X708071 SCMR 15-1N-4W COMPL INT (S2 S2 22 & NE4, N2 NW4 27-1N-4W) NCT 660' FSL, NCT 0' FNL, NCT 660' FEL COMPL INT (N2 S2, NW4 22-1N-4W) NCT 0' FSL, NCT 0' FNL, NCT 660' FEL COMPL INT (NE4 22-1N-4W) NCT 0' FSL, NCT 0' FNL, NCT 660' FEL COMPL INT (15-1N-4W) NCT 0' FSL, NCT 0' FNL, NCT 660' FEL COMPL INT (15-1N-4W) NCT 0' FSL, NCT 660' FNL, NCT 660' FEL CHEYENNE PETRO CO 8/25/2022
MEMO	[12/23/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 416846	[12/23/2022 - G56] - (400)(HOR)(IRR UNIT) S2 S2 22 & NE4, N2 NW4 27-1N-4W EST SCMR POE TO BHL NLT 660' FB
SPACING - 539901	[12/23/2022 - G56] - (320)(HOR)(IRR UNIT) NW4, N2 S2 22-1N-4W EST SCMR POE TO BHL NLT 660' FB
SPACING - 708071	[12/23/2022 - G56] - (640)(HOR) 15-1N-4W EXT 596886 SCMR POE TO BHL NCT 660' FB (COEXIST WITH SP # 520059 MSSP)

SPACING - 708930	[12/23/2022 - G56] - (160)(HOR) NE4 22-1N-4W VAC 103377 SCMR EST SCMR POE TO BHL NCT 330' FB
SPACING - 728107	[12/23/2022 - G56] - (I.O.) S2 S2, N2 S2, NW4, NE4 22, NE4, N2 NW4 27 & 15-1N-4W EST MULTIUNIT HORIZONTAL WELL X416846 SCMR S2 S2 22 & NE4, N2 NW4 27-1N-4W X539901 SCMR NW4, N2 S2 22-1N-4W X708930 SCMR NE4 22-1N-4W X708071 SCMR 15-1N-4W 14% S2 S2 22 & NE4, N2 NW4 27-1N-4W 14% S2 S2 22 & NE4, N2 NW4 27-1N-4W 14% N2 S2, NW4 22-1N-4W 28% NE4 22-1N-4W 44% 15-1N-4W CHEYENNE PETRO CO 9/2/2022