API NUMBER: 017 25964

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/30/2023

Expiration Date: 11/30/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

	
WELL LOCATION: Section: 16 Township: 14N Range: 9W Count	ty: CANADIAN
SPOT LOCATION: NE SE SE NW FEET FROM QUARTER: FROM NOR	TH FROM WEST
SECTION LINES: 2051	2343
Lease Name: LORETTA 16_21_28-14N-9W Well No: 2HXX	Well will be 2051 feet from nearest unit or lease boundary.
Operator Name: DEVON ENERGY PRODUCTION CO LP Telephone: 4052:	353611; 4052353611; OTC/OCC Number: 20751 0
DEVON ENERGY PRODUCTION CO LP	MARK & MELISSA WILKERSON
333 W SHERIDAN AVE	5195 N. MANNING ROAD
OKLAHOMA CITY, OK 73102-5015	EL RENO OK 73036
2.3	I LE NENO ON 15000
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 MISSISSIPPIAN 359MSSP 9567	
Spacing Orders: 658382 Location Exception Or	rders: 733438 Increased Density Orders: 732386
628536	733325
733095	731752
733432	
Pending CD Numbers: No Pending Working interest of	wners' notified: DNA Special Orders: No Special
Total Depth: 24212 Ground Elevation: 1447 Surface Casin	ng: 680 Depth to base of Treatable Water-Bearing FM: 430
Under Federal Jurisdiction: Yes	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-38948
Surface Water used to Drill: Yes	H. (Other) SEE MEMO
DIT / INTODMATION	
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 8000 Average: 5000	Pit Location Formation: TERRACE
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	
Wellhead Protection Area? Y	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: AP/TE DEPOSIT
Chlorides Max: 300000 Average: 200000	Pit Location Formation: TERRACE
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? Y	
Wellhead Protection Area? Y	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 28 Township: 14N Range: 9W Meridian: IM Total Length: 13309

County: CANADIAN Measured Total Depth: 24212

Spot Location of End Point: SE SE SW SW True Vertical Depth: 10630

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: WEST 1/4 Section Line: 1062 Lease,Unit, or Property Line: 50

NOTES:

NOTES:	
Category	Description
HYDRAULIC FRACTURING	[5/23/2023 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731752	[5/30/2023 - GB7] - 16-14N-9W X658382 MSSP 6 WELLS DEVON ENERGY PRODUCTION COMPANY LP 01/27/2023
INCREASED DENSITY - 732386	[5/30/2023 - GB7] - 21-14N-9W X628536 MSSLM 3 WELLS DEVON ENERGY PRODUCTION COMPANY LP 02/24/2023
INCREASED DENSITY - 733325 (CD2023- 000033)	[5/30/2023 - GB7] - (I.O.) 28-14N-9W X733095 MSSP 2WELLS DEVON ENERGY PRODUCTION COMPANY LP 03/30/2023
INTERMEDIATE CASING	[5/23/2023 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 733438 (CD2023-000024)	[5/30/2023 - GB7] - (I.O.) 16, 21, 28-14N-9W X658382 MSSP, OTHER X578684 OTHER X628536 MSSLM X733095 MSSP X584192 OTHER X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO HOBSON 1-21H (API# 017-24241), LORETTA 1-28H (API# 017-24312), WILKERSON 1-16 (API# 017-23633), LION 16_9_4-14N-9W 2HXX THROUGH 4HXX COMPL. INT. NCT 1320' FNL, NCT 0' FSL, NCT 330' FWL (16-14N-9W) COMPL. INT. NCT 0' FNL, NCT 0' FSL, NCT 330' FWL (21-14N-9W) COMPL. INT. NCT 0' FNL, NCT 165' FSL, NCT 330' FWL (28-14N-9W) DEVON ENERGY PRODUCTION COMPANY LP 04/04/2023
МЕМО	[5/23/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PUBLIC WATER SUPPLY	[5/23/2023 - GC2] - OKARCHE - 2 WELLS E2 17-14N-9W
SPACING - 628536	[5/30/2023 - GB7] - (640) 21-14N-9W EXT OTHER EST MSSLM

SPACING - 658382	[5/30/2023 - GB7] - (640)(HOR) 16-14N-9W EXT 648601/593793 MSSP, OTHERS COMPL INT NCT 660' FB (COEXIST WITH SP # 193707 MSSSD, # 199782 MNNG, CSTR)
SPACING - 733095	[5/30/2023 - GB7] - (640)(HOR) 28-14N-9W EST MSSP COMPL. INT. NCT 660' FB (COEXIST WITH NON-HORIZONTAL SPACING UNITS)
SPACING - 733432 (CD2023-000017)	[5/30/2023 - GB7] - (I.O.) 16, 21, 28-14N-9W EST MULTIUNIT HORIZONTAL WELL X658382 MSSP, OTHER (16-14N-9W) X578684 OTHER (21-14N-9W) X628536 MSSLM (21-14N-9W) X733095 MSSP (28-14N-9W) X584192 OTHER (28-14N-9W) 20% 16-14N-9W 40% 21-14N-9W 40% 28-14N-9W DEVON ENERGY PRODUCTION COMPANY LP 04/04/2023
SURFACE CASING	[5/23/2023 - GC2] - NO DEEP SURFACE CASING ALLOWED DUE TO BEING INSIDE PUBLIC WATER SUPPLY BOUNDARY