API NUMBER: 137 27681

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/22/2022
Expiration Date: 12/22/2023

Straight Hole Oil & Gas

NOTES:

Surface Casing will be run.

## **PERMIT TO DRILL**

WELL LOCATION:	Section:	27	Township:	1S Ra	ange: 5W	County:	STEPI	HENS							
SPOT LOCATION:	NE NE	SE	NE	FEET FROM QU	ARTER: FROM	SOUTH	FROM	WEST							
				SECTION	LINES:	1155		2475							
Lease Name:	GEORGE HAR	MON			Well N				Well	will be	165	feet from	nearest unit	or leas	e boundary.
Operator Name:	WILD OUTDOO	RS OIL	LLC		Telephon	e: 4056059	820					отс	/OCC Num	ber:	23948 0
							1 [								
WILD OUTDOORS OIL LLC							JW MCCLANAHAN								
PO BOX 894								PO BOX 518	31						
VELMA,			OK	73491-089	4			VICTORIA				TX	77903		
Formation(s)	(Permit Vali	d for L	isted For	mations Onl	y):		,								
Name			Code	1	Depth										
1 PERMIAN			459P	RMN	250										
Spacing Orders: No Spacing Location Exception Orders						s: <b> </b>	No Exceptions Increased Density Orders: No Density								
Pending CD Numbers: No Pending Working interest owner					ers' no	notified: *** Special Orders: No Special						Special			
Total Depth: 1000 Ground Elevation: 1122 Surface Casing:					0	Depth to base of Treatable Water-Bearing FM: 260									
Alternate Casi	ng Program														
Cement will be circulated from Total Depth to the Ground Surface on the Production Casing String.															
Under Federal Jurisdiction: No						Α	Approved Method for disposal of Drilling Fluids:								
Fresh Water Supply Well Drilled: No						Α	A. Evaporation/dewater and backfilling of reserve pit.								
Surface	e Water used to D	rill: No													
							F	I. (Other)			CBL RE	QUIRED			
PIT 1 INFOR	MATION							Cate	gory of Pit:	2					
Type of Pit System: ON SITE							Liner not required for Category: 2								
Type of Mud System: WATER BASED							Pit Location is: BED AQUIFER								
Chlorides Max: 5000 Average: 3000						Pit Location Formation: PURCELL									
Is depth to top of ground water greater than 10ft below base of pit? Y															
Within 1 mile of municipal water well? N															
Wellhead Protection Area? N															
Pit <u>is</u> located in a Hydrologically Sensitive Area.															

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when

Category	Description
ALTERNATE CASING	[6/20/2022 - GC2] - APPROVED; COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)
HYDRAULIC FRACTURING	[6/20/2022 - GC2] - OCC 165:10-3-10 REQUIRES:  1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;  2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,  3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING	[6/22/2022 - G56] - PRMN UNSPACED; 55-ACRE LEASE (E2 E2 NE4, E2 W2 NE4 NE4, E2 NW4 SE4 NE4)

## WELL LOCATION George Harmon 2

## Section 27, Township 1S, Range 5W I.M.

Stephens County, Oklahoma SURFACE LOCATION: 1155' FSL 2475' FWL LAT: 34.44480 ELEVATION: 1122' LONG. -97.70270

 QUARTER SECTION LINE
SECTION LINE

Operator: WILD OUTDOORS OIL LLC

Operator # 23948