

API NUMBER: 051 24795

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 09/04/2020
Expiration Date: 03/04/2022

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 14 Township: 9N Range: 5W County: GRADY

SPOT LOCATION: ☐ SE ☐ NE ☐ NE ☐ NW FEET FROM QUARTER: FROM NORTH FROM WEST
SECTION LINES: 455 2325

Lease Name: BRIDGE CREEK Well No: 2H-11-2 Well will be 455 feet from nearest unit or lease boundary.
Operator Name: CITIZEN ENERGY III LLC Telephone: 9189494680 OTC/OCC Number: 24120 0

CITIZEN ENERGY III LLC
320 S BOSTON AVE STE 900
TULSA, OK 74103-3729

WAYNE GEORGE COLLINS
2434 HILL ROAD
OKLAHOMA CITY OK 73170

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	9500

Spacing Orders: 436300
656206

Location Exception Orders: No Exceptions

Increased Density Orders: No Density Orders

Pending CD Numbers: 202001484
202001486
202001488
202001489

Special Orders: No Special Orders

Total Depth: 20067

Ground Elevation: 1296

Surface Casing: 380

Depth to base of Treatable Water-Bearing FM: 330

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 20-37263

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1

Section: 2	Township: 9N	Range: 5W	Total Length: 10244
County: GRADY			Measured Total Depth: 20067
Spot Location of End Point: NE	NE	NE	True Vertical Depth: 9550
Feet From: NORTH	1/4 Section Line: 165		End Point Location from
Feet From: WEST	1/4 Section Line: 2320		Lease, Unit, or Property Line: 165

NOTES:

Category	Description
HYDRAULIC FRACTURING	9/1/2020 - GC2 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
MEMO	9/1/2020 - GC2 - CLOSED SYSTEM=STEEL PITS (REQUIRED-COUNTRY MHP), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202001484	9/3/2020 - G56 - (E.O.) 2 & 11-9N-5W EST MULTIUNIT HORIZONTAL WELL X436300 MSSP 2-9N-5W X656206 MSSP 11-9N-5W 50% 2-9N-5W 50% 11-9N-5W CITIZEN ENERGY III, LLC REC 9/1/2020 (MOORE)
PENDING CD - 202001486	9/3/2020 - G56 - (E.O.) 2 & 11-9N-5W X436300 MSSP 2-9N-5W X656206 MSSP 11-9N-5W COMPL INT (2-9N-5W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL COMPL INT (11-9N-5W) NCT 165' FSL, NCT 0' FNL, NCT 1320' FWL CITIZEN ENERGY III, LLC REC 9/1/2020 (MOORE)
PENDING CD - 202001488	9/3/2020 - G56 - (E.O.) 2-9N-5W X436300 MSSP 2 WELLS CITIZEN ENERGY III, LLC REC 9/1/2020 (MOORE)
PENDING CD - 202001489	9/3/2020 - G56 - (E.O.) 11-9N-5W X656206 MSSP 2 WELLS CITIZEN ENERGY III, LLC REC 9/1/2020 (MOORE)
PUBLIC WATER SUPPLY	9/1/2020 - GC2 - COUNTRY MHP - 1 PWS/WPA, NE/4 14-9N-5W - NO DSC
SPACING - 436300	9/3/2020 - G56 - (640) 2-9N-5W EXT OTHERS EXT 419948 MSSP, OTHER
SPACING - 656206	9/3/2020 - G56 - (640)(HOR) 11-9N-5W EST MSSP COMPL INT NLT 660' FB (COEXIST WITH SP # 414572 MYES)



Well Location Plat

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: BRIDGE CREEK 2H-11-2
Surface Hole Location: 455' FNL - 2325' FWL Gr. Elevation: 1296'
SE/4-NE/4-NE/4-NW/4 Section: 14 Township: 9N Range: 5W I.M.
Bottom Hole Location: 165' FNL - 2970' FEL (2320' FWL)
NE/4-NE/4-NE/4-NW/4 Section: 2 Township: 9N Range: 5W I.M.
County: Grady State of Oklahoma
Terrain at Loc.: Location fell in an open field on a gradually sloping hill.

S.H.L. Sec. 14-9N-5W I.M.
B.H.L. Sec. 2-9N-5W I.M.



All bearings shown
are grid bearings.



1" = 1500'

GPS DATUM

NAD 83

NAD 27

OK SOUTH ZONE

Surface Hole Loc.:

Lat: 35°15'38.42"N

Lon: 97°41'54.38"W

Lat: 35.26067140

Lon: -97.69843763

X: 2058531

Y: 701558

Surface Hole Loc.:

Lat: 35°15'38.19"N

Lon: 97°41'53.23"W

Lat: 35.26060792

Lon: -97.69811922

X: 2090129

Y: 701515

Landing Point:

Lat: 35°15'44.55"N

Lon: 97°41'54.60"W

Lat: 35.26237447

Lon: -97.69849886

X: 2058512

Y: 701848

Landing Point:

Lat: 35°15'44.32"N

Lon: 97°41'53.45"W

Lat: 35.26231104

Lon: 97.69818043

X: 2090108

Y: 702135

Bottom Hole Loc.:

Lat: 35°17'25.86"N

Lon: 97°41'54.50"W

Lat: 35.29051798

Lon: -97.69847335

X: 2058488

Y: 712422

Bottom Hole Loc.:

Lat: 35°17'25.64"N

Lon: 97°41'53.36"W


Lat: 35.29045542

Lon: -97.69815467

X: 2090085

Y: 712379

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereon, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.



Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2022


Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

08/10/2020

OK LPLS 1664



Invoice #8965-A

Date Staked: 01/13/2020 By: S.O.

Date Drawn: 08/07/2020 By: S.S.




Well Location Plat

S.H.L. Sec. 14-9N-5W I.M.
B.H.L. Sec. 2-9N-5W I.M.

Operator: CITIZEN ENERGY, LLC
Lease Name and No.: BRIDGE CREEK 2H-11-2
Surface Hole Location: 455' FNL - 2325' FWL Gr. Elevation: 1296'
SE/4-NE/4-NE/4-NW/4 Section: 14 Township: 9N Range: 5W I.M.
Bottom Hole Location: 165' FNL - 2970' FEL (2320' FWL)
NE/4-NE/4-NE/4-NW/4 Section: 2 Township: 9N Range: 5W I.M.
County: Grady State of Oklahoma
Terrain at Loc.: Location fell in an open field on a gradually sloping hill.



All bearings shown
are grid bearings.



GPS DATUM

NAD 83

NAD 27

OK SOUTH ZONE

Surface Hole Loc.:

Lat: 35°15'38.42"N

Lon: 97°41'54.38"W

Lat: 35.26067140

Lon: -97.69843763

X: 2058531

Y: 701558

Surface Hole Loc.:

Lat: 35°15'38.19"N

Lon: 97°41'53.23"W

Lat: 35.26060792

Lon: -97.69811922

X: 2090129

Y: 701515

Landing Point:

Lat: 35°15'44.55"N

Lon: 97°41'54.60"W

Lat: 35.26237447

Lon: -97.69849886

X: 2058512

Y: 701848

Landing Point:

Lat: 35°15'44.32"N

Lon: 97°41'53.45"W

Lat: 35.26231104

Lon: 97.69818043

X: 2090108

Y: 702135

Bottom Hole Loc.:

Lat: 35°17'25.86"N

Lon: 97°41'54.50"W

Lat: 35.29051798

Lon: -97.69847335

X: 2058488

Y: 712422

Bottom Hole Loc.:

Lat: 35°17'25.64"N

Lon: 97°41'53.36"W

Lat: 35.29045542

Lon: -97.69815467

X: 2090085

Y: 712379

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. -Quarter Section distances may be assumed from a government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereon, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

X:2056167
Y:712577
X:2087765
Y:712534

X:2061458
Y:712601
X:2093055
Y:712558

X:2056186
Y:707292
X:2087783
Y:707249

X:2061470
Y:707312
X:2093067
Y:707269

X:2056204
Y:702004
X:2087802
Y:701961

X:2061482
Y:702024
X:2093079
Y:701981

X:2056225
Y:696697
X:2087822
Y:696654

X:2061488
Y:696711
X:2093085
Y:696668

Survey and plat by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2022


Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

08/10/2020

OK LPLS 1664



Invoice #8965-A
Date Staked: 01/13/2020 By: S.O.
Date Drawn: 08/07/2020 By: S.S.



Anti-Collision

Sec. 14-9N-5W I.M.

CITIZENENERGY™

Operator: CITIZEN ENERGY, LLC

Lease Name and No.: BRIDGE CREEK 2H-11-2

Surface Hole Location: 455' FNL - 2325' FWL

Sec. 14 Twp. 9N Rng. 5W I.M.



Landing Point: 165' FSL - 2970' FEL (2307' FWL)

Sec. 11 Twp. 9N Rng. 5W I.M.

Bottom Hole Location: 165' FNL - 2970' FEL (2320' FWL)

Sec. 2 Twp. 9N Rng. 5W I.M.

County: Grady State of Oklahoma






Topographic Vicinity Map



Operator: CITIZEN ENERGY, LLC
Lease Name and No.: BRIDGE CREEK 2H-11-2
Surface Hole Location: 455' FNL - 2325' FWL
Sec. 14 Twp. 9N Rng. 5W I.M.
Landing Point: 165' FSL - 2970' FEL (2307' FWL)
Sec. 11 Twp. 9N Rng. 5W I.M.
Bottom Hole Location: 165' FNL - 2970' FEL (2320' FWL)
Sec. 2 Twp. 9N Rng. 5W I.M.
County: Grady State of Oklahoma
Ground Elevation at Surface Hole Location: 1296'

Scale 1" = 2000'
Contour Interval: 10'



Provided by:
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348
Expires June 30, 2022

Date Staked: 01/13/2020

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

CITIZENENERGY

Directions: From the junction of State Highway 4 & "Sooner Rd." in the town of Bridge Creek, OK. Go 2.0 miles North on State Highway 4 to the junction of "Tecumseh Rd." and State Highway 4, then go East along "Tecumseh Rd." 1.5 miles to the Northwest Quarter of Section 14-9N-5W on the South Side of the Road.

provided by,
Arkoma Surveying and Mapping, PLLC
P.O. Box 238 Wilburton, OK 74578
Ph. 918-465-5711 Fax 918-465-5030
Certificate of Authorization No. 5348
Expires June 30, 2020

34	35	36	31	32	33	34	35
3	2	1	6	5	4	3	2
10	11	12	7	8	9	10	11
15	14	13	18	17	16	15	14
22	23	24	19	20	21	22	23
27	26	25	30	29	28	27	26

