API NUMBER: 073 26511

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/21/2019
Expiration Date: 09/21/2020

Horizontal Hole

Multi Unit

PERMIT TO DRILL

WELL LOCATION:	Sec:	05	Twp:	15N	Rge:	8W	County:	KINGFISHER
							,-	

SPOT LOCATION: NW NE NE NW FEET FROM QUARTER: FROM NORTH FROM WEST SECTION LINES: 240 2250

Lease Name: BREDEL FIU 1508 Well No: 6H-5X Well will be 240 feet from nearest unit or lease boundary.

Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2812105100; 9188781 OTC/OCC Number: 20944 0

Name:

NEWFIELD EXPLORATION MID-CON INC 4 WATERWAY SQUARE PL STE 100

THE WOODLANDS, TX 77380-2764

MICHAEL A. HIMES 25885 NORTH 2760 ROAD

KINGFISHER OK 73750

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 8825 1 6 2 7 3 8 4 9 5 10 608292 Spacing Orders: Location Exception Orders: 691324 Increased Density Orders: 689315 692666 689316 691326

Pending CD Numbers: 201901844 Special Orders:

Total Depth: 19313 Ground Elevation: 1163 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 70

Under Federal Jurisdiction: Yes Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 08 Twp 15N Rge 8W County KINGFISHER

Spot Location of End Point: SE SE SW SW
Feet From: SOUTH 1/4 Section Line: 85
Feet From: WEST 1/4 Section Line: 1123

Depth of Deviation: 8222 Radius of Turn: 573 Direction: 190

Total Length: 10191

Measured Total Depth: 19313

True Vertical Depth: 9183

End Point Location from Lease,
Unit, or Property Line: 85

 Additional Surface Owner
 Address
 City, State, Zip

 JANET C. HIMES
 25885 N. 2760 ROAD
 KINGFISHER, OK 73750

Notes:

Category Description

DEEP SURFACE CASING 1/16/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

EXCEPTION TO RULE - 691326 2/25/2019 - G75 - (I.O.) 5 & 8-15N-8W

X165:10-3-28(C)(2)(B) MSSP (BREDEL FIU 1508 6H-5X)

MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS

NEWFIELD EXPLOR. MID-CONT. INC.

2-13-2019

HYDRAULIC FRACTURING 1/16/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

Category Description

INCREASED DENSITY - 689315 2/25/2019 - G75 - 5-15N-8W

X608292 MSSP

6 WELLS

NEWFIELD EXPLOR. MID-CONT. INC.

1-7-2019

INCREASED DENSITY - 689316 2/25/2019 - G75 - 8-15N-8W

X608292 MSSP

6 WELLS

NEWFIELD EXPLOR. MID-CONT. INC.

1-7-2019

INTERMEDIATE CASING 1/16/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

LOCATION EXCEPTION - 691324 2/25/2019 - G75 - (I.O.) 5 & 8-15N-8W

X608292 MSSP

COMPL. INT. (5-15N-8W) NCT 165' FNL, NCT 0' FSL, NCT 660' FWL COMPL. INT. (8-15N-8W) NCT 0' FNL, NCT 165' FSL, NCT 660' FWL

NEWFIELD EXPLOR. MID-CONT. INC.

2-13-2019

MEMO 1/16/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM,

WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 (ORDER

#587498); PIT 2 - OBM TO VENDOR

PENDING CD - 201901844 3/20/2019 - G75 - MODIFY 608292 TO COEXIST SP. ORDER # 91355 MISS E2 NW4 5-15N-8W

HEARING 4-9-2019 (OK'D PER MCCOY)

SPACING - 608292 2/25/2019 - G75 - (640)(HOR) 5 & 8-15N-8W

VAC 91355 MNNG, MISS W2 NW4, SW4, E2 5-15N-8W

VAC 91355 MISS E2 NW4 5-15N-8W **

VAC 91355 MNNG, MISS E2 W2, E2 8-15N-8W

EST MSSP, OTHER

POE TO BHL NCT 660' FB

(COEXIST SP. ORDER # 91355 MNNG E2 NW4 5-15N-8W; ORDER # 91355 MNNG, MISS W2 W2 8

-15N-8W)

** S/B COEXIST 91355 MISS E2 NW4 5-15N-8W; CORRECTED BY CD # 201901844

SPACING - 692666 3/21/2019 - G75 - (I.O.) 5 & 8-15N-8W

EST MULTIUNIT HORÍZONTAL WELL

X608292 MSSP 50% 5-15N-8W 50% 8-15N-8W

NEWFIELD EXPLOR, MID-CONT, INC.

3-11-2019

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
S WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certification No. 1293 LS _ County, Oklahoma o <u>15N</u> Range <u>8W</u>I.M. KINGFISHER API 073-26511 240'FNL-2250'FWL Section Township N 86'23'20" W 1129.08' S 89'47'54" W PERMIT PLAT +/ 54" W 2633.54' Township T16N-R8W *Line* ← S 89'47'51" W -2633.53 240' T15N-R8W NAD-27 X 1977947.04 Y 295705.55 NAD-27 2250' NAD-27 X 1975313.52 Y 295696.27 X 1980580.56 Y 295714.86 LANDING-NAD-83 X 1946348.17 Y 295729.28 NAD-83 X 1948981.74 Y 295738.59 POINT 383 0GR4A 0-N-0 NAD-83 X 1943714.72 Y 295720.05 LOT 4 LOT 3 LOT 2 1 OT 1 00'01'50" 2580.76' .63 00'34'12" 2358' GRID OK NORTH U.S. FEET 2621. l° HARDLINE 1000 S/2-NW/4 S/2-NE/4 NOTES: The information shown herein is for construction purposes ONLY Section 5 is not within a flood 5 NAD-27 X 1975312.14 Y 293115.52 NAD-83 X 1943713.27 Y 293139.25 LANDING POINT 165'FNL-1123'FWL NAD-27 35'48'42.7" N 98'04'46.1" W 35.811865' N 98.079472' W X 1976436 Y 295535 NAD-83 zone.
All bearings shown are Grid,
NAD-27, Oklahoma North.
Landing Point, Last Take Point,
Bottom Hole and Drill Path
information provided by client
listed, not surveyed. 1980554.47 293093.35 NAD-83 X 1948955.69 Y 293117.09 Y 295535 <u>NAD</u>-83 35'48'42.9" 98'04'47.3" 35.811910' 98.079805' X 1944838 Y 295559 SURFACE LOCATION 2643.52 DATUM:_ N 00.38'40" NAD-27 54 35'48'42.0" LAT: N LONG: 98°04'32.4" W NAD-27 X 1977923.89 Y 290461.25 35.811672° N NAD-27 X 1975301.18 Y 290472.02 LAT: X 1980524.74 Y 290448.98 NAD-83 X 1948925.99 Y 290472.71 LONG: 98.075671° W NAD-83 STATE PLANE NAD-83 X 1943702.34 Y 290495.75 1946325.10 290484.98 COORDINATES: (US Feet) ZONE: OK NORTH S 89'45'53" E S 89'43'47" E 1977563 2622.73 2600.88 295464 DATUM: NAD-83 LAST TAKE POINT 165'FSL-1123'FWL NAD-27 35'47'01.9" N 98'04'46.3" W 35.783867' N 98.079537' W X 1976409 Y 285344 NAD-83 35'47'02.1" N 98'04'47.5" W 35.783913' N 98.079870' W X 1944810 00'09'21" 10191.38 35'48'42.2" N I AT: LONG: 98'04'33.6" W LAT: 35.811718° N LONG: 98.076005° W S STATE PLANE COORDINATES: (US Feet) ZONE: OK NORTH 00.11'49" ,6 2638.7 1945964 .00 295488 1944810 285368 This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy. **CERTIFICATE:** 8 I, <u>Thomas L. Howell</u> an Oklahoma BOTTOM HOLE 85'FSL-1123'FWL NAD-27 35'47'01.1" N 98'04'46.3" W 35.783647' N 98.079538' W X 1976408 Y 285264 NAD-83 35'47'01.3" N 98'04'47.5" W 35.783693' N 98.079871' W X 1944810 Y 285288 Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein. <u>NAD-27</u> X 1975293.15 Y 287826.60 X 1980533.8 Y 287810.20 NAD-83 NAD-83 1943694 35 X 1948935. Y 287833.9 1948935.10 Thomw 1. Nhuse, 287850.33 14 Waressional Oklahoma Lic. No. 2645.40" 76 00'11'25' 9 2639. 1001 CENSED LAST TAKE POINT THOMAS L NAD-27 X 1977913.93 Y 285175.75 NAD-83 X 1946315.21 Y 285199.48 NAD-27 X 1980542.57 Y 285170.46 NAD-83 HOWELL 1433 S 00'10'19" W 80.00" BOTTOM 10-25-18 1948943.84 285194.16 OKLAHOMA "LAHOMA S 89'52'51" E - 2628.72' S 89'52'58" E - 2628.68' NAD-27 1975285.22 285181.22 Date of Drawing: October 25, 2018 Operator: NEWFIELD EXPLORATION Y 285204.93 Invoice # 300574A Date Staked: October 3, 2018 Lease Name: BREDEL FIU 1508 Well No.: 6H-5X **ELEVATION:** Topography & Vegetation __ Location fell in wheat field. 1163' Gr. at Stake (NGVD Reference Stakes or Alternate Location Yes Stakes Set None Good Drill Site? _ From North off county road Best Accessibility to Location ____ Distance & Direction From Okarche, Oklahoma, go ±5 miles West, then ±6 miles North to the Northeast Corner of from Hwy Jct or Town Section 5, T15N-R8W