

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 073 26509

Approval Date: 03/21/2019

Expiration Date: 09/21/2020

Horizontal Hole
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 05 Twp: 15N Rge: 8W County: KINGFISHER

SPOT LOCATION: ☐ NE ☐ NW ☐ NW ☐ NE FEET FROM QUARTER: FROM NORTH FROM EAST

SECTION LINES: 240 2120

Lease Name: BREDEL FED 1508 Well No: 4H-5X Well will be 240 feet from nearest unit or lease boundary.

Operator Name: NEWFIELD EXPLORATION MID-CON INC

Telephone: 2812105100; 9188781

OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC
4 WATERWAY SQUARE PL STE 100
THE WOODLANDS, TX 77380-2764

RED LAND FARMS, LLC
2207 HUNTLEIGH ROAD
SPRINGFIELD IL 62704

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 MISSISSIPPIAN	8804	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 608292
692664

Location Exception Orders: 691322
691326

Increased Density Orders: 689315
689316

Pending CD Numbers: 201901844

Special Orders:

Total Depth: 19397

Ground Elevation: 1161

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 70

Under Federal Jurisdiction: Yes

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

Is depth to top of ground water greater than 10ft below base of pit? Y

H. SEE MEMO

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 08 Twp 15N Rge 8W County KINGFISHER

Spot Location of End Point: SW SW SW SE

Feet From: SOUTH 1/4 Section Line: 85

Feet From: EAST 1/4 Section Line: 2610

Depth of Deviation: 8297

Radius of Turn: 573

Direction: 181

Total Length: 10200

Measured Total Depth: 19397

True Vertical Depth: 9341

End Point Location from Lease,
Unit, or Property Line: 85

Notes:

Category

Description

DEEP SURFACE CASING

1/16/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING

EXCEPTION TO RULE - 691326

2/25/2019 - G75 - (I.O.) 5 & 8-15N-8W
X165:10-3-28(C)(2)(B) MSSP (BREDEL FIU 1508 4H-5X) **
MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS
NEWFIELD EXPLOR. MID-CONT. INC.
2-13-2019

** S/B BREDEL FED 1508 4H-5X; TO BE CORRECTED AT HEARING FOR FINAL ORDER PER ATTORNEY FOR OPERATOR

HYDRAULIC FRACTURING

1/16/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:
OCCWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

073 26509 BREDEL FED 1508 4H-5X

Category	Description
INCREASED DENSITY - 689315	2/25/2019 - G75 - 5-15N-8W X608292 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 1-7-2019
INCREASED DENSITY - 689316	2/25/2019 - G75 - 8-15N-8W X608292 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 1-7-2019
INTERMEDIATE CASING	1/16/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 691322	2/25/2019 - G75 - (I.O.) 5 & 8-15N-8W X608292 MSSP COMPL. INT. (5-15N-8W) NCT 165' FNL, NCT 0' FSL, NCT 1980' FWL COMPL. INT. (8-15N-8W) NCT 0' FNL, NCT 165' FSL, NCT 1980' FWL NEWFIELD EXPLOR. MID-CONT. INC. 2-13-2019
MEMO	1/16/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM, WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 (ORDER #587498); PIT 2 - OBM TO VENDOR
PENDING CD - 201901844	3/20/2019 - G75 - MODIFY 608292 TO COEXIST SP. ORDER # 91355 MISS E2 NW4 5-15N-8W HEARING 4-9-2019 (OK'D PER MCCOY)
SPACING - 608292	2/25/2019 - G75 - (640)(HOR) 5 & 8-15N-8W VAC 91355 MNNG, MISS W2 NW4, SW4, E2 5-15N-8W VAC 91355 MISS E2 NW4 5-15N-8W ** VAC 91355 MNNG, MISS E2 W2, E2 8-15N-8W EST MSSP, OTHER POE TO BHL NCT 660' FB (COEXIST SP. ORDER # 91355 MNNG E2 NW4 5-15N-8W; ORDER # 91355 MNNG, MISS W2 W2 8-15N-8W)
SPACING - 692664	** S/B COEXIST 91355 MISS E2 NW4 5-15N-8W; CORRECTED BY CD # 201901844 3/21/2019 - G75 - (I.O.) 5 & 8-15N-8W EST MULTIUNIT HORIZONTAL WELL X608292 MSSP 50% 5-15N-8W 50% 8-15N-8W NEWFIELD EXPLOR. MID-CONT. INC. 3-11-2019

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

API 073-26509

KINGFISHER

County, Oklahoma

240'FNL-2120'FEL



Section 5

Township 15N

Range 8W

I.M.

PERMIT PLAT



NOTES:

- The information shown herein is for construction purposes ONLY.
- Section 5 is not within a flood zone.
- All bearings shown are Grid, NAD-27, Oklahoma North.
- Landing Point, Last Take Point, Bottom Hole and Drill Path information provided by client listed, not surveyed.

SURFACE LOCATION

DATUM: NAD-27
LAT: 35°48'42.1" N
LONG: 98°04'21.6" W
LAT: 35.811682° N
LONG: 98.072653° W
STATE PLANE
COORDINATES: (US Feet)
ZONE: OK NORTH
X: 1978458
Y: 295467

DATUM: NAD-83
LAT: 35°48'42.2" N
LONG: 98°04'22.8" W
LAT: 35.811728° N
LONG: 98.072986° W
STATE PLANE
COORDINATES: (US Feet)
ZONE: OK NORTH
X: 1946859
Y: 295491

This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy.

CERTIFICATE:

I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein.

Thomas L. Howell
Oklahoma Lic. No. 1433



Operator: NEWFIELD EXPLORATION
Lease Name: BREDEL FED 1508
Topography & Vegetation: Location fell in wheat field.

Good Drill Site? Yes Reference Stakes or Alternate Location Stakes Set None

Best Accessibility to Location: From North off county road
Distance & Direction: From Hwy Jct or Town: From Okarche, Oklahoma, go ±5 miles West, then ±6 miles North to the Northeast Corner of Section 5, T15N-R8W.

Invoice # 300573B

Date of Drawing: October 25, 2018

Date Staked: August 23, 2018

Well No.: 4H-5X

NB

ELEVATION:

1161' Gr. at Stake (NGVD 29)