API NUMBER: 017 25541

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	10/09/2019
Expiration Date:	04/09/2021

## PERMIT TO DRILL

WELL LOCATION:	Sec:	02	Twp:	11N	Rge:	6W	County:	CANADIAN
		$\neg \vdash$	$\neg \neg$	$\overline{}$		$\neg$		

SPOT LOCATION: SW SE SW FEET FROM QUARTER: FROM SOUTH FROM WEST SECTION LINES: 261 1625

Lease Name: KILIMANJARO 1106 Well No: 3LMH-2 Well will be 261 feet from nearest unit or lease boundary.

Operator CHAPARRAL ENERGY LLC Telephone: 4054788770; 4054264 OTC/OCC Number: 16896 0

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY, OK 73114-7800

ERNEST R. MACH

780 BAY AREA BLVD, #2133

WEBSTER TX 77598

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth		Name	D	epth
1	MISSISSIPPIAN	8752	6			
2			7			
3			8			
4			9			
5			10			
Spacing Orders:	668111	Location Exception Orders:	702338		Increased Density Orders:	701433

Pending CD Numbers: Special Orders:

Total Depth: 13750 Ground Elevation: 1329 Surface Casing: 1170 Depth to base of Treatable Water-Bearing FM: 920

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36959
Chlorides Max: 5000 Average: 3000 H. SEE MEMO

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit **is** located in a Hydrologically Sensitive Area.

Category of Pit: C

Sp

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

## **HORIZONTAL HOLE 1**

Sec 02 Twp 11N Rge 6W County CANADIAN

Spot Location of End Point: N2 NE NW NW Feet From: NORTH 1/4 Section Line: 150
Feet From: WEST 1/4 Section Line: 990

Depth of Deviation: 7775
Radius of Turn: 600
Direction: 358

Total Length: 5032

Measured Total Depth: 13750

True Vertical Depth: 8920

End Point Location from Lease,
Unit, or Property Line: 150

 Additional Surface Owner
 Address
 City, State, Zip

 KENNETH M. MACH
 3605 FRISCO
 YUKON, OK 73099

Notes:

Category Description

HYDRAULIC FRACTURING 9/12/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 701433 10/9/2019 - GB1 - 2-11N-6W

X668111 MSSP

4 WELLS

CHAPARRAL ENERGY, LLC

8/28/2019

LOCATION EXCEPTION - 702338 10/9/2019 - GB1 - (I.O.) 2-11N-6W

X668111 MSSP

X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO CHARLIE 2-1

COMPL. INT. NCT 150' FNL, NCT 150' FSL, NCT 330' FWL

CHAPARRAL ENERGY, LLC

9/17/2019

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25541 KILIMANJARO 1106 3LMH-2

MEMO

**SPACING - 668111** 

9/12/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - SHELL CREEK), PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

10/9/2019 - GB1 - (640)(HOR) 2-11N-6W

EST MSSP, OTHERS COMPL. INT. NCT 660' FB

(COEXIST WITH SP. ORDER 151640 MSSLM NE4, 158261 MSSLM NW4, 165480 MSSLM SW4,  $\,$ 

209012 MSSLM SE4)

EXHIBIT: B SHEET: 11x17  KILIMANJARO 1106 3LMH-2  Section 2 Township 11N Range C County CANADIAN State Of Operator Chaparral Energy								
	WELL LOCATION PLAT							
	26	41'	264	0'				
2711'	X: 2024154.95 Y: 169116.33 X: 2055752.45 Y: 169091.75	Y: X:		X: 2029436.15 Y: 16916.29 X: 2061033.64 Y: 169093.65 Y: 169093.65	2689,			
2638'	X: 2024155.46 Y: 186405.53 X: 2055752.95 Y: 166380.93	165' FSL P 990' FWL Y: 163934.86' X: 2025143.07' LAT: N035.450192' LONG: W097.809 Y: 163910.23' X: 2056740.55' LAT: N035.450136' LONG: W097.809  KILIMANJARO ELEVATION	832° 510° 1106 3LMH-2 : 1328.61	X: 2029437.98 Y: 168429.54 X: 2061035.47 Y: 166404.89	2646'			
Su	ease note that this location was staked or prveyor, but the accuracy of this survey consistency is determined. GPS data is	Y	K: 2025778.29* CNG: W097.807699* K: 2057375.77* CNG: W097.807376*  2026797.19 163774.32 : 2058394.67 : 163749.68	ST CORY D.				
Bo	undary Survey. Quarter Section distance	es may be assumed from a Government Survey P on corners, or occupation thereof, and may not he	lat or assumed at a live been measured CERTIFICATE I, Cory D. Culpe	pper an Oklahoma Licensed Land Surve t of Pan-Op, LLC, do hereby certify to ti vn herein. 9/9/2019	eyor and an he			