API NUMBER: 015 23337 A	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)		Approval Date: 04/04/2023 Expiration Date: 10/04/2024
raight Hole Disposal			
nend reason: CHANGING TYPE OF WELL	AMEND PERM	<u>IIT TO DRILL</u>	
WELL LOCATION: Section: 08 Township: 111	N Range: 12W County: CA	DDO	
SPOT LOCATION: NE SW SE SE	FEET FROM QUARTER: FROM SOUTH	ROM EAST	
	SECTION LINES: 418	917	
Lease Name: ALAMEDA 1112	Well No: 1-8	Well w	ill be 418 feet from nearest unit or lease boundary.
Operator Name: BLAKE PRODUCTION COMPANY INC	Telephone: 4052869800)	OTC/OCC Number: 18119 0
BLAKE PRODUCTION COMPANY INC		TERRELL COFFEY	
1601 NW EXPRESSWAY STE 777		PO BOX 10	
OKLAHOMA CITY, OK 73	3118-1446	HINTON	OK 73047
Name Code 1 PENNSYLVANIAN 409PSLV Spacing Orders: No Spacing	Depth 4946 Location Exception Orders:	No Exceptions	Increased Density Orders: No Density
			Special Orders: No Special
Pending CD Numbers: No Pending	Working interest owners'	notified: DNA	
Total Depth: 6700 Ground Elevation: 1626	Surface Casing: 1	985	Depth to base of Treatable Water-Bearing FM: 360
			Deep surface casing has been approved
Under Federal Jurisdiction: No		Approved Method for disposal of	f Drilling Fluids:
Fresh Water Supply Well Drilled: No		D. One time land application (RI	EQUIRES PERMIT) PERMIT NO: 23-38962
Surface Water used to Drill: Yes		H. (Other)	SEE MEMO
PIT 1 INFORMATION		Category of Pit: C	
Type of Pit System: CLOSED Closed System M	eans Steel Pits	Liner not required for Category	: C
Type of Mud System: WATER BASED		Pit Location is: B	
		Pit Location Formation: R	USH SPRINGS
Chlorides Max: 8000 Average: 5000			
Is depth to top of ground water greater than 10ft below	v base of pit? Y		
Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N	v base of pit? Y		
Is depth to top of ground water greater than 10ft below	v base of pit? Y		

NOTES:

Category	Description
DEEP SURFACE CASING	[3/28/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/28/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	 NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND.
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[3/28/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING	[5/11/2023 - GC2] - N/A - DISPOSAL WELL