

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 051 24730

Approval Date: 10/23/2019

Expiration Date: 04/23/2021

Horizontal Hole
Multi Unit
Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 16 Twp: 7N Rge: 5W

County: GRADY

SPOT LOCATION: ☐ NW ☐ SE ☐ SE ☐ NW

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 2200 1985

Lease Name: EMERY

Well No: 3-16-9XHW

Well will be 1985 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

DUSTY & KELLY RICKS REV TRUST
PO BOX 933
BLANCHARD OK 73010

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 WOODFORD	11489	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 644200
653269

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201904912
201904913
201904916
201904917

Special Orders:

Total Depth: 20205

Ground Elevation: 1209

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 360

Deep surface casing has been approved

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36753

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 09 Twp 7N Rge 5W County GRADY

Spot Location of End Point: NW NE NE NW

Feet From: NORTH 1/4 Section Line: 50

Feet From: WEST 1/4 Section Line: 2090

Depth of Deviation: 11053

Radius of Turn: 488

Direction: 5

Total Length: 8386

Measured Total Depth: 20205

True Vertical Depth: 11489

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category

Description

DEEP SURFACE CASING

10/15/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

10/15/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO

10/15/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - WINTER CREEK WATERSHED), PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201904912

10/21/2019 - GC2 - 16-7N-5W
X644200 WDFD
6 WELLS
NO OP. NAMED
REC. 10-21-2019 (P. PORTER)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

051 24730 EMERY 3-16-9XHW

PENDING CD - 201904913	10/21/2019 - GC2 - 9-7N-5W X653269 WDFD 3 WELLS NO OP. NAMED REC. 10-21-2019 (P. PORTER)
PENDING CD - 201904916	10/21/2019 - GC2 - (I.O.) 16 & 9-7N-5W EST MULTIUNIT HORIZONTAL WELL X644200 WDFD 16-7N-5W X653269 WDFD 9-7N-5W 33% 16-7N-5W 67% 9-7N-5W CONTINENTAL RESOURCES, INC REC. 10-21-2019 (P. PORTER)
PENDING CD - 201904917	10/21/2019 - GC2 - (I.O.) 16 & 9-7N-5W X644200 WDFD 16-7N-5W X653269 WDFD 9-7N-5W X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED WELL COMPL. INT. (16-7N-5W) NCT 1,320' FSL, NCT 0' FNL, NCT 1,320' FWL COMPL. INT. (9-7N-5W) NCT 0' FSL, NCT 150' FNL, NCT 1,320' FWL CONTINENTAL RESOURCES, INC REC. 10-21-2019 (P. PORTER)
SPACING - 644200	10/21/2019 - GC2 - (640)(HOR) 16-7N-5W EXT (VER) OTHERS EST (VER) OTHERS EST (HOR) WDFD, OTHER VAC OTHERS COMPL. INT. NCT 330' FB
SPACING - 653269	10/21/2019 - GC2 - (640)(HOR) 9-7N-5W EXT 643068 WDFD, OTHERS EXT OTHER COMPL. INT. NCT 165' FNL/FSL, NCT 330' FEL/FWL
WATERSHED STRUCTURE	10/21/2019 - GC2 - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (405) 224-0523 PRIOR TO DRILLING

EXHIBIT: A (1 of 4)
 SHEET: 8.5x11
 SHL: 16-7N-5W
 BHL-E3 9-7N-5W
 BHL-M3 21-7N-5W



COVER SHEET

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 16 Township 7N Range 5W I.M.

Well: EMERY 3-16-9XHW

County GRADY State OK

Well: MILLS 3-16-21XHW

Operator CONTINENTAL RESOURCES, INC.

NAD-83

POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
E3	EMERY 3-16-9XHW	636382	2047939	35° 04' 54.08" -97° 44' 04.17"	35.081689 -97.734491	2200' FNL / 1985' FWL (NW/4 SEC 16)	1207.61'	1209.20'
LP-E3	LANDING POINT	636382	2048044	35° 04' 54.08" -97° 44' 02.90"	35.081689 -97.734139	2200' FNL / 2090' FWL (NW/4 SEC 16)	--	--
BHL-E3	BOTTOM HOLE LOCATION	643812	2048017	35° 06' 07.57" -97° 44' 02.99"	35.102103 -97.734163	50' FNL / 2090' FWL (NW/4 SEC 09)	--	--
M3	MILLS 3-16-21XHW	636352	2047939	35° 04' 53.79" -97° 44' 04.17"	35.081607 -97.734491	2230' FNL / 1985' FWL (NW/4 SEC 16)	1207.76'	1209.20'
LP-M3	LANDING POINT	636351	2047901	35° 04' 53.78" -97° 44' 04.62"	35.081606 -97.734618	2230' FNL / 1947' FWL (NW/4 SEC 16)	--	--
BHL-M3	BOTTOM HOLE LOCATION	628066	2047906	35° 03' 31.84" -97° 44' 04.83"	35.058844 -97.734674	50' FSL / 1947' FWL (SW/4 SEC 21)	--	--
X-1	VIERSEN #1-9	642345	2049867	35° 05' 53.02" -97° 43' 40.78"	35.098060 -97.727995	9-7N-5W: TD: 12,285' 1,520' FNL / 1,341' FEL	--	--
X-2	EMERY #1-9-16XH	643483	2050824	35° 06' 04.24" -97° 43' 29.22"	35.101179 -97.724783	9-7N-5W: TD: 6,759' 385' FNL / 382' FEL	--	--
X-3	MIDDLEBERG SWD #1	640333	2047785	35° 05' 33.17" -97° 44' 05.90"	35.092547 -97.734972	9-7N-5W: TD: 8,050' 1,752' FSL / 1,840' FWL	--	--
X-4	RICKS #7-5-4-1H	642901	2047802	35° 05' 58.57" -97° 44' 05.61"	35.099603 -97.734892	9-7N-5W: TD: 17,012' 960' FNL / 1,870' FWL	--	--
X-5	MILLS #1-21H	628272	2046949	35° 03' 33.90" -97° 44' 16.33"	35.059416 -97.737870	21-7N-5W: TD: 16,400' 255' FSL / 990' FWL	--	--
X-6	STRASSLE #1-28-33XH	628634	2046889	35° 03' 37.48" -97° 44' 17.04"	35.060411 -97.738067	21-7N-5W: TD: 17,873' 617' FSL / 930' FWL	--	--
X-7	EMERY #1R-9-16XH	643450	2050794	35° 06' 03.92" -97° 43' 29.58"	35.101088 -97.724883	9-7N-5W: TD: 21,281' 418' FNL / 412' FEL	--	--

Certificate of Authorization No. 7318

Date Staked: **--**--19
 Date Drawn: 06-18-19



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120

REVISIONS

No.	DATE	BY	DESCRIPTION	COMMENTS
00	06-18-19	TJW	ISSUED FOR APPROVAL	--

EXHIBIT: A (2 of 4)
 SHEET: 8.5x11
 SHL: 16-7N-5W
 BHL-E3 9-7N-5W
 BHL-M3 21-7N-5W



COVER SHEET CONTINUED...

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 16 Township 7N Range 5W I.M. Well: EMERY 3-16-9XHW
 County GRADY State OK Well: MILLS 3-16-21XHW
 Operator CONTINENTAL RESOURCES, INC.

NAD-27								
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
E3	EMERY 3-16-9XHW	636339	2079536	35° 04' 53.84" -97° 44' 03.02"	35.081623 -97.734173	2200' FNL / 1985' FWL (NW/4 SEC 16)	1207.61'	1209.20'
LP-E3	LANDING POINT	636339	2079641	35° 04' 53.84" -97° 44' 01.76"	35.081622 -97.733822	2200' FNL / 2090' FWL (NW/4 SEC 16)	--	--
BHL-E3	BOTTOM HOLE LOCATION	643769	2079614	35° 06' 07.33" -97° 44' 01.84"	35.102037 -97.733846	50' FNL / 2090' FWL (NW/4 SEC 09)	--	--
M3	MILLS 3-16-21XHW	636309	2079536	35° 04' 53.55" -97° 44' 03.03"	35.081540 -97.734174	2230' FNL / 1985' FWL (NW/4 SEC 16)	1207.76'	1209.20'
LP-M3	LANDING POINT	636309	2079498	35° 04' 53.54" -97° 44' 03.48"	35.081540 -97.734300	2230' FNL / 1947' FWL (NW/4 SEC 16)	--	--
BHL-M3	BOTTOM HOLE LOCATION	628024	2079503	35° 03' 31.60" -97° 44' 03.68"	35.058777 -97.734357	50' FSL / 1947' FWL (SW/4 SEC 21)	--	--
X-1	VIERSEN #1-9	642303	2081463	35° 05' 52.78" -97° 43' 39.64"	35.097994 -97.727678	9-7N-5W: TD: 12,285' 1,520' FNL / 1,341' FEL	--	--
X-2	EMERY #1-9-16XH	643441	2082421	35° 06' 04.00" -97° 43' 28.08"	35.101112 -97.724466	9-7N-5W: TD: 6,759' 385' FNL / 382' FEL	--	--
X-3	MIDDLEBERG SWD #1	640291	2079382	35° 05' 32.93" -97° 44' 04.76"	35.092481 -97.734654	9-7N-5W: TD: 8,050' 1,752' FSL / 1,840' FWL	--	--
X-4	RICKS #7-5-4-1H	642859	2079399	35° 05' 58.33" -97° 44' 04.47"	35.099537 -97.734574	9-7N-5W: TD: 17,012' 960' FNL / 1,870' FWL	--	--
X-5	MILLS #1-21H	628230	2078546	35° 03' 33.66" -97° 44' 15.19"	35.059349 -97.737552	21-7N-5W: TD: 16,400' 255' FSL / 990' FWL	--	--
X-6	STRASSLE #1-28-33XH	628592	2078486	35° 03' 37.24" -97° 44' 15.90"	35.060344 -97.737749	21-7N-5W: TD: 17,873' 617' FSL / 930' FWL	--	--
X-7	EMERY #1R-9-16XH	643407	2082391	35° 06' 03.68" -97° 43' 28.44"	35.101022 -97.724566	9-7N-5W: TD: 21,281' 418' FNL / 412' FEL	--	--

Certificate of Authorization No. 7318

Date Staked: **--*-19
 Date Drawn: 06-18-19



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120

CURRENT REV.: 0


EXHIBIT: A (4 of 4)SHEET: 8.5x14SHL: 16-7N-5WBHL-M3 21-7N-5W**PETRO LAND SERVICES SOUTH, LLC**10400 VINEYARD BLVD, SUITE C, OKLA. CITY, OKLA. 73120 * OFFICE (405) 212-3108
Certificate of Authorization No. 7318CONTINENTAL
RESOURCES, INC.
(OPERATOR)

GRADY

County Oklahoma

2230' FNL-1985' FWL Section 16 Township 7N Range 5W I.M.

WELL: MILLS 3-16-21XHW



CURRENT REV.: 0

Date Drawn: 06-18-19

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

CERTIFICATE:

I, RANDALL J. BILYEU an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.

*Randall J. Bilyeu*

Oklahoma PLS No.1196 DATE