

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 051 24669

Approval Date: 07/02/2019

Expiration Date: 01/02/2021

Horizontal Hole
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 21 Twp: 6N Rge: 5W

County: GRADY

SPOT LOCATION:

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 2342 2373

Lease Name: UMBACH

Well No: 5-21-28-33XHW

Well will be 2342 feet from nearest unit or lease boundary.

Operator
Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

DANIEL HALE & JANETTE HALE
11154 200TH ST
LINDSAY OK 73052

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	12018	6	
2	WOODFORD	12609	7	
3	HUNTON	12725	8	
4			9	
5			10	

Spacing Orders: 610650
106361
630983
153801
617568
131103

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201903112
201903113
201903104
201903105
201903106

Special Orders:

Total Depth: 24457

Ground Elevation: 1156

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 360

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36703

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 3000 Average: 2000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 33 Twp 6N Rge 5W County GRADY

Spot Location of End Point: SW NW SW SE

Feet From: SOUTH 1/4 Section Line: 850

Feet From: EAST 1/4 Section Line: 2376

Depth of Deviation: 11011

Radius of Turn: 477

Direction: 175

Total Length: 12696

Measured Total Depth: 24457

True Vertical Depth: 13216

End Point Location from Lease,

Unit, or Property Line: 580

Notes:

Category

Description

DEEP SURFACE CASING

6/13/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

051 24669 UMBACH 5-21-28-33XHW

Category	Description
HYDRAULIC FRACTURING	<p>6/13/2019 - G71 - OCC 165:10-3-10 REQUIRES:</p> <p>1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;</p> <p>2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,</p> <p>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG</p>
MEMO	<p>6/13/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT</p>
PENDING CD - 201903104	<p>6/20/2019 - G58 - 28-6N-5W X610650 WDFD 5 WELLS NO OP. NAMED REC 7/2/2019 (NORRIS)</p>
PENDING CD - 201903105	<p>6/20/2019 - G58 - 33-6N-5W X630983 WDFD 5 WELLS NO OP. NAMED REC 7/2/2019 (NORRIS)</p>
PENDING CD - 201903106	<p>6/20/2019 - G58 - 21-6N-5W X617568 WDFD 4 WELLS NO OP. NAMED REC 7/2/2019 (NORRIS)</p>
PENDING CD - 201903112	<p>6/20/2019 - G58 - (I.O.) 21, 28, & 33-6N-5W EST MULTIUNIT HORIZONTAL WELL X610650 MSSP, WDFD X106361 HNTN X630983 MSSP, WDFD, HNTN X153801 MSSP X617568 WDFD X131103 HNTN (MSSP, HNTN ARE ADJACENT CSS TO WDFD) 19% 21-6N-5W 44% 28-6N-5W 37% 33-6N-5W NO OP. NAMED REC 7/2/2019 (NORRIS)</p>
PENDING CD - 201903113	<p>6/20/2019 - G58 - (I.O.) 21, 28, & 33-6N-5W X610650 MSSP, WDFD X106361 HNTN X630983 MSSP, WDFD, HNTN X153801 MSSP X617568 WDFD X131103 HNTN X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO THE MAY 5-21-16XH WELL COMPL. INT. 21-6N-5W NCT 2640' FNL, NCT 0' FSL, NCT 1320' FEL COMPL. INT. 28-6N-5W NCT 0' FNL, NCT 0' FSL, NCT 1320' FEL COMPL. INT. 33-6N-5W NCT 0' FNL, NCT 150' FSL, NCT 1320' FEL NO OP. NAMED REC 7/2/2019 (NORRIS)</p>
SPACING - 106361	<p>6/20/2019 - G58 - (640) 28 & 33-6N-5W EST HNTN, OTHERS (VAC SEC 33 BY SP. ORDER 315866)</p>
SPACING - 131103	<p>6/20/2019 - G58 - (640) 21-6N-5W EXT 106361 HNTN, OTHERS</p>
SPACING - 153801	<p>6/20/2019 - G58 - (640) 21-6N-5W EXT 147146 MSSP, OTHERS EXT OTHER</p>

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
SPACING - 610650	6/20/2019 - G58 - (640) 28-6N-5W EXT 595406 MSSP, WDFD, OTHERS EXT OTHER EST OTHERS
SPACING - 617568	6/20/2019 - G58 - (640) 21-6N-5W EXT 587940 WDFD, OTHERS
SPACING - 630983	6/20/2019 - G58 - (640)(HOR) 33-6N-5W VAC 315866 HNTN, OTHERS EXT (640) 106361/595406 HNTN, OTHERS EST (640) OTHERS EST (640)(HOR) MSSP, WDFD POE TO BHL (MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

EXHIBIT: A (1 of 3)
SHEET: 8.5x14
SHL: 21-6N-5W
BHL-4 33-6N-5W
BHL-5 33-6N-5W



051-24669

COVER SHEET

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 21 Township 6N Range 5W I.M.

Well: UMBACH 4-21-28-33XHW

County GRADY State OK

Well: UMBACH 5-21-28-33XHW

Operator CONTINENTAL RESOURCES, INC.

NAD-83						EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		
W4	UMBACH 4-21-28-33XHW	599219	2048360	34° 58' 46.50" -97° 44' 00.28"	34.979582 -97.733411	2342' FNL / 2343' FWL (NW/4 SEC 21)	1155.95'
LP-4	LANDING POINT	599218	2048064	34° 58' 46.50" -97° 44' 03.84"	34.979583 -97.734401	2342' FNL / 2046' FWL (NW/4 SEC 21)	--
BHL-4	BOTTOM HOLE LOCATION	586252	2048110	34° 56' 38.24" -97° 44' 03.70"	34.943956 -97.734361	580' FSL / 2046' FWL (SW/4 SEC 33)	--
W5	UMBACH 5-21-28-33XHW	599219	2048390	34° 58' 46.49" -97° 43' 59.92"	34.979582 -97.733310	2342' FNL / 2373' FWL (NW/4 SEC 21)	1155.60'
LP-5	LANDING POINT	599220	2048944	34° 58' 46.49" -97° 43' 53.26"	34.979581 -97.731462	2342' FNL / 2376' FEL (NE/4 SEC 21)	--
BHL-5	BOTTOM HOLE LOCATION	586524	2048979	34° 56' 40.92" -97° 43' 53.25"	34.944699 -97.731460	850' FSL / 2376' FEL (SE/4 SEC 33)	--
X-1	MITCHELL #1-21	600900	2050799	34° 59' 03.06" -97° 43' 30.91"	34.984184 -97.725254	21-6N-5W: TD: 14,050' 668' FNL / 521' FEL	--
X-2	MAY #7-21-16XH	599110	2050927	34° 58' 45.35" -97° 43' 29.43"	34.979263 -97.724843	21-6N-5W: TD: 19,875' 2,459' FNL / 393' FEL	--
X-3	MAY #3-21-16XH	598569	2047717	34° 58' 40.09" -97° 44' 08.03"	34.977802 -97.735563	21-6N-5W: TD: 20,573' 2,310' FSL / 1,700' FWL	--
X-4	MAY #5-21-16XH	598567	2049356	34° 58' 40.02" -97° 43' 48.33"	34.977784 -97.730092	21-6N-5W: TD: 20,475' 2,301' FSL / 1,964' FEL	--
X-5	MAY #2-21H	596506	2046861	34° 58' 19.70" -97° 44' 18.38"	34.972138 -97.738440	21-6N-5W: TD: 17,575' 250' FSL / 845' FWL	--
X-6	MAY #4-21-16XH	598569	2047762	34° 58' 40.09" -97° 44' 07.49"	34.977802 -97.735413	21-6N-5W: TD: 20,542' 2,310' FSL / 1,745' FWL	--
X-7	MAY #6-21-16XH	598567	2049401	34° 58' 40.02" -97° 43' 47.79"	34.977785 -97.729942	21-6N-5W: TD: 20,398' 2,301' FSL / 1,919' FEL	--
X-8	MAY #1-21-16XH	596505	2046816	34° 58' 19.70" -97° 44' 18.93"	34.972138 -97.738590	21-6N-5W: TD: 22,925' 250' FSL / 800' FWL	--
X-9	PIPKIN #1-28H	591359	2046236	34° 57' 28.81" -97° 44' 26.05"	34.958002 -97.740570	28-6N-5W: TD: 17,430' 400' FSL / 200' FWL	--

NAD-27						EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		
W4	UMBACH 4-21-28-33XHW	599177	2079957	34° 58' 46.25" -97° 43' 59.14"	34.979513 -97.733094	2342' FNL / 2343' FWL (NW/4 SEC 21)	1155.95'
LP-4	LANDING POINT	599176	2079660	34° 58' 46.25" -97° 44' 02.71"	34.979514 -97.734085	2342' FNL / 2046' FWL (NW/4 SEC 21)	--
BHL-4	BOTTOM HOLE LOCATION	586210	2079706	34° 56' 37.99" -97° 44' 02.57"	34.943886 -97.734046	580' FSL / 2046' FWL (SW/4 SEC 33)	--
W5	UMBACH 5-21-28-33XHW	599177	2079987	34° 58' 46.25" -97° 43' 58.78"	34.979513 -97.732994	2342' FNL / 2373' FWL (NW/4 SEC 21)	1155.60'
LP-5	LANDING POINT	599178	2080541	34° 58' 46.24" -97° 43' 52.12"	34.979512 -97.731146	2342' FNL / 2376' FEL (NE/4 SEC 21)	--
BHL-5	BOTTOM HOLE LOCATION	586483	2080575	34° 56' 40.67" -97° 43' 52.12"	34.944630 -97.731144	850' FSL / 2376' FEL (SE/4 SEC 33)	--
X-1	MITCHELL #1-21	600858	2082396	34° 59' 02.82" -97° 43' 29.78"	34.984115 -97.724938	21-6N-5W: TD: 14,050' 668' FNL / 521' FEL	--
X-2	MAY #7-21-16XH	599068	2082524	34° 58' 45.10" -97° 43' 28.30"	34.979194 -97.724527	21-6N-5W: TD: 19,875' 2,459' FNL / 393' FEL	--
X-3	MAY #3-21-16XH	598527	2079314	34° 58' 39.84" -97° 44' 06.89"	34.977733 -97.735247	21-6N-5W: TD: 20,573' 2,310' FSL / 1,700' FWL	--
X-4	MAY #5-21-16XH	598525	2080953	34° 58' 39.78" -97° 43' 47.19"	34.977716 -97.729776	21-6N-5W: TD: 20,475' 2,301' FSL / 1,964' FEL	--
X-5	MAY #2-21H	596464	2078457	34° 58' 19.45" -97° 44' 17.25"	34.972070 -97.738124	21-6N-5W: TD: 17,575' 250' FSL / 845' FWL	--
X-6	MAY #4-21-16XH	598528	2079359	34° 58' 39.84" -97° 44' 06.35"	34.977733 -97.735097	21-6N-5W: TD: 20,542' 2,310' FSL / 1,745' FWL	--
X-7	MAY #6-21-16XH	598525	2080998	34° 58' 39.78" -97° 43' 46.65"	34.977716 -97.729626	21-6N-5W: TD: 20,398' 2,301' FSL / 1,919' FEL	--
X-8	MAY #1-21-16XH	596464	2078412	34° 58' 19.45" -97° 44' 17.79"	34.972069 -97.738274	21-6N-5W: TD: 22,925' 250' FSL / 800' FWL	--
X-9	PIPKIN #1-28H	591317	2077833	34° 57' 28.56" -97° 44' 24.91"	34.957933 -97.740254	28-6N-5W: TD: 17,430' 400' FSL / 200' FWL	--

Certificate of Authorization No. 7318

Date Staked: **--**--19
Date Drawn: 6-4-19



Prepared By:
Petro Land Services South
10400 Vineyard Blvd.
Suite C
Oklahoma City, OK 73120

REVISIONS

No.	DATE	BY	DESCRIPTION	COMMENTS
00	6-4-19	TJW	ISSUED FOR APPROVAL	--

EXHIBIT: A (3 of 3)
SHEET: 8.5x14
SHL: 21-6N-5W
BHL-5 33-6N-5W

PETRO LAND SERVICES SOUTH, LLC

10400 VINEYARD BLVD, SUITE C, OKLA. CITY, OKLA. 73120 * OFFICE (405) 212-3108
Certificate of Authorization No. 7318





CONTINENTAL
RESOURCES, INC.
(OPERATOR)

GRADY

County Oklahoma

2342' FNL-2373' FWL Section 21 Township 6N Range 5W I.M.

WELL: UMBACH
5-21-28-33XHW



GPS DATUM
NAD-83
NAD-27
OK SOUTH ZONE
US FEET
SCALE:
1" = 2000'


CURRENT REV.: 0

Date Drawn: 6-4-19

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

CERTIFICATE:

I, **RANDALL J. BILYEU** an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.



Randall J. Bilyeu

Oklahoma PLS No.1196 DATE