API NUMBER: 011 24328 OIL & GAS CONSERVATION DIVISION P.O. BOX 52000

OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

OKLAHOMA CORPORATION COMMISSION

Approval Date: 07/19/2022 01/19/2024 Expiration Date:

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 03	3 Township:	14N Range:	11W County:	BLAINE				
SPOT LOCATION: SE SW	SW SE	FEET FROM QUARTER:	FROM SOUTH	FROM EAST				
		SECTION LINES:	328	2103				
Lease Name: PORK CHOP	3_34-14N-11W	,	Well No: 4HX		Well will be	328 feet from i	nearest unit or lease boundary.	
Operator Name: DEVON ENER	GY PRODUCTION CO	L P Te	elephone: 405235	3611; 4052353611;		OTC	OCC Number: 20751 0	
DEVON ENERGY PRODUCTION CO LP				ARLYN MOON				
333 W SHERIDAN AVE				PO BOX 75				
OKLAHOMA CITY, OK 73102-5015			GREENFIELD		OK	73043		
				J				
Formation(s) (Permit Valid for Listed Formations Only):								
Name	Code		Depth					
MISSISSIPPI 351MISS 10483								
2 MISSISSIPPIAN	359MS		10483					
3 WOODFORD Spacing Orders: 585012	319WD		12870					
Spacing Orders: 585012 593941		Locati	ion Exception Orde	rs: 722501		Increased Dens		
562922							722504	
699105								
Pending CD Numbers: No Pe	ending	W	orking interest owr	ers' notified: ***		Spec	cial Orders: No Special	
Total Depth: 21689 Ground Elevation: 1446 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 50								
			_			Deep surfa	ce casing has been approved	
Under Federal Jurisdiction: No				Approved Method for	Approved Method for disposal of Drilling Fluids:			
Fresh Water Supply Well Drilled: No					D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38409			
Surface Water used to Drill: Yes					H. (Other) SEE MEMO			
				(0)				
PIT 1 INFORMATION				_	Category of Pit: C			
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED					Liner not required for Category: C Pit Location is: ALLUVIAL			
Chlorides Max: 8000 Average: 5000					Pit Location Formation: ALLUVIUM			
Is depth to top of ground wa	ater greater than 10ft be	elow base of pit? Y						
Within 1 mile of municipal	water well? N							
Wellhead Protection Area? N								
Pit <u>is</u> located in a Hydro	ologically Sensitive Area	a.						
PIT 2 INFORMATION				Categor	y of Pit: C			
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C			
Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000					Pit Location is: ALLUVIAL Pit Location Formation: ALLUVIUM			
		Fit Location For	mation. ALLUVIU	JIVI				
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N								
Wellhead Protection Area? N								
Pit <u>is</u> located in a Hydrologically Sensitive Area.								

MULTI UNIT HOLE 1

Section: 34 Township: 15N Range: 11W Meridian: IM Total Length: 9599

County: BLAINE Measured Total Depth: 21689

Spot Location of End Point: NW NE NE NW True Vertical Depth: 13000

Feet From: NORTH 1/4 Section Line: 50 End Point Location from
Feet From: WEST 1/4 Section Line: 2230 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[7/1/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[7/1/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 722504	[7/19/2022 - GB1] - 3-14N-11W X593941 MSSP 3 WELLS DEVON ENERGY PRODUCTION COMPANY LP 12/30/2021
INCREASED DENSITY - 722505	[7/19/2022 - GB1] - 34-15N-11W X585012 MISS 3 WELLS DEVON ENERGY PRODUCTION COMPANY LP 12/30/2021
INTERMEDIATE CASING	[7/1/2022 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 722501	[7/19/2022 - GB1] - (I.O.) 3-14N-11W & 34-15N-11W X593942 MSSP 3-14N-11W X562922 WDFD 3-14N-11W X562922 WDFD 3-14N-11W X585012 MISS, WDFD 34-15N-11W X165:10-3-28(C)(2)(B) MISS, MSSP MAY BE CLOSER THAN 600' TO PORK CHOP 3-14N-11W 3H COMPL INT (3-14N-11W) NCT 165' FSL, NCT 0' FNL, NCT 1320' FWL COMPL INT (34-15N-11W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FWL DEVON ENERGRY PRODUCTION COMPANY LP 12/30/2021
МЕМО	[7/1/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 562922	[7/18/2022 - GB1] - (640) 3-14N-11W EST MSSLM, WDFD, OTHERS EXT 420480 CSTR, OTHER EXT OTHER (VAC MSSLM, CSTR BY 593941)
SPACING - 585012	[7/19/2022 - GB1] - (640) 34-15N-11W EXT 578803 MISS, WDFD, OTHER
SPACING - 593941	[7/18/2022 - GB1] - (640) 3-14N-11W VAC 562922 CSTR, MSSLM EXT OTHER EXT 586745 MSSP
SPACING - 699105	[7/19/2022 - GB1] - (I.O.) 3-14N-11W & 34-15N-11W EST MULTIUNIT HORIZONTAL WELL X593942 MSSP 3-14N-11W X562922 WDFD 3-14N-11W X585012 MISS, WDFD 34-15N-11W (WDFD ADJ CSS TO MISS, MSSP) 50% 3-14N-11W 50% 34-15N-11W DEVON ENERGY PRODUCTION COMPANY LP 7/12/2019