API NUMBER: 131 25448

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	08/10/2020
Expiration Date:	02/10/2022

Straight Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	20	Township	: 24N	Range:	17E	County:	ROGE	RS								
SPOT LOCATION:	NW NW	NE	SW	FEET FROM C	QUARTER:	FROM	NORTH	FRO	west								
				SECTIO	ON LINES:		236		1357								
Lease Name:	RICE					Well No	: 20-1			Well w	ill be	236	feet from	nearest uni	t or leas	se bound	lary.
Operator Name:	ROCKY TOP	ENERGY	LLC		Te	elephone	: 9182737	444					ОТО	C/OCC Nun	nber:	22945	5 0
ROCKY TOP	ENERGY L	LC] [HARVEY DIS	SHMAN							
PO BOX 902								Н									
NOWATA,			ОК	74048-09	02				17506 E 330	ROAD							
									CHELSEA				OK	74016			
								J L									
Formation(s)	(Permit Va	lid for L	isted Fo	rmations Or	nly):												
Name			Code	e		Depth]									
1 STRAY	RAY 000STRY			2	250												
2 BARTLESVI	2 BARTLESVILLE 404BRVL 350																
Spacing Orders:	No Spacing				Locat	ion Exce	ption Order	s: N	lo Exceptions			Inc	reased De	nsity Orders:	No De	ensity Ord	ders
Pending CD Number	ers: No Pend	ing											Sp	ecial Orders:	No Sp	oecial Ord	ders
Total Depth: 450 Ground Elevation: 0 Surface Casing:					0	Depth to base of Treatable Water-Bearing FM: 140											
Alternate Casi	ng Program																
Cement will b	e circulate	d from	Γotal De	pth to the	Grour	nd Sur	face on	the	Production (Casing Strir	ng.						
Under	Federal Jurisdic	tion: No						7	Approved Metho	d for disposal o	of Drillir	ng Flui	ds:				
Fresh Water	Supply Well Dr	illed: No						1	A. Evaporation/de	water and backf	fillina of	reserve	pit.				
Surface	e Water used to	Drill: No							·		Ü						
								ŀ	H. CBL REQUIRE	ED							
DIT 1 INFOD	MATION								Cate	egory of Pit: 4	ı						
PIT 1 INFORMATION Type of Pit System: ON SITE						Liner not required for Category: 4											
Type of Mud System: AIR						Pit Location is: BED AQUIFER											
	•								Pit Location	Formation: S	SENORA	١					
Is depth to top of ground water greater than 10ft below base of pit? Y				Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).													
Within 1 i	mile of municipa	l water we	II? N						•								
	Wellhead Prot																
Pit <u>is</u> lo	ocated in a Hydr	ologically	Sensitive A	rea.													

NOTES:	
Category	Description
HYDRAULIC FRACTURING	8/10/2020 - GC2 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG