API NUMBER: 017 25556 Α

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/01/2019 05/01/2021 Expiration Date:

16896 0

Horizontal Hole Oil & Gas

Amend reason: AMEND FROM STRAT TEST TO HORIZONTAL OIL

AMEND PERMIT TO DRILL

| GAS WELL | | | | | | | | | | | |
|-------------------|---------|----------|--------|------|----|--------------------|---------|---------|-------|---------------|--------|
| WELL LOCATION: | Sec: 2 | 26 Twp: | 13N | Rge: | 7W | Count | y: CAN | ADIAN | | | |
| SPOT LOCATION: | NE | SW SE | | SW | | FEET FROM QUARTER: | FROM | SOUTH | FROM | WEST | |
| | | | | | | SECTION LINES: | | 360 | | 1680 | |
| Lease Name: | GREENBA | CK 1307 | | | | w | ell No: | 3SMH-35 | | | |
| Operator Name: | CHAPA | RRAL ENE | RGY LL | .C | | | | Teleph | none: | 4054788770; 4 | 054264 |

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY. 73114-7800 OK

DAVID BROOKS, TRUSTEE OF THE DAVID BROOKS **REVOCABLE TRUST**

Well will be 360 feet from nearest unit or lease boundary.

OTC/OCC Number:

3850 N. EVANS RD

EL RENO 73036 OK

Formation(s) (Permit Valid for Listed Formations Only):

| | Name | Depth | Name | Depth |
|------------------------|------------------|----------------------------|------|---------------------------|
| 1 | MISSISSIPPI | 9058 | 6 | |
| 2 | | | 7 | |
| 3 | | | 8 | |
| 4 | | | 9 | |
| 5 | | | 10 | |
| Spacing Orders: 130956 | | Location Exception Orders: | | Increased Density Orders: |
| Pending CD Nun | nbers: 201904424 | | | Special Orders: |

Pending CD Numbers:

201904421

Total Depth: 14300 Ground Elevation: 1314 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 270

Deep surface casing has been approved

Fresh Water Supply Well Drilled: No Under Federal Jurisdiction: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-37039

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 35 Twp 13N Rge 7W County CANADIAN

Spot Location of End Point: SE SW SE SW Feet From: SOUTH 1/4 Section Line: 165

Feet From: WEST 1/4 Section Line: 1880

Depth of Deviation: 8860 Radius of Turn: 598 Direction: 178

Total Length: 4964

Measured Total Depth: 14300

True Vertical Depth: 9460

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 10/9/2019 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 10/9/2019 - GC2 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 10/9/2019 - GC2 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201904421 10/28/2019 - GC2 - 35-13N-7W

X130956 MISS 7 WELLS NO OP. NAMED HEARING 11-12-2019 PENDING CD - 201904424 10/28/2019 - GC2 - (I.O.) 35-13N-7W

X130956 MISS

X165:10-3-28(C)(2)(B) MISS MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED

WELLBORE

COMPL. INT. NCT 150' FNL, NCT 150' FSL, NCT 330' FEL/FWL

NO OP. NAMED

REC. 10-8-2019 (NORRIS)

SPACING - 130956 10/28/2019 - GC2 - (640) 35-13N-7W

EST MISS, OTHER