API NUMBER: 073 26813

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 12/30/2021

Expiration Date: 06/30/2023

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	35	Township	: 16N	Range:	7W	County: I	KINGFISHER				
SPOT LOCATION:	SE NV	/ SW	SE	FEET	FROM QUARTER:	FROM	SOUTH	FROM EAST				
					SECTION LINES:		888	1994				
Lease Name:	KRETCHMA	R 1507			,	Well No:	2H-2X		Well will b	pe 888	feet from nearest unit	or lease boundary.
Operator Name:	OVINTIV US	A INC			Те	elephone:	2812105	00			OTC/OCC Num	ber: 21713 0
OVINTIV USA INC							LAWRENCE	LAWRENCE E. REHERMAN JR. AND CENA J. REHERMAN				
4 WATERWAY SQUARE PLACE, STE 100							23876 N. 286	0				
THE WOODLANDS, TX 77380-3197						KINGFISHER	1		OK 73750			
	,							KINGI IGHEN	•		OK 73730	
Formation(s)	(Permit Va	alid for L	isted Fo	rmation	ns Only):							
Name			Cod	е	D	Depth						
1 MISSISSIPP	IAN		3591	MSSP	7	626						
Spacing Orders:	604861				Locati	ion Excer	otion Order	s: 695429		Inc	creased Density Orders:	693397
								696499				717253
								717894				
								718160				
												N. 0
Pending CD Number	ers: No P	ending	J		W	orking int	erest owne	rs' notified: ***			Special Orders:	No Special
Total Depth: 1	8453	Ground I	Elevation:	1066	Su	rface (Casing:	1500	Dep	th to base o	of Treatable Water-Bearin	ng FM: 250
Total Depth: 1	8453	Ground I	Elevation:	1066	Su	rface (Casing:	1500	Dep			ng FM: 250 g has been approved
·			Elevation:	1066	Su	rface (Casing:			D	eep surface casing	
Under	8453 Federal Jurisdi Supply Well D	ction: No		1066	Su	rface (Casing:	Approved Method	for disposal of D	D rilling Flui	eep surface casing	g has been approved
Under Fresh Water	Federal Jurisdi	ction: No		1066	Su	rface (Casing:	Approved Method D. One time land a	I for disposal of D	Dirilling Flui	eep surface casing ds: MIT) PER	g has been approved MIT NO: 21-38027
Under Fresh Water	Federal Jurisdi	ction: No		1066	Su	rface (Casing:	Approved Method D. One time land a E. Haul to Comme	I for disposal of D	Dirilling Flui	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water	Federal Jurisdi	ction: No		1066	Su	rface (Casing:	Approved Method D. One time land a	I for disposal of D	Dirilling Flui	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water	Federal Jurisdi Supply Well D Water used to	ction: No		1066	Su	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other)	I for disposal of D	Dirilling Flui	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface	Federal Jurisdi Supply Well D Water used to	ction: No rilled: No Drill: Yes	S			rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other)	I for disposal of D pplication (REQI rcial pit facility	Dirilling Flui UIRES PER Sec. 31	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of M	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W	ction: No rilled: No Drill: Yes	s Closed Syst			rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of II Type of Mit	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 000 Average: 3	ction: No rilled: No Drill: Yes	s Closed Syst	em Mean:	s Steel Pits	rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of II Type of Mit	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W	ction: No rilled: No Drill: Yes	s Closed Syst	em Mean:	s Steel Pits	rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of II Type of Mi Chlorides Max: 50	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 00 Average: 3 top of ground w mile of municipal	ction: No rilled: No Drill: Yes	s SED er than 10ft	em Mean:	s Steel Pits	rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of II Type of Mi Chlorides Max: 50	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 100 Average: 3 top of ground v	ction: No rilled: No Drill: Yes	s SED er than 10ft	em Mean:	s Steel Pits	rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 00 Average: 3 top of ground w mile of municipal	ction: No rilled: No Drill: Yes	closed Syst SED er than 10ft ill? N a? N	eem Mean: t below ba	s Steel Pits	rface (Casing:	Approved Method D. One time land at E. Haul to Comme H. (Other) Cate Liner not require	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 100 Average: 3 top of ground v mille of municipal Wellhead Pro pocated in a Hyd	ction: No rilled: No Drill: Yes	closed Syst SED er than 10ft ill? N a? N	eem Mean: t below ba	s Steel Pits	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Pit Location I	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL	Dirilling Flui UIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is Ic	Federal Jurisdi Supply Well D Water used to MATION Pit System: C ud System: W 100 Average: 3 top of ground v mille of municipal Wellhead Pro pocated in a Hyd	ction: No rilled: No Drill: Yes	closed Syst SED er than 10ft II? N a? N Sensitive A	eem Mean: t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Pit Location I	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLU Formation: ALLU	Divilling Flui JIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is lo	Federal Jurisdi Supply Well D WATION Pit System: C ud System: W 100 Average: 3 top of ground v mille of municipal Wellhead Pro pocated in a Hyd	ction: No rilled: No Drill: Yes	closed Syst SED er than 10ft II? N a? N Sensitive A	eem Mean: t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Pit Location I	I for disposal of D pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLU Formation: ALLU gory of Pit: C	Divilling Flui JURES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is lo	Federal Jurisdi Supply Well D WATION Pit System: C ud System: W 00 Average: 3 top of ground v mile of municipe Wellhead Pro ocated in a Hyd MATION Pit System: C ud System: C	ction: No rilled: No Drill: Yes LOSED C ATER BAS 000 vater greate al water we tection Are: rologically: LOSED C IL BASED	closed Syst SED er than 10ft II? N a? N Sensitive A	eem Mean: t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Cate Liner not require Pit L	pplication (REQU rcial pit facility gory of Pit: C d for Category: C ocation is: ALLL Formation: ALLL gory of Pit: C d for Category: C	DIVIIIING Flui UJIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of M Chlorides Max: 50 Is depth to Within 1 r Pit is Ic PIT 2 INFORI Type of M Chlorides Max: 30 Chlorides Max: 30	Federal Jurisdi Supply Well D WATION Pit System: C ud System: W 00 Average: 3 top of ground v mile of municipe Wellhead Pro ocated in a Hyd MATION Pit System: C ud System: C	ction: No rilled: No Drill: Yes Cosed Cose	closed Syst SED er than 10ft II? N a? N Sensitive A	t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Cate Liner not require Pit L	pplication (REQUITED IN THE PROPERTY OF PIETE CONTROLL OF PIETE	DIVIIIING Flui UJIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of Mr Chlorides Max: 50 Is depth to Within 1 r Pit is Ic PIT 2 INFORI Type of Mr Chlorides Max: 30 Is depth to	Federal Jurisdi Supply Well D Water used to WATION Pit System: C Lud System: W 100 Average: 3 top of ground w mile of municipa Wellhead Pro Docated in a Hyd WATION Pit System: C Lud System: C Lud System: O 10000 Average	ction: No rilled: No or prilled: No or Drill: Yes of the No of Drill: Yes of the No or Drill: Yes of the No or	s closed Syst SED er than 10ft II? N a? N Sensitive A closed Syst er than 10ft III ar than 10ft II ar than 10ft	t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Cate Liner not require Pit L	pplication (REQUITED IN THE PROPERTY OF PIETE CONTROLL OF PIETE	DIVIIIING Flui UJIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027
Under Fresh Water Surface PIT 1 INFORI Type of Mr Chlorides Max: 50 Is depth to Within 1 r Pit is Ic PIT 2 INFORI Type of Mr Chlorides Max: 30 Is depth to	Federal Jurisdi Supply Well D Water used to WATION Pit System: C ud System: W 100 Average: 3 top of ground v mille of municipa Wellhead Pro pocated in a Hyd MATION Pit System: C ud System: O 10000 Average top of ground v	ction: No rilled: No or rilled: No or Drill: Yes control of the co	s closed Syst SED er than 10ft A Sensitive A closed Syst er than 10ft II? N	t below ba	s Steel Pits use of pit? Y	rface (Casing:	Approved Method D. One time land a E. Haul to Comme H. (Other) Cate Liner not require Pit L Cate Liner not require Pit L	pplication (REQUITED IN THE PROPERTY OF PIETE CONTROLL OF PIETE	DIVIIIING Flui UJIRES PER Sec. 31 SEE ME	eep surface casing ds: tMIT) PER Twn. 12N Rng. 8W Cnty	g has been approved MIT NO: 21-38027

HORIZONTAL HOLE 1

Section: 11 Township: 15N Range: 7W Meridian: IM Total Length: 10238

County: KINGFISHER Measured Total Depth: 18453
Spot Location of End Point: SE SW SE SW True Vertical Depth: 7905

Feet From: SOUTH


1/4 Section Line: 85

End Point Location from
Feet From: WEST

1/4 Section Line: 1734


Lease,Unit, or Property Line: 85

NOTES:	
Category	Description
DEEP SURFACE CASING	[12/29/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 696499	[12/29/2021 - G56] - (I.O.) W2 2 & 11-15N-7W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO PROPOSED AND/OR EXISTING WELLS NO OP NAMED 5/22/2019
EXCEPTION TO RULE - 718160	[12/29/2021 - G56] - EXTENSION OF TIME FOR ORDER # 696499
HYDRAULIC FRACTURING	[12/29/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 693397	[12/29/2021 - G56] - W2 2 & 11-15N-7W X604861 MSSP 2 WELLS NEWFIELD EXPLOR MID-CON INC 3/25/2019
INCREASED DENSITY - 717253	[12/29/2021 - G56] - EXTENSION OF TIME FOR ORDER # 717253
LOCATION EXCEPTION - 695429	[12/29/2021 - G56] - (I.O.) W2 2 & 11-15N-7W X604861 MSSP COMPL INT NCT 165' FSL, NCT 165' FNL, NCT 990' FWL NEWFIELD EXPLOR MID-CON INC 5/1/2019
LOCATION EXCEPTION - 717894	[12/29/2021 - G56] - EXTENSION OF TIME FOR ORDER # 695429
МЕМО	[12/29/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - UNCLE JOHN CREEK) OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 604861	[12/29/2021 - G56] - (640)(HOR)(IRR UNIT) W2 2 & 11, E2 2 & 11-15N-7W SU VAC 184418 MSSLM, OTHER VAC 594526 MSSP, OTHERS EST MSSP, OTHERS COMPL INT NCT 660' FB (COEXIST WITH PRODUCING NON HOR DR & SP UNITS, SUPERSEDE NON DEVELOPED NON HOR DR & SP UNITS)





VICINITY MAP



LEASE NAME & WELL NO.

KRETCHMAR 1507 2H-2X

SECTION 35 TWP 16N RGE 7W MERIDIAN I.M.

COUNTY KINGFISHER STATE OKLAHOMA

DESCRIPTION 888' FSL & 1994' FEL

DISTANCE & DIRECTION

FROM KINGFISHER, OK GO ±2.0 MI. SOUTH ON US-81, THEN GO ±1.5 MI.

EAST ON E0830 RD TO THE SOUTH QUARTER CORNER OF SECTION

35-T16N-R7W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY OVINTIV MID-CONTINENT INC.. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.





13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134 TELEPHONE: (405) 843-4847 OR (800) 654-3219 CERTIFICATE OF AUTHORIZATION NO. 1292 LS WWW.TOPOGRAPHIC.COM