API NUMBER: 073 26739

Oil & Gas

Multi Unit

OIL & GAS CONSERVATION DIVISION P.O. BOX 52000

OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

OKLAHOMA CORPORATION COMMISSION

Approval Date: 02/09/2021 **Expiration Date:** 08/09/2022

PERMIT TO DRILL

WELL LOCATION:	Section:	22	Township:	17N Rang	e: 8W	County:	KINGFIS	SHER							
SPOT LOCATION:	NW SW	SW	SE	FEET FROM QUARTE	R: FROM	SOUTH	FROM	EAST							
				SECTION LINE	S:	383		2428							
Lease Name:	EMORY				Well No:	1708 5H	I-15X		Well wi	II be	383	feet from	nearest unit or lea	se bounda	ıry.
Operator Name:	OVINTIV MID-C	ONTINE	NT INC.		Telephone:	2812105	5100; 918	38781290;				отс	OCC Number:	20944	0
OVINTIV MID	-CONTINEN	ΓINC.					G	ARRETT A	ND COMPA	NY, LI	_C				
4 WATERWAY AVE STE 100				9	9701 N BROADWAY										
THE WOODL	ANDS,		TX	77380-2764				KLAHOMA	CITY			OK	73114		

(Permit Valid for Listed Formations Only): Formation(s) Name Code Depth MISSISSIPPIAN 359MSSP 8129 WOODFORD 319WDFD 8695 Spacing Orders: 649745 Increased Density Orders: 715633 Location Exception Orders: 715640 715687 715639 715634 No Special Orders Special Orders: No Pending Pending CD Numbers: Working interest owners' notified: Total Depth: 18409 Ground Elevation: 1125 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 200 Deep surface casing has been approved

Under Federal Jurisdiction: No	Approved Method for disposal of Dri	lling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQU	RES PERMIT) PERMIT NO: 21-37516
Surface Water used to Drill: No	E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
	H. (Other)	SEE MEMO
PIT 1 INFORMATION	Category of Pit: C	

PIT Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: WATER BASED Pit Location is: BED AQUIFER Chlorides Max: 5000 Average: 3000 Pit Location Formation: CEDAR HILL Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit located in a Hydrologically Sensitive Area. **PIT 2 INFORMATION** Category of Pit: C

Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: OIL BASED Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILL Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit located in a Hydrologically Sensitive Area.

MULTI UNIT HOLE 1

Section: 15 Township: 17N Range: 8W Meridian: IM Total Length: 10225

County: KINGFISHER Measured Total Depth: 18409

Spot Location of End Point: NW NE NW NW True Vertical Depth: 8695

Feet From: NORTH 1/4 Section Line: 85 End Point Location from
Feet From: WEST 1/4 Section Line: 850 Lease,Unit, or Property Line: 85

NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[2/1/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE – 715639 (202001797)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X165:10-3-28(C)(2)(B) MSNLC (EMORY 1708 5H-15X) MAY BE CLOSER THAN 600' TO EXISTING WELLS M.CONLEY 1 (API# 073-22027), CONLEY 1 1-15 (API# 073-23171), EMORY 1H-15X (API# 073-25391, R.W.GARRET 2 (API# 073-21597) AND/OR PROPOSED WELLS EMORY 1708 2H-15X, EMORY 1708 3H-15X, EMORY 1708 4H-15X. 12/01/2020
HYDRAULIC FRACTURING	[2/1/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 715633 (202001787)	[2/8/2021 - GB6] - 15-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020
INCREASED DENSITY – 715634 (202001788)	[2/8/2021 - GB6] - 22-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020
LOCATION EXCEPTION – 715640 (202001811)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X649745 MSNLC, WDFD COMPL. INT. (15-17N-8W) NCT 165' FNL, NCT 0' FSL, NCT 510' FWL COMPL. INT. (22-17N-8W) NCT 0' FNL, NCT 165' FSL, NCT 510' FWL OVINTIV MID-CONTINENT INC. 12/01/2020
MEMO	$\ [2/1/2021$ - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 649745	[2/8/2021 - GB6] - (640)(HOR) 15, 22 -17N-8W EST MSNLC, WDFD COMPL. INT. (MSNLC) 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 33' FEL, NCT 330' FWL (COEXIST SP. ORDER# 89974/93777 MSSLM; SP. ORDER# 101356 MSSLM; SP. ORDER# 138429 MSSLM; SP. ORDER# 101356/138429 MSSLM)
SPACING - 715687 (202001810)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W EST MULTIUNIT HORIZONTAL WELL X649745 MSNLC, WDFD (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC) 50% 15-17N-8W 50% 22-17N-8W OVINTIV MID-CONTINENT INC. 12/03/2020